Application Submitted			
Site Plan Control Secondary Plan	OP/Zoning By-law Amendment	Draft Plan of Subdivision	Block Plan
Office Use Only			Topical at 1 and 4 and 5
Municipality:	Brampton Caledon	Mississauga	
Date Received:	Planner:	Application No.:	
Is this HDA revised from an earl	ier submission? Yes	No	
Property and Applicant			
Address of Subject Land (Street	Number/Name): 2650 Mayfield Road		
Applicant Name: KLM Planning Partners I	nc		
Registered Owner: Lormel Joint		E-mail: ashields@klmplanning.com	
negistered owner.			
Proposal Description			
Gross Floor Area:	——— Number of Storeys:	Number of Units: 199	
Project Summary (describe ho	w the project contributes to a healthy con	nmunity)	
	ssibility throughout the community. The pro	parcel of land. Connections to the existing de oposed development is immediately south of be	



PEEL HEALTHY DEVELOPMENT ASSESSMENT (LARGE-SCALE)

Please indicate where and how a standard is met or exceeded in the Demonstration of Standard column with reference to a policy, plan, map or illustration of some kind in the Document/Policy Reference column. Please also tabulate points in the Score column based on whether the development proposal meets or does not meet a community design standard. For further instruction, refer to "How to Use this User Guide" on pages 2 and 3.

Standard	Demonstration of Standard	Document/Policy Reference	Potential Score	Actual Score
DENSITY				
1. All development on Designated Greenfield Areas shall achieve a minimum overall density target as prescribed by the Regional Official Plan in policies 5.5.4.2.	The minimum overall density target is not calculated on the basis of individual draft plans of subdivision. However, the the proposed draft plan achieves a density of 28.5 units per net hectare or 91.2 persons per net hectare, which exceeds the Region's target of 50 persons per hectare.			
Where the local municipality has established higher density targets, these higher targets will apply.			5	F
2. All development in Designated Urban Growth Centres in the Region of Peel (i.e., Downtown Brampton and Mississauga City Centre) achieves a minimum overall density target of 200 people and jobs per hectare.	Lands het loodled in dit Glowin Gende	N/A	3	5
Where the local municipality has established higher density targets, these higher targets will apply.				

Standard	Demonstration of Standard	Document/Policy Reference	Potential Score	Actual score
SERVICE PROXIMITY				
Transit				
 At least 50% of the development's proposed dwelling units are situated within 200m of a planned or existing transit stop. 	Yes - there is an existing transit route along Mayfield Road immediately south of the subject lands.		2	2
4. Areas within 400m of a Higher Order Transit stop are developed to meet Major Transit Station Area density targets.	Not applicable.	Lands not within 400 metres of Higher Order Transit Stop	1	1
 Access to transit from the proposed development is safe, attractive and direct for pedestrians. 	Sidewalks will provide access to transit stops.		n/a	
Neighbourhood Community and R	etail Services			0
 At least 75% of the proposed dwelling units are situated within 800m of three or more of the following planned or existing neighbourhood public services: childcare facility community garden hospital or health clinic public library place of worship adult/senior care facility social service facility performance or cultural space post office recreation centre 	Church located at south end of proposed development. Planned Community/Recreation Centre Planned commercial plazas in area, potential to include a walk-in type health clinic Planned elementary school can be used after hours as performance and cultural space. Planned elementary school can provide after school programs for childcare	See Draft Plan and Secondary Plan	2	2
7. 100% of the proposed dwelling units are within 800m of an existing or planned	Yes, planned Elementary school just west of McLaughlin.	Secondary Plan	1	1

Standard	Demonstration of Standard	Document/Policy Reference	*	
elementary school.				
 100% of the proposed dwelling units are within 1.6km of an existing or planned secondary school. 	Yes, Brampton Christian School is JK-12. Proposed secondary school immediately north of subdivision		1	1
 At least 90% of the proposed dwelling units are situated within 400m of a playing field, park, square or natural open space. 	Yes, park, woodlot and greenway corridor are proposed within the proposed development.		2	2
10. At least 75% of the proposed dwelling units are within 800m of 5,000m² of personal service and commercial retail space, comprising a mix of uses such as a grocery store, pharmacy, bank, coffee, shop, restaurant, dry cleaner and hair salon.	Yes, plaza located at Hurontario and Mayfield Road includes Sobeys, Shoppers drugmart and Tim Hortons		2	2
11. Convenience commercial uses are present in key locations, including greyfield areas, intensification areas and corridors and greenfield areas.	Commercial uses being created as a result of Secondary Plan. Current commercial uses on the south east corner of Mayfield Road and Van Kirk Drive	Secondary Plan	2	2
Employment				
 The development is within 10km (i.e., a 30 minute transit trip) of an existing or planned employment centre or urban centre. 	Yes, there are employment lands planned with the Secondary Plan area and 8-9km from Brampton Urban Centre and in close proximity to the employment lands planned in Brampton at Mayfield Road and Highway 410		2	2
LAND USE MIX				
13. Employment lands include small scale amenity retail and services, are serviced by transit and have infrastructure which encourages pedestrian and cyclist movement.	Yes, planned prestige industrial and commercial use in the Secondary Plan area to be connected at a transit hub		2	2
14. In combination, the following housing type groups make up	No, all singles proposed		2	(

Standard	Demonstration of Standard	Document/Policy Reference	Potential Score	Actual score
at least 50% of the total units: townhouses and multiplex apartment buildings				
15. The proposed development includes special housing types, such as senior's housing, long term care facilities and supportive or affordable housing.	Affordable housing to meet the requirements of the the Region of Peel and Habitat for Humanity will be provided in the community in accordance with the community-wide Development Staging and Sequencing Plan.	refer to DSSP	1	1
16. Live-work units and other employment-related uses compatible with residential uses are included in the proposed development.	No	N/A	2	0
17. Retail uses on the ground floor are provided in multi-unit and mixed-use buildings.	No multi-unit buildings or mixed use buildings are proposed. Commercial uses are being created within the community as a result of the Secondary Plan.	N/A	1	1
STREET CONNECTIVITY				
 Infill development increases opportunities for street and pedestrian linkages and connectivity. 	N/A	N/A		
 19. In designated Greenfield Areas, street networks and off-road paths: are multi-modal to provide choice to pedestrians and cyclists; and make clear connections to existing routes and facilities. 	Street network makes connections to planned subdivision to the west and greenway corridor Collector Roads B and E, immediately adjacent to the subject lands are propos to include on-pavement bike lanes.	^{ed} Draft Plan	1	1
20. Cul-de-sacs, crescent streets and loop roads are not utilized unless they are located near significant infrastructure,	Crescent street run alongside the Greenway corridor and the ORBY railway	Draft Plan	2	2

Standard	Demonstration of Standard	Document/Policy Reference	Potential Score	Actual score
including highways and railways, or near natural features.				
21. Reverse frontage streets are not utilized.	None exist	Draft Plan	1	1
22. Residential blocks in the proposed development do not exceed 80x180m in size.	Only one block does exceed 180m length. All other blocks are well below 80 x 180	Draft Plan	3	2
23. Intersections are frequent (75/sq.km), with street blocks decreasing in size as density increases.	9 intersections are included in the proposed development and they generally comply with this standard, which results in 76/sq.km when woodlots and greenlands blocks are excluded.	Draft Plan	3	2
24. Sidewalks, bike lanes and multi-use paths connect to street networks, community amenities and transportation nodes.	The proposed greenway trail will have connection from the street network of the proposed draft plan with further connection to the multi-use trail on Mayfield Rd.	Draft Plan	n/a	
STREETSCAPE CHARACTERISTICS				
Pedestrian Amenities				
25. Neighbourhood public and retail services are located linearly along major roads to promote a main street environment, and are focused within community and mixed use nodes.	There are no retail uses proposed in the draft plan of subdivision. Area commercial/retail are located along major road. Immediately south is a plaza with a variety of services available. Planned commercial at McLaughlin and Mayfield is at key access points to he development	see Secondary Plan	2	2
 26. All streets in low-density residential areas have sidewalks on each side that are at least 1.5m wide. All streets in medium- and high-density residential neighbourhoods, mixed-use areas and commercial areas 	Sidewalks are currently proposed on only one side of the streets as per Section 3.4.1.1 of the Development Standards, Policies and Guidelines of the Town.	Development Standards, Policies and Guidelines of the Town.	1	0

Standard	Demonstration of Standard	Document/Policy Reference	Potential Score	Actual score
have sidewalks on each side that are at least 2 m wide.				
27. A variety of street trees that are hardy, resilient, and low maintenance are planted at regular intervals (as specified by the municipality) adjacent to all streets.	Development planned to include street trees per requirements of Section 3.5.7 of the Development Standards, Policies and Guidelines of the Town of Caledon.	Development Standards, Policies and Guidelines of the Town.	1	1
28. All transit stations, major transit stations and major pedestrian routes have: • weather protection • seating • waste baskets • lighting • route information • bicycle parking	N/A - there are no transit stations included in the proposed draft plan of subdivision.	N/A	1	1
Cycling Amenities				
 29. A connected and destination-oriented bikeway network is provided throughout the community, including a variety of on- and off-street bikeway facilities. These provide an appropriate degree of separation from motorized traffic, taking into account the speed and volume of traffic on the street. These on-street bikeway facilities must include: bicycle lanes sharrows signed routes multi-use paths on the boulevard 	Collector Roads B and E are designed to include on-pavement bike lanes with connections to the multi-use trail on Mayfield Road Sidewalks are proposed on one side of the streets only as per Section 3.4.1.1 of the Development Standards, Policies and Guidelines of the Town of Caledon	Community Transportation Master Plan Development Standards, Policies and Guidelines of the Town of Caledon	1	1
Where there is a local Bicycle Plan, the bikeway network				


Standard	Demonstration of Standard	Document/Policy Reference	Potential Score	Actual score
proposed in the Plan is implemented in the development area, and opportunities to enhance, or connect, the proposed bikeway network are identified.				
30. 90% of the residential dwelling units are within 400m of a continuous and connected bike network.	Yes, multi-use trail proposed on Mayfield Road and within the Greenway Corridor as well as Collector Roads B and E are designed to include on-pavement bike lanes.	Community Transportation Master Plan	1	1
Lighting				
31. Residential and commercial streets in medium- to high-density neighbourhoods have pedestrian-scaled lighting and are limited to a height of 4.6m.	N/A the proposed development is a low density neighbourhood	N/A,	1	1
32. Lighting and light standards in public outdoor areas, such as pedestrian walkways, plazas, parks, play lots and parking areas, relate to the pedestrian and are limited to a height of 4.6m.	Yes, lighting and light standards will be Yes, in accordance with applicable standards found in Section 3.11 of the Development Standards, Policies and Guidelines of the Town of Caledon	Development Standards, Policies and Guidelines of the Town of Caledon	1	1
Traffic Calming			lu.	
 33. In greenfield development, or where new streets are introduced through infill (re)development, traffic calming is achieved by using any of, but not limited to, the following: minimum traffic lane widths minimum number of traffic lanes in the roadway Pedestrian-priority streets, woonerfs or home-zones 	Roads will be designed in accordance with Section 3.3.7 of the Development Standards, Policies and Guidelines of the Town of Caledon. All rights-of-way range from 18 to 22 metres and will provide two way traffic, with one lane in either direction. Roads will be properly signed, and inclusion of on-street parking on one side of the road will further result in slower traffic	Development Standards, Policies and Guidelines of the Town of Caledon	3	2

Standard	Demonstration of Standard	Document/Policy Reference	Potential Score	Actual score
(i.e., the speed limit is under 15km/hr and vehicles must yield to pedestrians and cyclists)				
34. Traffic calming elements are designed to increase comfort and safety for means of active transportation, so as not to unduly create hazards or obstacles for pedestrians or cyclists.	Proposed public roads will be designed tin accordance with Section 3.3.7 of the Development Standards, POlicies and Guidelines of the Town of Caledon. Sidewalks are proposed on one side of the street. Greenway corridor provides pathway connection to multi-use paths along Mayfield. Collector Roads B and E adjacent to the subject lands.	Development Standards, Policies and Guidelines of the Town of Caledon	n/a	
35. Provide reduced automobile				-
parking ratios for: • buildings and other facilities within 400m of a higher order transit stops; and, • apartments/condominiums offering car share parking spaces. 36. Efficient use of parking is promoted by identifying	N/A		1	1
systems for sharing parking spaces by two or more user groups at different times of the day or week (e.g., weekday use by office staff and evening/weekend use by restaurant clientele).			1	1
37. Provide unbundled parking for 50% of multi-family dwelling units within 400m of a higher-order transit stop.	N/A		2	2
38. 50% or more of residential dwelling units provide access to parking via rear alleys or laneways, with no parking in their front setbacks.	Parking will be provided in the front yard		2	0

Standard	Demonstration of Standard	Document/Policy Reference	Potential Score	Actual score
39. For multi-storey residential dwelling units, institutional and employment uses, parking is located away from the street to the rear or to the side, or is located underground.	N/A		2	2
 40. Where surface parking is provided, it is designed to minimize negative aesthetic and environmental impacts. This can be achieved by incorporating the following into the parking lot design: pedestrian access, connectivity and circulation tree planting landscaping stormwater management porous/permeable surfaces light-coloured materials instead of black asphalt 	Dwellings are single detached, appropriate front yard landscaping will be provided		2	2

HEALTHY DEVELOPMENT ASSESSMENT SCORECARD

DENSITY Density targets Greenfield targets Urban Growth Centre targets	5 /5 5/5	STREETSCAPE CHARACTERISTICS Linear and nodal commercial development Sidewalks Street trees Transit Station amenities	10/12 2/2 /1 1/1
SERVICE PROXIMITY Transit proximity Major Transit Station Area targets Safe & comfortable transit access Proximity to neighbourhood public services Proximity to elementary school Proximity to secondary school	13/15 2/2 1/1 N/A 72 1/1	Connected bike network Proximity to bike network Lighting on residential/commercial streets Public outdoor lighting Traffic calming Traffic calming enhances comfort and safety	1 /1 1 /1 1 /1 1 /1 1/1 2/3 N/A
Proximity to park, square or natural space Proximity to commercial retail Convenience commercial in key locations Proximity to employment or urban centre	2/2 2/2 2/2 2/2 2/2	EFFICIENT PARKING Provide reduced parking ratios Identify systems for shared parking spaces Unbundled parking Parking location (single-storey residential) Parking location (other)	8 /10 1/1 1/1 2/2 0/2 2/2
LAND USE MIX Employment Lands Housing diversity Special Housing	4 /8 2/2 0/2 1/1	Above-ground parking design TOTAL*:	⁻ / ₂ ² / ₂
Live-Work units and other employment uses Retail uses on ground floor	² /2 ¹ /1	GOLD: SILVER:	80-100%
STREET CONNECTIVITY Improved connectivity ☐ Infill development ☐ Greenfield development	8 /10 1/1	BRONZE: PASS:	70-79% 60-69% 50-59%
Non-grid streets avoided Reverse-frontage streets avoided Small residential blocks Frequent intersections Active transportation connectivity	² /2 ¹ /1 ² /3 ² /3 N/A	*Should certain standards not apply, the total score will be accordingly.	e reduced



PART LOT 18, CONCESSIONS 1, W.H.S. TOWN OF CALEDON, REGIONAL MUNICIPALITY OF PEEL