

**PHASE I ENVIRONMENTAL SITE
ASSESSMENT**

**12563, 12585 AND 12599 HIGHWAY 50
AND 2 INDUSTRIAL ROAD
BOLTON, ONTARIO**

**TOWN OF CALEDON
PLANNING
RECEIVED**

April 20, 2021



**WATTERS
ENVIRONMENTAL
GROUP INC.**

CONFIDENTIAL

**PHASE I ENVIRONMENTAL
SITE ASSESSMENT**

**12563, 12585 AND 125992 HIGHWAY 50 AND
2 INDUSTRIAL ROAD
BOLTON, ONTARIO**

Prepared for:

12599 HWY 50 LTD.
91 Parr Boulevard
Bolton, Ontario
L7E 4E3

Prepared by:

WATTERS ENVIRONMENTAL GROUP INC.
9135 Keele Street, Unit A1
Concord, Ontario
L4K 0J4

March 2021
Reference No. 20-0132.02

CONFIDENTIAL

**PHASE I ENVIRONMENTAL
SITE ASSESSMENT**

**12563, 12585 AND 125992 HIGHWAY 50 AND
2 INDUSTRIAL ROAD
BOLTON, ONTARIO**

Prepared by:



Vaidehi Jadeja, B.A.Sc., P.Eng., QP_{ESA}
Project Manager

Reviewed by:



Robert J. Watters, Ph.D., P.Geo.
President & CEO

March 2021

Reference No. 20-0132.02

EXECUTIVE SUMMARY

Watters Environmental Group Inc. (Watters Environmental) was retained by 12599 Hwy 50 Ltd. to complete a Phase I Environmental Site Assessment for commercial properties located at 12563, 12585 and 12599 Highway 50 and 2 Industrial Road, in Bolton, Ontario (hereafter collectively the “Site”).

The Site is currently used for commercial purposes containing multi-tenant commercial buildings occupied by a dance studio, used car dealership, concrete forming company, landscaping construction contractor, trucking company, private vehicle garage, several food establishments, a vape store, veterinary hospital, fireworks store, and a hair salon. The Site also contains a vehicle repair and maintenance services shop and a recreational vehicle (RV) dealership.

Purpose

Watters Environmental understands that 12599 Hwy 50 Ltd. is considering redevelopment of the Site for future mixed-use residential and commercial purposes.

In Ontario, a Record of Site Condition (RSC) is required from the Ministry of the Environment, Conservation, and Parks (MECP) by Ontario Regulation (O. Reg.) 153/04 (as amended) when a property is redeveloped to a more sensitive land use (e.g., industrial or commercial to residential). Since the Site involves a change from commercial/industrial to residential use, an RSC is required. However, as part of the redevelopment process, in addition to the RSC, other activities and approvals are required (i.e., Zoning Application, Site Plan Application, etc.). As part of this process, 12599 Hwy 50 Ltd. requires a Phase I ESA that integrates the findings of all previous investigations and/or assessments conducted at the Site. This report presents those findings.

Scope

This Phase I ESA involved a review of historical documents related to the Site and surrounding property uses, a walk-through Site reconnaissance, interviews with the site representatives, a review of information in publicly-available environmental databases, observations (from publicly-accessible locations) of activities on properties within 200 metres from the Site, and preparation of this report. Several previous reports were prepared for the Site and those findings have been incorporated into this document.

Findings

Based on the Phase I ESA completed, there are no significant environmental contaminant issues with the Site. A portion of the Site contains elevated hydrocarbons in groundwater that are planned to be removed as part of the Record of Site Condition process.

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
EXECUTIVE SUMMARY	i
TABLE OF CONTENTS	iii
1.0 INTRODUCTION	1
1.1 Purpose	1
1.2 Scope	1
1.3 Site Visit Details	2
2.0 BACKGROUND INFORMATION	4
2.1 Site Location	4
2.2 Site Description	4
2.3 Physical Setting	11
2.4 Previous Environmental Reports	12
3.0 HISTORICAL RECORDS REVIEW	21
3.1 Fire Insurance Plans and Other Related Documents	21
3.1.1 Site History	21
3.1.2 Surrounding Properties History	25
3.2 Historical Street Directories	25
3.2.1 Site History	26
3.2.2 Surrounding Properties History	27
3.3 Historical Aerial Photographs and Satellite Images	29
3.3.1 Site History	30
3.3.2 Surrounding Properties History	31
4.0 ENVIRONMENTAL DATABASE AND REGULATORY REVIEW	33
4.1 EcoLog ERIS Report	33
4.1.1 Site Environmental Database Review	33
4.1.2 Surrounding Properties Environmental Database Review	34
4.2 Regulatory Review	38
5.0 SITE RECONNAISSANCE FINDINGS	39
5.1 Operations-Related Environmental Issues	39

TABLE OF CONTENTS (Continued)

<u>SECTION</u>	<u>PAGE</u>
5.1.1 Aboveground and Underground Storage Tanks	39
5.1.2 Chemical Storage and Handling	41
5.1.3 Solid (Non-Hazardous) and Liquid Waste	46
5.1.4 Registrable/Hazardous Waste	47
5.1.5 Spills and Releases	48
5.1.6 Air Emissions.....	49
5.1.7 Water, Wastewater and Storm Water	49
5.1.8 Trenches, Pits, Sumps and Lagoons.....	50
5.1.9 Radioactive Materials.....	51
5.1.10 Dry Cleaning Operations.....	51
5.1.11 Fueling Operations.....	51
5.1.12 Hydraulic Equipment and Reservoirs	51
5.2 Property-Related Environmental Issues	52
5.2.1 Asbestos.....	52
5.2.2 Polychlorinated Biphenyl-Containing Equipment.....	52
5.2.3 Lead in Paints.....	53
5.2.4 Urea Formaldehyde Foam Insulation.....	53
5.2.5 Ozone-Depleting Substances	53
5.2.6 Radon	54
5.2.7 Pesticides	54
5.2.8 Soil Fill.....	54
5.2.9 Mould	55
5.3 Review of Surrounding Properties.....	55
6.0 DISCUSSION OF FINDINGS	57
7.0 CONCLUSIONS AND RECOMMENDATIONS.....	58
8.0 QUALIFICATIONS AND LIMITATIONS.....	59

TABLE OF CONTENTS (Continued)

LIST OF FIGURES

- Figure 1: Site Location Map
- Figure 2: Surrounding Land Use Plan
- Figure 3: Site Layout Plan

LIST OF APPENDICES

- Appendix A: Photographs
- Appendix B: EcoLog Environmental Risk Information Services Ltd. (EcoLog ERIS) Report
- Appendix C: Correspondence with Regulatory Agencies
- Appendix D: Qualifications of Watters Environmental and Key Personnel Involved With This Phase I ESA

1.0 INTRODUCTION

Watters Environmental Group Inc. (Watters Environmental) was retained by 12599 Hwy 50 Ltd. to complete a Phase I Environmental Site Assessment for the commercial properties located at 12563, 12585 and 12599 Highway 50 and 2 Industrial Road, in Bolton, Ontario (hereafter collectively the “Site”).

The Site is currently used for commercial purposes containing multi-tenant commercial buildings occupied by a dance studio, used car dealership, concrete forming company, landscaping construction contractor, trucking company, private vehicle garage, several food establishments, a vape store, veterinary hospital, fireworks store, and a hair salon. The Site also contains a vehicle repair and maintenance services shop and a recreational vehicle (RV) dealership.

1.1 Purpose

Watters Environmental understands that 12599 Hwy 50 Ltd. is considering redevelopment of the Site for future mixed-use residential and commercial purposes.

In Ontario, a Record of Site Condition (RSC) is required from the Ministry of the Environment, Conservation, and Parks (MECP) by Ontario Regulation (O. Reg.) 153/04 (as amended) when a property is redeveloped to a more sensitive land use (e.g., industrial or commercial to residential). Since the Site involves a change from commercial/industrial to residential use, an RSC is required. However, prior to submitting an RSC, other activities (i.e., Zoning Application, initial Site Plan Application) are required. As part of this process, 12599 Hwy 50 Ltd. requires a Phase I ESA that integrates the findings of all previous investigations and/or assessments conducted at the subject Site. This report presents those findings.

1.2 Scope

Watters Environmental’s scope of work involved a historical review of the Site and surrounding properties; a review of available regulatory databases pertaining to the Site and properties within 250 metres from the centre of the Site; a walk-through reconnaissance of the Site; interviews with available person(s) knowledgeable about past and present activities at the Site; observations of activities on properties within 200 metres from the Site; and preparation of this report summarizing Watters Environmental’s findings and recommendations. Several previous reports were prepared for the Site and those findings have been incorporated into this document.

Watters Environmental conducted this work in accordance to standard Phase I ESA procedures, which generally reflect the requirements of the following document:

- “*Phase I Environmental Site Assessment*”, Canadian Standards Association (CSA) standard CSA Z768-01, dated November 2001 (reaffirmed 2016).

1.3 Site Visit Details

Visits to various portions of the Site were conducted during three separate occasions and are listed below in chronological order:

- Mr. Renan Orquiza, P.Eng. and Ms. Fatema Tawawala, P.Eng. of Watters Environmental, visited the portion of the Site with municipal address 12563 and 12585 Highway 50 on May 4, 2016;
- Mr. Kevin Sue, B.Eng., and Mr. Israel Magalit, B.Sc., of Watters Environmental, visited the portion of the Site with municipal address 12599 Highway 50 on May 28, 2019; and
- Mr. Magalit visited the portion of the Site with municipal address 2 Industrial Road on May 6, 2020.

The site visits included a walk-through reconnaissance to evaluate potential on-Site environmental issues, and to identify whether any surrounding property uses could impact the environmental condition of the Site.

During the Site reconnaissance, Watters Environmental interviewed the following individuals:

- May 4, 2016 – Mr. Gord Metcalfe, Owner of NAPA Autopro, and Ms. Kimberley Clark-Allen, General Manager of Globetrotter R.V. Mr. Metcalfe and Ms. Clark-Allen have 25 years and 18 years of experience, respectively, with a portion of the Site with municipal address 12563 and 12585 Highway 50. Mr. Denis Furlan (President of Verdi Alliance, 2016) also accompanied Watters Environmental during portions of the Site reconnaissance;

- May 28, 2019 – Mr. John Ursini, Sales Representative and Senior Vice President, Land Acquisitions of Vanguard Realty Brokerage Corp.;
- June 4, 2019 – Telephone interview with Mr. Frank Galifi, Owner of a portion of the Site with municipal address 12599 Highway 50 (approximately 5 years of Site experience); and
- May 6, 2020 – Mr. John Stornelli, Vice President of the Stornelli Group and Owner of a portion of the Site with municipal address 2 Industrial Road (over 30 years of Site experience).

The above individuals are hereafter collectively referred to in this report as the “Site representatives”. Information provided by any of the Site representatives is referred to in this report as being provided by the “Site representatives”.

Watters Environmental was provided access to all areas of the Site except for the roofs (due to safety considerations).

Appendix A contains select photographs showing key features of the Site.

2.0 BACKGROUND INFORMATION

2.1 Site Location

For the purpose of this report, the portion of Highway 50 that is adjacent to the west of the Site is assumed to be aligned in a north-south direction (i.e., relative to “Project North”), although it is aligned in a northwest-southeast direction (i.e., relative to “True North”), and the portion of Industrial Road that is adjacent to the south of the Site is assumed to be aligned in a east-west direction relative to Project North, although it is aligned in a northeast-southwest direction relative to True North. Unless otherwise noted, descriptions provided in this report are relative to Project North.

The Site is located at the northeast corner of the intersection of Highway 50 and Industrial Road, in an area of mixed commercial and industrial land uses (see Figure 2).

2.2 Site Description

The Site is comprised of the following four municipal addresses:

- 12599 Highway 50 – located in the northwest corner of the Site, developed with a single-storey commercial building and occupied by various commercial tenants (i.e., restaurants, hair salon, vape shop, veterinarian);
- 12563 and 12585 Highway 50 – located in the central portion of the Site, developed with two commercial buildings in the west-central portion and two sheds within the landscaped area along the northeastern portion. The majority of this section of the Site is utilized as a Recreation Vehicle (RV) parking and/or storage area, and also consists of a vehicle maintenance and services shop. A storm water management pond is situated at the east-central portion of the Site; and
- 2 Industrial Road – located in the southeast portion of the Site, developed with a partial two-storey multi-tenant commercial building and occupied by several commercial tenants (i.e., dance studio, landscaping construction business, concrete forming business, trucking/transport logistics, landscape maintenance, and used automobile dealer) as well as a private automotive repair garage used by the owner of this portion of the Site.

Information concerning the Site and Site buildings is provided in the tables below. The general layout of the Site is presented in Figure 3.

Site and Building Features	Description
Shape of the Property:	Irregular
Property Size:	Approximately 3.68 hectares (9.05 acres), based on information provided by the Site representatives.
Property Exterior:	<p>The northwest, western and southwestern portions of the Site exterior consist of asphalt-paved driveways and/or parking lots, while the central, south-central and eastern portions are unpaved. The unpaved areas were filled with a gravel cover.</p> <p>Landscaping is present along some section of the northern, western and southern boundaries of the Site.</p>
Fencing:	<p>Chain-link metal fencing is present along the southern portion of the west property boundary, the northern portion of the east property boundary and eastern portion of the south property boundary. A wooden fence is present along the southern half of the east property boundary.</p> <p>Some metal-wire fencing is present within the Site property, between the various municipal addresses. The interior of the southeastern portion of the Site consists of some chain-link fencing to separate the outdoor storage areas used by Acura Forming (concrete forming), Pro-Land Landscaping Construction (Pro-Land) (landscaping construction) and J-Line Trucking Inc. (J-Line, trucking/transport).</p>
Site Building 1	Multi-tenant commercial building located in the northwestern portion of the Site, with municipal address 12599 Highway 50.
Initial Construction:	Between 2001 and 2003, based on historical aerial photographs (see Section 3.3.1)
Expansions:	None reported
Tenants and/or Number of Units:	<p>7 Commercial Retail Units (CRUs) as follows (see Figure 3):</p> <ul style="list-style-type: none"> • CRU 1 – Bolton Pizza Panini; • CRU 2 – Pho Captain/Chinese Takeout; • CRU 3 – GTA Vapes; • CRU 4 – Northpoint Veterinary Hospital; • CRU 5A – Vacant (former ink/toner and fireworks retail store, currently used as storage space); • CRU 5B – BBQ Chicken Churrasqueira; and • CRU 6 – Urban Bangs Hair Studio.

Site and Building Features	Description
Major Renovations:	The Site representatives indicated that, over time, the individual CRUs have been cosmetically renovated as new commercial tenants move in and out of the Site building. In addition, a demising wall was added to CRU5 to separate the unit into two separate CRUs (i.e., CRU 5A and CRU 5B). Minor patchwork has also been completed to the roof and asphalt parking lot.
Above Grade Floors:	One, plus two small mezzanines in CRUs 4 and 6.
Basement:	None
Footprint Area:	Approximately 892 square metres (9,600 square feet), based on information provided by the Site representatives.
Total Floor Area:	Approximately 892 square metres (9,600 square feet).
% Of Site Covered by Building:	Approximately 20% of the total Site area.
Construction Material:	The Site building is constructed of a poured concrete slab-on-grade foundation with concrete block walls, and a brick, masonry stone, and an exterior insulation finishing system (EIFS) façade.
Flooring:	The floor finishes in the Site building are a combination of ceramic tiles, laminate, vinyl floor tiles, and finished/unfinished concrete.
Interior Walls:	The interior walls are constructed of drywall and concrete block finished with paint.
Ceilings:	The ceilings within the building consist of acoustic ceiling tiles, drywall finished with paint, and exposed metal decking.
Lighting:	Lighting throughout the building is provided by a combination of incandescent, fluorescent and light emitting diode (LED) lights.
Roof:	Flat, tar and gravel
Elevators:	None
Heating Fuel:	Natural Gas, some electrical heaters near exits and service rooms.
Site Building 2	NAPA Autopro building located in the west-central portion of the Site, with municipal address 12585 Highway 50.
Initial Construction:	Approximately 1990

Site and Building Features	Description
Expansions:	None reported by the Site representatives
Tenants and/or Number of Units:	Reception area, office, a workshop and a partial mezzanine above the workshop area.
Major Renovations:	According to the Site representatives, no major renovations were conducted on the Site building. Four (4) roof patch-ups were completed and approximately seven (7) square cut-outs were made in the workshop area to replace the poor quality hoist posts between 2005 and 2015.
Above Grade Floors:	One, plus one mezzanine above the workshop area.
Basement:	None
Footprint Area:	Approximately 375 square metres (4,036 square feet), based on aerial photographs.
Total Floor Area:	Approximately 375 square metres (4,036 square feet).
% Of Site Covered by Building:	Approximately 2% of the total Site area.
Construction Material:	The building is constructed of block walls, glass panels, concrete floors and foundation, wood deck, bay doors, and a tar and gravel rood.
Flooring:	The floor finishes within the buildings are a combination of concrete, brick, and wood decks.
Interior Walls:	The interior walls are constructed of drywall finished with paint and concrete blocks.
Ceilings:	The ceilings within the Site building consist of ceiling tiles in the sales and/or office area and exposed metal trusses/corrugated metal sheets in the workshop area.
Lighting:	Lighting is provided by fluorescent light fixtures.
Roof:	Tar and gravel roofing.
Elevators:	None
Heating Fuel:	A hot water boiler in located in the partial mezzanine area and a natural gas forced air furnace was observed on the roof.

Site and Building Features	Description
Site Building 3	Globetrotter R.V. building, with municipal address 12563 Highway 50.
Initial Construction:	Around early 1970's. The Property Underwriter's Report and/or Plan indicates that the building may have been built between 1950 and/or 1970. However, the review of aerial photographs indicated that Site Building 1 may have been constructed in the 70's.
Expansions:	None as per the Site representatives.
Tenants:	Sales and/or reception area, offices, storage rooms, workshop area and a storage area in the partial mezzanine floor.
Major Renovations:	None as per the Site representatives.
Above Grade Floors:	One, plus one partial mezzanine floor.
Basement:	None
Footprint Area:	Approximately 656 square metres (7,065 square feet).
Total Floor Area:	Approximately 656 square metres (7,065 square feet).
% Of Site Covered by Building:	Approximately 3% of the total Site area.
Construction Material:	The Site building is constructed of brick and block walls, glass panels and a block and/or concrete foundation.
Flooring:	The floor finishes within the building are a combination of vinyl tiles, carpet, linoleum and concrete.
Interior Walls:	The interior walls are a combination of brick and block walls and finished drywall.
Ceilings:	The ceilings within the Site building consist of ceiling tiles and acoustic ceiling sheets, exposed metal trusses in the workshop area and exposed corrugated metal sheets in the storage and furnace room.
Lighting:	Lighting is provided by fluorescent light fixtures.
Roof:	The roof was not accessed at the time of the assessment; however, it was visually observed from the ground to be a tar and gravel roof.
Elevators:	None

Site and Building Features	Description
Heating Fuel:	Natural gas fired air furnace and three suspended unit heaters were observed in the workshop area, where one unit was noted to be not operational (located at the mezzanine area). The Site representatives indicated that there may be an abandoned underground storage tank beneath the workshop area of the Site building.
Site Building 4	Multi-tenant commercial building located in the southwestern portion of the Site, with municipal address 2 Industrial Road.
Initial Construction:	The Site building was originally constructed in either 1948 or 1950, based on 1978 and 1986 Property Underwriters' Reports (PURs) [i.e., conflicting information provided between these PURs]. Refer to Section 3.1.1.
Expansions:	According to the PURs (see Section 3.1.1.), additions were done in 1976 and 1988 but no details were provided by the reports.
Tenants:	<p>Ground Floor:</p> <ul style="list-style-type: none"> • Unit 101 – Ultimate Auto Sales • Unit 102 – Acura Forming (office space) • Unit 103 – Revolution Dance Co. • Unit 104 – Pro-Land (warehouse) • Unit 105 – Clintar Landscape Management (Clintar) (warehouse) • Unit 106 – Private Garage
	<p>Second Floor:</p> <ul style="list-style-type: none"> • 201 – Clintar (office space) • 202 – J-Line (office space)
Major Renovations:	The Site representative indicated that the second floor offices were added and the warehouse area (north portion) was converted into a bingo hall in 1994. The exterior walls were upgraded to a stucco finish. In 2003, the bingo hall was converted into 3 tenant units (i.e., Units 102, 103 and 105). Furthermore, repairs to the roof were completed in 2005 (southern portion) and in 2019 (northern portion).
Above Grade Floors:	There is a partial second floor in the north portion (i.e., in Unit 104), and a partial second floor in the south portion (i.e., units 201 and 202).
Basement:	None

Site and Building Features	Description
Footprint Area:	Approximately 1,420 square metres (15,280 square feet), based on information provided by the Site representative. Note that the areas provided in the PURs (see Section 3.1.1.) were different.
Total Floor Area:	Approximately 1,645 square metres (17,706 square feet), based on information provided by the Site representative.
% Of Site Covered by Building:	Approximately 10% of the total Site area.
Construction Material:	The Site building is constructed of a poured concrete slab-on-grade foundation with concrete block walls and a stucco exterior façade.
Flooring:	The floor finishes in the Site building are a combination of ceramic tiles, laminate, vinyl floor tiles, carpet and finished/unfinished concrete.
Interior Walls:	The interior walls are constructed of drywall and concrete block finished with paint.
Ceilings:	The ceilings within the building consist of acoustic ceiling tiles, drywall finished with paint, and exposed metal decking.
Lighting:	Lighting throughout the building is provided by a combination of fluorescent and light emitting diode (LED) lights.
Roof:	Corrugated metal pan supported by open web steel joists, with a composition of tar, felt and gravel.
Elevators:	None
Heating Fuel:	Natural Gas

Two sheds located in the landscaped area in the north-central portion of the Site were inaccessible at the time of the Site visit. The years of construction of these sheds is unknown and the Site representatives indicated the sheds were used for storage purposes (i.e. gardening equipment). The exterior of the sheds was observed to be constructed of plywood, some corrugated plastic walls and asphalt shingled roofing.

Site access and egress is provided by four asphalt paved roadways off Highway 50. Site parking is provided along the Site buildings' perimeter. Brick unit paver sidewalks border south and west sides of Site building 1, providing access to parking areas. Concrete curbs border the asphalt parking area and sidewalks. A wooden retaining wall is located at north edge of asphalt pavement. Chain linked perimeter fencing is present at the north and eastern portions of the Site.

Asphalt paving is sloped towards north-east and south-east corners of Site. Site landscaping is comprised of sod, mulch, small trees, and shrubbery.

Entry and exit onto the Site is also available via three access driveways located along Industrial Road. An L-shaped asphalt-paved driveway/parking area is present on the southwest corner of the Site. The southwest driveway leads to a gravel-covered work yard (occupied by Acura Forming) in the central portion of the Site. The south portion of the driveway in the south-central portion of the Site is gravel-covered and is used by Ultimate Auto Sales for vehicle parking. An outdoor storage yard (occupied by Pro-Land) is located north of this parking area. The southeastern portion of the Site consists of an outdoor storage area for automobiles by Ultimate Auto Sales and commercial vehicles (i.e., truck/trailers) by J-Line. A truck maintenance tent constructed on a concrete pad is located on the north-central portion of the Site (i.e., the northwest corner of the J-Line trucking yard).

2.3 Physical Setting

The Site is located in an area of Bolton that gently slopes downward to the southeast and is situated at an elevation of approximately 243 metres (797 feet) above mean sea level (<http://atlas.gc.ca/toporama/en/index.html>, 2016). The Site and surrounding properties are generally at the same elevation and are relatively flat.

Tributaries of the Humber River are located approximately 210 metres southwest and 380 metres southeast of the Site. A swale runs along the northern and eastern portions of the Site and empties into a storm water pond located adjacent to the central portion of the east property boundary. Based on the general topography of the Site and surrounding area, Watters Environmental infers that locally, the near-surface groundwater flows to the south/southeast.

Watters Environmental completed a review of the Town of Caledon Official Plan, [as amended] (https://www.caledon.ca/en/townhall/officialplan.asp?_mid_=15715, 2018) for information on areas of natural significance designated by the Town of Caledon that may be located on the Site or surrounding properties. Based on a review of the Official Plan, Watters Environmental understands that there are no designated areas of natural significance located on the Site or within 200 metres of the Site.

Native geology in the vicinity of the Site (i.e., underlying any imported fill materials) is expected to be predominantly comprised of clay to silt-textured till (Ontario Ministry of Northern Development and Mines Quaternary Geology Google Earth Database, 2012). Bedrock in the vicinity of the Site is expected to be shale, dolostone, limestone and siltstone of the Georgian Bay Formation, Blue Mountain Formation, Billings Formation, Collingwood Member, and/or Eastview Member (Ontario Ministry of Northern Development and Mines Bedrock Geology Google Earth Database, 2012).

2.4 Previous Environmental Reports

The following previous environmental reports for the Site were reviewed by Watters Environmental:

- *Assessment and Removal of Hydrocarbon Impacted Soils (BE File: H-1551), 12563 Highway 50, Bolton*, prepared for Motor Home Vacations (Canada) by Burnside Environmental, and dated October 22, 1998 (the “1998 Burnside Letter”);
- “*Phase I Environmental Site Assessment, 12563 and 12585 Highway 50, Bolton, Ontario*” prepared by Watters Environmental, dated June 2016 [the “2016 Phase I Report (12563 and 12585 Hwy 50)”];
- “*Phase II Environmental Site Assessment, 12563 and 12585 Highway 50, Bolton, Ontario*” prepared by Watters Environmental, dated May 2016 [the “2016 Phase II Report (12563 and 12585 Hwy 50)”];
- “*Environmental Status, 12563 and 12585 Highway 50, Bolton, Ontario*” prepared by Watters Environmental, dated May 2016 (the “2016 Status Report”);
- “*Phase I Environmental Site Assessment, 12599 Highway 50, Bolton, Ontario*” prepared by Watters Environmental, dated June 2019 [the “2019 Phase I Report (12599 Hwy 50)”];
- “*Phase II Environmental Site Assessment, 12599 Highway 50, Bolton, Ontario*” prepared by Watters Environmental, dated July 2019 [the “2019 Phase II Report (12599 Hwy 50)”];

- “*Phase I Environmental Site Assessment, 2 Industrial Road, Bolton, Ontario*” prepared by Watters Environmental, dated June 2020 [the “2020 Phase I Report (2 Industrial Road)”]; and
- “*Phase II Environmental Site Assessment, 2 Industrial Road, Bolton, Ontario*” prepared by Watters Environmental, dated June 2020 [the “2020 Phase II Report (2 Industrial Road)”].

A brief summary of findings from each of these reports is provided below.

1998 Burnside Letter Report

Based on the review of this report, the following pertinent information was noted:

- Two above ground waste oil tanks were removed along with the impacted soils. The locations of the tanks were noted to be in the northeastern and southeastern corners of the Site Building (current Site Building 1);
- Excavation of test pits at the two former waste oil tanks locations were conducted on July 28, 1998 using a rubber tired backhoe supplied by Motor Home Vacations;
- No staining and/or odours were detected in the test pit at the south side (TP1) of the building. A composite soil sample was sent to the laboratory (Philip Services) for Petroleum Hydrocarbons/Heavy Oil analysis and these parameters were below the laboratory detection limit;
- Some staining and odours were detected adjacent to the building foundation in the test pit on the north side (TP2) of the building. A soil sample was collected from this location and was sent for laboratory analysis and was compared to the industrial/commercial land use criteria contained in Table A (potable groundwater) of the February 1997 Ministry of Environment document entitled “Guideline for use of Contaminated Sites in Ontario”. The sample result identified a concentration of 6,700ppm of Petroleum Hydrocarbons/Heavy Oil, which was above the criteria of 1,000ppm; and

- A 5.9 meters (m) long, 1.7m deep excavation was completed and about 17 cubic meter of soil was removed for offsite disposal. The excavation pit was backfilled to surface with “A” gravel. Confirmatory samples were noted to be collected from the bottom and east wall of the excavation and were send for laboratory analysis for oil and grease parameters. The report indicated that the results were below the criteria of 1,000 ppm, confirming that no residual impacts remain in the soil at the locations of the test pits when compared to the applicable criteria at the time.

2016 Phase I Report (12563 and 12585 Hwy 50)

The report offered the following information:

- Several potentially contaminating activities (PCAs) were identified on-Site and within surrounding areas during this Phase I ESA, as such a Phase II ESA was recommended to determine the soil and groundwater quality at the Site.

2016 Phase I Report (12563 and 12585 Hwy 50)

The report offered the following information:

- The central portion of the Site consists of two Site buildings, which are currently occupied by NAPA Autopro and Globetroter R.V., respectively. Majority of the central and east-central portion of the Site is unpaved and used as the RV parking and/or storage area. A stormwater management pond is located adjacent to the east-central Site boundary;
- Four (three full, one empty) aboveground storage tanks (ASTs), and one underground storage tank (UST) are present in the west-central portions of the Site, in the vicinity of Site buildings 2 and 3. The ASTs are used for storing waste motor oil and lubricants for combustion engines and some staining was observed on the ground below the ASTs. No evidence of USTs, such as fill and vent pipes, were observed during the Site reconnaissance, however the Site representatives informed Watters Environmental that a UST was formerly used to store sanitary waste from the RVs, but has been abandoned in place for approximately 10 years; and
- Several potentially contaminating activities (PCAs) were identified on-Site and within surrounding areas during this Phase I ESA, as such a Phase II ESA was recommended to determine the soil and groundwater quality at the Site.

2016 Phase II Report (12563 and 12585 Hwy 50)

The report offered the following information:

- Following the Phase I ESA in the central portion of the Site, a Phase II ESA was conducted in May 2016;
- The use of the Table 3 Standards (full depth, in a non-potable ground water condition, for fine-textured soils) for industrial, commercial, community (ICC) property use, was considered applicable based on the following [hereafter referred to in this report as the “Table 3 SCS”];
- Eight boreholes were advanced across the west-central, central, northeaster and east-central portions of the Site, five of which were instrumented with monitoring wells in order to determine the soil and groundwater conditions of the property;
- Soil samples were submitted for analysis of petroleum hydrocarbons (PHCs) in the F1 to F4 fractions, volatile organic compounds (VOCs, including Benzene, Ethylbenzene, Toluene and Xylenes), Metals and Inorganics, grain-size distribution and pH. All soil samples met the Table 3 SCS with the exception of BH102-1 (a sub-surface sample from the northwestern portion of the Site, immediately southwest of Site building 2) which exceeded the Sodium Adsorption Ratio (SAR) parameter with a result of 13 compared with an acceptable standard of 12;
- Groundwater samples from monitoring wells were submitted for analysis of PHCs, VOCs, and metals and inorganics. All groundwater results met Table 3 SCS for VOCs and metals and inorganics. Exceedances of the Table 3 SCS for PHC F2 were identified in all five monitoring wells [BH102(MW), BH104(MW), BH107(MW), BH108(MW) and BH112(MW)] with results indicating concentrations of 360 µg/L, 275 µg/L, 409 µg/L, 437µg/L and 154 µg/L respectively; compared with an acceptable standard of 150 µg/L;
- None of the samples collected from the central portion of the Site identified significant environmental impacts to the soil, with the exception of the SAR exceedance in surficial soil sample BH102-1; and

- PHC impacts in groundwater were noted across the Site with the highest concentrations found around the west-central and northeastern boundaries of the Site. PHC F2 exceedances found in groundwater could possibly be attributed to current and historically contaminating activities conducted around the Site.

2016 Status Report

The report offered the following information:

- Following the Phase II ESA conducted in the central portion of the Site and review of the soil and groundwater quality results, the SAR contamination in the subsurface soil can be attributed to road salting activities and does not represent a significant environmental concern for the Site;
- The widespread PHC F2 contamination in groundwater in the central portion of the Site is an indication of a systemic issue in the general area surrounding the Site. PHC F2 exceedances were detected in all the monitoring wells installed in the central portion of the Site, including the upgradient and downgradient wells; and
- The presence of PHC F2 contamination in groundwater represents a potential concern as it may impact the value of the Site in the event of future re-sale. The contamination likely has migrated (and will continue to migrate) to neighbouring properties, which may result in third-party legal claims; since the source(s) of the contamination is unknown (but originating off-Site), future contaminant loadings to the Site cannot be predicted; and the presence of the contamination may affect the ability to obtain financing at preferred rates.

2019 Phase I Report (12599 Hwy 50)

The report offered the following information:

- A Phase I ESA was conducted in the northwestern portion of the Site, at municipal address 12599 Highway 50;
- Based on the historical review completed, Watters Environmental understands that this portion of the Site consisted of vacant and/or agricultural land until at least 1988, after which it was partially developed into a parking lot. This portion of the Site has been used for commercial and/or industrial purposes since 1996, and the on-Site building (building 1) was constructed in 2003/2004;

- No evidence of aboveground or underground storage tanks, such as fill and vent pipes, were observed during this Phase I ESA; and
- Historical and/or current on-Site and surrounding land use activities have the potential to impact the subsurface quality conditions at the Site and therefore a Phase II ESA was recommended to assess the soil and groundwater quality conditions in the northwestern portion of the Site.

2019 Phase II Report (12599 Hwy 50)

The report offered the following information:

- Four boreholes were advanced in the northwestern portion of the Site, one adjacent to each corner of Site building 1. Each of the boreholes was instrumented as groundwater monitoring wells. Only three of the four installed monitoring wells yielded sufficient volumes of groundwater to allow for sampling;
- All soil and groundwater samples were submitted to an accredited laboratory for analysis of PHCs F1 to F4, VOCs, Polycyclic Aromatic Hydrocarbons (PAHs), Polychlorinated Biphenyls (PCBs), Metals, and Inorganics;
- Exceedances of the Table 3 SCS for SAR and Electrical Conductivity (EC) were observed in soil samples from all four boreholes. All other analyzed parameters met the applicable Table 3 SCS;
- All groundwater samples analyzed for parameters of interest were below the Table 3 SCS; and
- It was noted that while the SAR exceedances are not of concern for the ongoing commercial use of this portion of the Site, the salt-impacted soils will have to be removed and disposed at a licensed waste facility prior to redevelopment.

2020 Phase I Report (2 Industrial Road)

The report offered the following information:

- Based on the historical review completed, Watters Environmental understands that the southeastern portion of the Site consisted of vacant and/or agricultural land until approximately 1948 or 1950, after which it was developed with a commercial building.

The current multi-tenant commercial Site building (building 4) underwent additions or renovations between 1976 and 1994, and currently contains a dance studio, used car dealer, landscape construction contractor, concrete forming company, landscape management company, and a private vehicle garage;

- Three fuel ASTs were observed outdoors and adjacent to the northeast end of Site building 4. The fuel ASTs are used to store and supply diesel and gasoline to on-Site vehicles and equipment of one of the tenants, Pro-Land. All three ASTs were observed to be in good condition and no staining was observed on the ground surface below or around the ASTs. Based on the condition of the ASTs, Watters Environmental does not anticipate any significant environmental impacts (if any) to the subsurface due to the presence of the ASTs;
- No evidence of USTs, such as fill and vent pipes, were observed during the Site reconnaissance;
- Chemicals present are used for the general maintenance of Site building 4, cleaning and maintenance of the tenants' vehicles, and by the landscaping contractors for their (off-Site) projects. Watters Environmental did not observe any potential for significant impact to the subsurface from the use and/or storage of these chemicals; and
- Historical and/or current surrounding land use activities have the potential to impact the subsurface quality conditions at the Site. A Phase II ESA would be required to confirm soil and groundwater quality conditions in the southwestern portion of the Site.

2020 Phase II Report (2 Industrial Road)

The report offered the following information:

- Six boreholes were advanced in the southeastern portion of the Site, with four of the boreholes instrumented as groundwater monitoring wells;
- All soil and groundwater samples were submitted to an accredited laboratory for analysis of PHCs F1 to F4, VOCs, PAHs, PCBs, and Metals, and Inorganics;

- Exceedance of the Table 3 SCS for gravimetric heavy range petroleum hydrocarbons (F4G) in one surface soil sample collected adjacent to the north of the on-Site AST fuel dispensing facility north of Site building 4 was identified. Given that the soil sample collected at a greater depth did not report any detections, the exceedance in the surface soil sample is not considered a significant environmental concern at this time; and
- All other parameters analyzed met the applicable Table 3 SCS for all submitted soil and groundwater samples. The soil and groundwater data indicate that the surrounding properties have not impacted the environmental condition of the Site.

Based on a review of the previous reports, Watters Environmental concludes the following:

The SAR and/or EC exceedances identified in subsurface soils in the north-northwestern and south-southeastern portions of the Site can be attributed to road salting activities, for de-icing purposes to keep the adjacent roadways, and/or parking lots and walking paths within the Site safe for automobile traffic and pedestrians under conditions of snow or ice or both. As provided under Section 49.1 of O. Reg. 153/04, the concentrations of SAR and EC in soil are believed to be present in excess of the Table 3 SCS solely because a substance (e.g., road salt) has been applied to surfaces for the safety of vehicular or pedestrian traffic under conditions of snow or ice or both. The Site has never been used for commercial bulk storage of salt for use at multiple properties or used as a municipal snow dump. Therefore, the applicable Table 3 SCS are deemed not to be exceeded for the purpose of Part XV.1 of the Act. As such, all soil samples with elevated EC and SAR concentrations are considered to meet the applicable Table 3 SCS for the Site and are not considered as contaminants of concern. Thus, no further delineation or investigation is required.

One PHC F4G exceedance was identified in the subsurface soil north of Site building 4, in the vicinity of the diesel AST. However, vertical delineation was achieved by collecting a soil sample from a greater depth at the same location, which met the applicable Table 3 SCS for the same parameter, and therefore, the PHC F4G exceedance in the subsurface soil is not considered a significant environmental concern.

No other soil exceedances above the applicable Table 3 SCS were identified throughout the Site.

PHC F2 exceedances were identified in groundwater collected from five monitoring located in the central portion of the Site. These exceedances were assumed to have originated from off-Site sources as no PHC exceedances were observed in soils within the central portion of the Site. However, soil and groundwater investigations in the northwestern and south-southeastern portions of the Site indicated that the soil and groundwater met the Table 3 SCS for all parameters of concern. Therefore, it is possible that the historical and/or current operations in the central portion of the Site (i.e. RV storage, and automobile repairs and maintenance) could be the potential cause for the groundwater contamination.

- Based on the above results and discussions with the Client, it is Watters Environmental's understanding that 12599 Hwy 50 Ltd. will endeavour to clean up the groundwater contamination observed in the central portion of the Site prior to submitting an RSC and future redevelopment of the Site.

3.0 HISTORICAL RECORDS REVIEW

Watters Environmental completed a historical review to assess the presence of potential environmental contaminant issues originating from historical operations conducted at the Site and/or surrounding properties within 200 metres of the Site. The findings of Watters Environmental's review are discussed in the following sections.

3.1 Fire Insurance Plans and Other Related Documents

Watters Environmental requested information from Opta Information Intelligence (Opta), in Markham, Ontario, and the following documents were provided:

- Two Property Underwriters' Reports (PURs) prepared for a portion of the Site with municipal addresses 12563 and 12585 Highway 50, dated 1996 and 2001;
- A Property Underwriters' Plan (PUP) prepared for a portion of the Site with municipal addresses 12563 and 12585 Highway 50, dated in 1996;
- Six PURs, prepared for a portion of the Site with municipal address 2 Industrial Road, dated 1978, 1986, 1989 (x2), 1994, and 1995; and
- Two PUPs, prepared for a portion of the Site with municipal address 2 Industrial Road, dated 1978 and 1989.

No Fire Insurance Plans were available for the Site or the immediately surrounding areas. If such information was available for the Site, Opta would normally be the source for obtaining this information.

3.1.1 Site History

Based on a review of the PURs and PUPs, Watters Environmental notes the following with respect to the Site:

- The 1996 PUR and PUP showed the following:
 - 12563 Highway 50 (i.e., current location of Site building 3) was occupied by Motor Home Vacations (Canada) and was noted to have operations relating to motor homes and mini-motor homes, including new and used vehicle sales, short term rentals, servicing, minor autobody work (i.e., fibreglassing), and tenant use;

- Site building 3 was reportedly constructed in 1970 with a one storey building and a total area of 300 square metres and was noted to have three service bays. The exterior façade was noted to be masonry with a flat tar and gravel roof. The PUP noted that offices were located in the western portion of Site building 3 and a Service Area was located on the eastern portion. The areas to the north and west of Site building 3 were used for parking. The area to the east of Site building 3 was used for storage;
 - Flammable liquids were noted to be used in this portion of the Site, oxyacetylene welding was performed on the Site and parts wash liquid was stored in a “Safety-Kleen” tank;
 - Neither vehicle gas line/ tank repairs, nor spray finishing activities were noted to be performed at the Site;
 - 12585 Highway 50 (i.e., current location of Site building 2) was noted to be occupied by Midas Muffler; and
 - The property was noted to be fenced along the eastern boundary of the Site.
- The 2001 PUR showed the following:
 - 12563 Highway 50 (i.e., current location of Site building 3) was operated as a sales and rental facility for motor home trailers and the operation had occupied the Site for at least four years prior;
 - The front section (i.e., the west-central side) of the Site was used as a sales and rental office and the rear section (i.e., the east-central side) as a power wash station and workshop (i.e., performing minor tune-ups, no major repairs);
 - Site building 3 was noted to be constructed in the 1950s with a total area of 300 square metres; and
 - Site building 1 was noted to be comprised of a brick exterior façade, flat steel deck roof, with heating provided by forced air and suspended unit heaters. There was also no basement in this building.

- The 1978 PUR noted the following:
 - The southeastern portion of the Site comprised one building (i.e., currently Site building 4) with a total floor area of 1,255 square metres (13,514 square feet) and no basement. Site building 4 was constructed approximately 30 years prior to the 1978 inspection (i.e., built in approximately 1948);
 - Site building 4 was occupied by Chalet Body Shop, Mercedes Parts & Service (Stuttgart Motors) and Chalet Ford Parts & Service;
 - On-Site activities in the southeastern portion of the Site included vehicle repair and maintenance (welding, hand tools and spray-painting) and car washing/cleaning;
 - Site building 4 was heated using a combination of electric and gas-fired suspended heaters;
 - Flammable liquids (paint thinner) were stored on-Site and used for vehicle spray-painting; and
 - Additions were made to Site building 4 in 1976 but no details were provided.
- The 1978 PUP indicated that the southeastern portion of the Site had one rectangular building occupied by Chalet Body Shop, Mercedes and Chalet Ford;
- The 1986 PUR indicated the following:
 - Site building 4 is of concrete block construction, with a concrete grade floor, a concrete on exposed steel second floor, and a steel deck roof;
 - Site building 4 was built in 1950 and had 1 and 2 storeys, without a basement;
 - The southeastern portion of the Site had three occupants: King Cross, Master Mechanical & Industrial Contractor and North Star Equipment Repair; and
 - A fourth area in the rear of Site building 4 was vacant.

- The 1989 PUR indicated the following:
 - Site building 4 was a one-storey, multi-tenant building with a total floor area of 1,380 square metres;
 - There were no basements or elevators on-Site; and
 - The southeastern portion of the Site had two occupants: Webor (1978) Ltd, a metalworker, and Alltech Structural Wood Component, a woodworker.
- A second 1989 PUR indicated the following:
 - The Inspection Report was prepared for the insured, Alltech Structural Wood Component Ltd. (Alltech);
 - Alltech occupied 859 square metres (9,250 square feet) of Site building 4 and was involved in the assembly of wooden trusses used in the housing construction industry; and
 - Webcor (1978) Ltd. occupied 418 square meters (4,500 square feet) of Site building 4 and was involved in the repairing and rebuilding of used boilers.
- The 1989 PUP indicated that the southeastern portion of the Site comprised a metal working shop with an office in the northern portion and a woodworking shop with an office in the southern portion;
- The 1994 PUR indicated the following:
 - The MultiRisk Report was prepared for the insured, Carmen Drywall Ltd.;
 - Site building 4 was estimated to be built in 1950, with additions done in 1988 (no details provided);
 - At the time of the 1994 inspection, there had been no renovations done to Site building 4;
 - Site building 4 ground floor area was 1,395 square metres (15,000 square feet); and

- Operations on-Site in the southeastern portion included repairs and servicing of boilers (via welding and hand tools), storage of contractor equipment and supplies, and offices.
- The 1995 PUR indicated the following:
 - The MultiRisk Report was prepared for the insured, Bolyon Bingo, a bingo hall with a refreshment stand; and
 - Other occupants of the Site in the southeastern portion were a boiler manufacturer, a building contractor and administrative offices.

3.1.2 Surrounding Properties History

Based on a review of the PURs, Watters Environmental notes the following with respect to the surrounding properties:

- The 1996 PUR and PUP showed the following:
 - The property adjacent to the west-central portions of the Site was noted to be occupied by Vince's Auto Body. Highway 50 was present west of the Site and a field was noted to be present adjacent to the east of the Site.

3.2 Historical Street Directories

Street directories available from the Library and Archives Canada, in Ottawa, Ontario were reviewed for the years 1958, 1962, 1965, 1969, 1972/1973, 1973/1974, 1977/1978, 1979, 1984, 1989, 1994, 1996, and 2000 for the following addresses (within 250 metres of the Site):

- 1-95 Commercial Road (1 to 95 were not listed prior to 1994);
- 12495-12655 Highway 50 (12495 to 12625 were not listed prior to 1989);
- All addresses on Hopcroft Road (Hopcroft Road was not listed prior to 1994);
- 1-110 Industrial Road (1 to 110 were not listed prior to 1979);
- All addresses on McEwan Road East (McEwan Road East was not listed prior to 1994);

- 1-10 McEwan Drive West; and
- 1-10 Loring Drive (Loring Court).

3.2.1 Site History

According to the historical street directories reviewed, the following information was noted with respect to the various municipal addresses that the Site currently comprises:

12563 Highway 50

From	To	Site Occupants
1962	1989	Address not listed
1994	2000	U-Haul Co Ltd
2000	2000	CMH Motorhome Rentals & Sales

12585 Highway 50

From	To	Site Occupants
1962	2000	Address not listed

12599 Highway 50

From	To	Site Occupants
1958	1989	Address not listed
1996	2000	Northpoint Motors Ltd. (i.e., car dealership)

2 Industrial Road

From	To	Site Occupants
1958	1973-1974	Address/Street not listed
1977-1978	1979	Chalet Body Shop
1984	1984	King Cross Contracting Ltd; Master Mechanical & Industrial Contractors Ltd.
1989	1989	Alltech Structural Wood Components Ltd.
1994	1996	Celeste Accounting SVC; T&F Construction Equip Ltd; Double T Crane Rental Ltd (1994)
1994	2000	Carmen Contracting Limited; Trendway Transportations Services Inc. (2000); Bolton Bingo (2000)

3.2.2 Surrounding Properties History

According to the historical street directories reviewed, the following information was noted with respect to properties surrounding the Site:

From	To	Occupants	Distance and Direction from the Site
1994	2000	12543 Highway 50 – Big Boys Toys (1994), Preferred Auto Collision Center (2000)	Adjacent to the southwest of the Site and inferred downgradient.
1994	2000	12553 Highway 50 – Vince’s Auto Body	Adjacent to the southwest of the Site and inferred downgradient.
2000	2000	12621 Highway 50 – Apple Auto Glass, Bargain Tire Auto Centre, Dollar Truck Rentals	Adjacent to the northwest of the Site and inferred upgradient/transgradient.
2000	2000	4 Industrial Road- Multitenant Commercial with Apparent Freight Shipping and Trucking Operations (i.e., Hi-Tek Engineered Design Transportation Inc., Vast Trailer Rentals)	Approximately 25 metres east-southeast and inferred downgradient/ trans-gradient of the Site.

From	To	Occupants	Distance and Direction from the Site
1994	2000	12525 Highway 50 – Convenient Car & Truck Rental & Leasing, Via Trailers	Approximately 75 metres south and inferred trans-gradient/downgradient of the Site.
1994	1994	17 Commercial Road – Multitenant Commercial with Apparent Metal Electroplating Operations (i.e., Harlin Plating Co), Painting (i.e., Romar Painting Ltd & Value Drywall Ltd), Automotive Servicing Operations (i.e., Specialty Automotive Innovations, Vital Protection System Inc.) and Sun-Glo Household Products Inc. 19 Commercial Road – Multitenant Commercial with Apparent Wood Processing Facility (i.e., Aspen Laminating) 26 Commercial Road – Multitenant Commercial with Apparent Automotive Repair Facility (i.e., Bolton Starters & Alternators, New Bridge Transport)	Approximately 135 metres southeast and inferred downgradient of the Site.
1994	2000	72 Commercial Road – Apparent Structural Steel Manufacturing Operation (i.e., Benson Steel Ltd.)	Approximately 140 metres east and inferred transgradient / upgradient of the Site.
1994		19 McEwan Drive East – Multitenant Commercial with Apparent Wood Processing Facility (i.e., Aspen Laminating) 26 McEwan Drive East – Multitenant Commercial with Apparent Automotive Repair Facility (i.e., Bolton Starters & Alternators), Machine Shop (i.e., JHA Tool & Machine), Northern Aluminum & Glass Co.	Approximately 165 metres north and inferred trans-gradient/upgradient of the Site.

From	To	Occupants	Distance and Direction from the Site
1994	2000	94 Commercial Road – Apparent Multitenant Commercial with Metal Finishing Operation (i.e., Tri-Krete Coating Co), Oil and Grease Applicator (i.e., Corrosion Free of North America), Metal Coating and Engraving (Itech Core Inc), and Petroleum Product Wholesaler (i.e., Nut-Z Lube of North America)	Approximately 220 metres east and inferred transgradient/upgradient of the Site.
1996	2000	10 McEwan Drive West – Tony Grants Automotive (1996), Warren's Automotive Equipment (1996), Nut-Z-Lube Inc. (2000), Corrosion Free of North America (2000)	Located approximately 250 metres northwest of the Site (across Highway 50), in an inferred upgradient direction.

In addition to the information provided above, the street directories identified several other listings; however, Watters Environmental notes that, based on the nature of the listing, type of operations, distances, and/or directions from the Site relative to the inferred direction of groundwater flow, none of these listings are anticipated to pose environmental concerns to the Site.

3.3 Historical Aerial Photographs and Satellite Images

Watters Environmental reviewed the following historical aerial photographs and satellite images showing the Site and surrounding properties:

- Aerial photographs, obtained from the National Air Photo Library, in Ottawa, Ontario, for the years 1951 (1: 40,000), 1960 (1: 25,000), 1974 (1: 25,000), 1978 (no scale), 1985 (1: 40,000) and 1988 (1: 50,000); and
- Satellite images, obtained from the Town of Caledon online Air Photo History (<https://maps.caledon.ca/h5/index.html?viewer=AirphotoHistory.H5>), for the years 2001, 2003, 2007, 2011, 2013, and 2018.

3.3.1 Site History

According to the historical aerial photographs reviewed, the following was noted with respect to the Site:

Date of Image	Comments
1951	The Site appeared to be agricultural in use (i.e., cultivated lands); however, due to the scale of the aerial photograph, precise details could not be discerned.
1960	The Site appeared to be similar to that observed in the 1951 aerial photograph; however, due to the scale of the aerial photograph, precise details could not be discerned. The 1960 aerial photograph does not provide coverage of the southwest portion of the Site.
1974	The northern portion of the Site appears to be similar to that observed in 1960. The west central portion of the Site appears to have a potential structure, and the southwestern portion of the Site appears to be developed; however, due to the scale of the aerial photograph, precise details could not be discerned.
1978	The western half of the southern portion of the Site appears to be developed with a rectangular-shaped building and a driveway along the western boundary of the property.
1985	The Site appears to be similar to that observed in 1978, and sections of the central portion of the Site appear to be cleared or paved.
1988	The Site appeared to be similar to that observed in the 1985 aerial photograph; however, due to the scale of the aerial photograph, precise details could not be discerned.
2001	The northwestern portion of the Site appears to consist of a parking lot and the northeastern portion appears to consist of undeveloped land (i.e., vegetation and tress). The southwestern portion of the Site appears to consist of a rectangular building (similar to the present-day Site building 4, located at 2 Industrial Road). A storage area/parking appeared to be present north of Site building 4, and a truck/trailer parking lot appeared to be present on the southeastern portion of the Site. An L-shaped paved area appeared to be present southwest Site building 4.

Date of Image	Comments
2003	The Site appears to be developed with a rectangular-shaped building in the northwestern portion, similar in size and configuration to the present-day Site building 1. The rest of the Site appears to be similar to that observed in 2001.
2004	The west-central portion of the Site is occupied by the Site buildings 2 and 3, similar to present configuration. The two sheds located at the north-central portion of the Site are also present while the northeastern portion of the Site appears to be mostly vacant and/or undeveloped. The rest of the Site appears to be similar to that observed in 2003.
2007	The Site appeared to be similar to that observed in the 2004 satellite image, with the exception of the addition of a white tent-like rectangular structure near the southeast corner of the Site.
2011	The Site appeared to be similar to that observed in the 2007 satellite image, except that Site building 1 in the northwestern portion appeared to be surrounded by asphalt paved parking. Landscaping appeared to be also present on the northwestern portion of the Site.
2013	The Site appears similar to that observed at the time of the Site reconnaissance, with all the site buildings and sheds in similar locations and the east-central portion of the Site graded and used as extended R.V. parking and/or storage area.
2018	The Site appeared to be similar to that observed in the 2013 satellite image.

3.3.2 Surrounding Properties History

According to the historical aerial photographs reviewed, the following was noted with respect to features surrounding the Site:

Date of Image	Comments
1951	Road (Highway 50) similar in orientation to present day appear to be present adjacent to the west of the Site. One or more buildings are present on the property further to the north of the Site, likely residential or agricultural in use. Remaining lands surrounding the Site appears to be agricultural in use (i.e., cultivated fields).

Date of Image	Comments
1960	Properties to the south and west of the Site are not discernable on the aerial photograph. Properties to the north and east appear similar to those observed in the 1951 aerial photograph.
1974	The properties surrounding the Site appeared to be developed to the northwest, north, east and southeast of the Site with some small buildings; however, due to the scale of the aerial photograph, precise details could not be discerned. The property south and southwest of the Site, across Industrial road, appeared to be undeveloped land (i.e., agricultural).
1978	The properties to the north, west (across Highway 50), and southwest of the Site appeared to be more developed, with more buildings compared to the 1974 aerial photograph.
1985	The properties surrounding the Site appeared to be similar to those observed in the 1978 aerial photograph; however, due to the scale of the aerial photograph, precise details could not be discerned.
1988	Properties surrounding the Site appear similar to that observed in the 1985 aerial photograph with the exception of additional development along Industrial and Commercial Roads as well as excavation taking place northwest of the Site, in the southwest corner of McEwan Drive West and Highway 50.
2001	The property surrounding the Site to the north appeared to be developed with two buildings similar in configuration to the present-day, beyond which appeared to be agricultural land.
2007	The properties surrounding the Site appeared to be similar to those observed in the 2001 satellite image, with the exception of a large building in the previously vacant lot to the north (present-day Canadian Tire), and several smaller structures to the southeast (present-day Armstrong Propane).
2011	The present-day gas station appeared to be present north of the Site. The remaining properties surrounding the Site appeared to be similar to those observed in the 2007 satellite image.
2013	The properties surrounding the Site appeared to be similar to those observed in the 2011 satellite image.
2018	The properties surrounding the Site appeared to be similar to those observed in the 2013 satellite image.

4.0 ENVIRONMENTAL DATABASE AND REGULATORY REVIEW

4.1 EcoLog ERIS Report

An environmental database review was completed by EcoLog ERIS, an environmental database and information service company. The report provided by EcoLog ERIS detailed records for the Site and surrounding properties within an approximately 250-metre search radius from the centre of the Site. The EcoLog ERIS report, including a detailed description of the databases reviewed, is presented in Appendix B. The findings from this review are provided below.

4.1.1 Site Environmental Database Review

According to the environmental databases reviewed, the following information was listed for the Site:

Property Name and Address	Database	Listing
Northpoint Veterinary Hospital Professional Corp. 12599 Highway 50, Unit 4	Ontario Regulation 347 Waste Generators Summary (1986 to December 31, 2018)	The Site was listed as a generator of pathological wastes as of December 2018.
Lot 3 Concession 7	Water Well Information System (1955 to March 2014)	Water supply well was installed on the Site in 1976, reportedly for industrial and domestic uses. The well was advanced to a depth of 45 metres. Static water level was observed at approx. 40m below ground surface.
Globetrotter RV Rentals and Sale 12563 Highway 50	O. Reg. 347 Waste Generators Summary (1986 to January 31, 2020)	Listed as a generator of waste oils and lubricants in 2002 to 2004, and 2006, and waste crankcase oils and lubricants (as of December 2018).

Property Name and Address	Database	Listing
2 Industrial Road	Ontario Spills (1988 to August 2019)	The Site is listed as having a spill of 530 litres of diesel fuel to the road due to an overturned truck/trailer in November 2004. Although the Site address was listed for this spill, Watters Environmental suspects that the incident occurred on the road in front of the Site (i.e., not on the Site itself). This is based on the wording “MVA”, which is likely an acronym for “multi vehicle accident”, and “diesel to rd.”, which likely means diesel released to the road.
	Water Well Information System (as of February 28, 2019)	The Site was listed as having a water well with ID 4904095, completed on March 15, 1973 to a depth of 49.4 metres.

4.1.2 Surrounding Properties Environmental Database Review

According to the environmental databases reviewed, select listings for properties surrounding the Site are provided in the table below. These listings include any adjacent properties, as well as dry cleaners, gas stations, automobile servicing facilities, commercial printers, and underground storage tanks (USTs). Other facilities that are in the inferred upgradient direction and within close proximity to the Site are also listed (e.g., industrial).

Property Name and Address	Location Relative to the Site	Database	Listing
Hi Tek Engineered 68 Commercial Road	Located adjacent to the northeast/east of the Site and in an inferred up/transgradient direction.	Ontario Regulation 347 Waste Generators Summary (1986 to January 31, 2020)	Listed as a generator of aliphatic solvents & residues, light fuels, waste crankcase oils & lubricants (as of October 2019).
All Purpose Float Services Inc./Hi Tek Engineered Design Transportation 4 Industrial Road	Located adjacent to the east of the Site and in an inferred transgradient direction.	Ontario Regulation 347 Waste Generators Summary (1986 to January 31, 2020)	Listed as a generator of waste oils & lubricants (from 1994 to 2001), aliphatic solvents (2009), light fuels (2016).
MapleCon Earthworks Ltd. 12525 Highway 50	Located adjacent to the west of the Site and in an inferred up/transgradient direction.	Ontario Regulation 347 Waste Generators Summary (1986 to January 31, 2020)	Listed as a generator of waste oils & lubricants (2009)
Canadian Tire Corporation Limited 59 McEwen Drive	Located approximately 165 metres north of the Site, an inferred in an upgradient direction.	Fuel Storage Tank (As of February 28, 2017)	Listed as having three active 50,000 litre double-wall gasoline USTs installed in 2005. Listed as having one active 35,000 double-wall diesel UST installed in 2005.
		Fuel Storage Tank – Historic (Pre-January 2010)	Listed as a licensed retail gasoline service station.
		Retail Fuel Storage Tanks (1999 to January 31, 2019)	Listed as a gasoline service station.

Property Name and Address	Location Relative to the Site	Database	Listing
Canadian Tire Store/Hartwind Sales Limited/A&J Marshall Holdings Ltd. 99 McEwan Drive East	Located approximately 120 metres to the north of the Site and in an inferred upgradient direction.	Ontario Regulation 347 Waste Generators Summary (1986 to January 31, 2020)	Listed as a generator of acid waste – heavy metals, alkaline wastes – heavy metals and other specified organics (from 2005-2011); paint/pigment coating residues, inorganic laboratory chemicals petroleum distillates, light fuels, heavy fuels, halogenated pesticides, waste oils & lubricants, detergent/soaps, waste compressed gases, chemical fertilizer wastes (from 2007-2015), organic laboratory chemicals, alkaline wastes – other metals, aliphatic solvents, waste compressed gases (as of October 2019)
		Retail Fuel Storage Tanks (1999 to January 31, 2020)	Listed as having a service station for gasoline, oil & natural gas
Benson Steel Ltd. 72 Commercial Road	Located approximately 130 metres to the east of the Site, across McEwan Drive East, and in an inferred transgradient direction.	Ontario Regulation 347 Waste Generators Summary (1986 to January 31, 2020)	Listed as a generator of paint/pigment coating residues and aromatic solvents (from 1992 to 2016 and as of December 2018)
		Scott's Manufacturing Directory (1992 to Jan. 31, 2020)	Listed as a steel foundry, a manufacturer of plate work and fabricated structural product and a general-line building supplies wholesaler-distributor (established July 1, 1980)

Property Name and Address	Location Relative to the Site	Database	Listing
Metroland Printing, Publishing & Distribution Ltd. 12612 Highway 50 South, Bolton	Located approximately 150 metres northwest of the of the Site and inferred in a transgradient direction.	Scott's Manufacturing Directory (1992 to March 2011)	Listed as a newspaper publisher.
Hydro One Brampton Networks 12612 Highway 50, Bolton	Located approximately 150 metres northwest of the of the Site and inferred in a transgradient direction.	Ontario Spills (1988 to February 2019)	Listed as having a spill of approximately 1,100 litres of non-PCB containing mineral oil to a transformer vault in December 2015.
Tri-Krete Coatings Inc. 94 Commercial Road	Approximately 220 metres east and inferred trans-gradient/upgradient of the Site.	Scott's Manufacturing Directory (1992 to March 2011)	Established in 1976 with the following operations: architectural services, ornamental and architectural metal product manufacturing, and miscellaneous chemical product manufacturing.

In addition to the information provided above, the EcoLog ERIS report identified several other listings in the databases; however, Watters Environmental notes that, based on the nature of the listing, type of operations, distances, and/or directions from the Site relative to the inferred direction of groundwater flow, none of these listings contained evidence of potential contamination in connection with the Site.

There were several listings in the EcoLog ERIS report that were “unplottable”. These records could not be mapped due to various reasons, including limited geographic information, and may or may not have been present within the search radius and were included in the EcoLog ERIS report only for reference. Unless there was information within a specific listing that could be used to infer its location, the “unplottable” listings were not considered to be relevant to the Site due to the uncertainty.

4.2 Regulatory Review

Watters Environmental contacted the Technical Standards & Safety Authority (TSSA) and the Ontario Ministry of the Environment, Conservation and Parks (MECP) - Freedom of Information and Protection of Privacy (FOIPP) office for information regarding the environmental condition of the Site. Correspondence with these regulatory agencies is provided in Appendix C and summarized below.

According to a response from the TSSA dated April 29, 2016, May 27, 2019 and April 29, 2020, no records were found for fuel storage tanks at the Site. Watters Environmental notes that the TSSA Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990 or furnace oil tanks prior to May 1, 2002. Also, the TSSA Fuels Safety Division does not register aboveground gas or diesel tanks.

A request was submitted to the MECP's FOIPP office on May 9, 2016, May 6, 2019 and May 1, 2020. At the time of completion of this report, Watters Environmental had not yet received follow-up correspondence from the MECP. In the unlikely event that additional information received after the report's completion alters the findings of this report, an addendum will be issued to highlight this information and the implications to the conclusions and recommendations.

5.0 SITE RECONNAISSANCE FINDINGS

5.1 Operations-Related Environmental Issues

5.1.1 Aboveground and Underground Storage Tanks

Aboveground Storage Tanks (ASTs)

The following table lists the aboveground storage tanks (ASTs) that Watters Environmental observed at the Site during the various Site visits:

Product and Approximate Quantity	Location	Purpose	Secondary Containment	Floor Drains Nearby and Staining
One – empty 550L tank	Northwestern corner of the service area (western portion) in Site Building 3	Formerly used as storage for motor oil	None	No staining and no floor drains in the immediate vicinity of the tank was observed.
Two – 1,000 litres (L) waste oil steel tank	Exterior western portion of Site Building 2	Storage for waste motor oil.	None	Staining was observed in the topsoil beneath the ASTs.
One – 550L 5W-30 motor oil	Service area of Site Building 2, north of the car bays	Lubricant for internal combustion engines	None	Minor staining on the concrete floor. No floor drains in the immediate vicinity of the tank was observed and the concrete floor was in good condition.
One – 4,500L gasoline steel tank	Exterior northeastern corner of Site Building 4	Storage tank for Pro-Land's equipment and vehicles	Yes (implied). Labeled as having an "integral spill containment"	floor drains in the immediate vicinity of the tank was observed.

Product and Approximate Quantity	Location	Purpose	Secondary Containment	Floor Drains Nearby and Staining
One – 2,200L diesel steel tank	Exterior north-central portion of Site Building 4	Storage tank for Pro-Land's equipment and vehicles	Yes (implied). Labeled as having an "integral spill containment"	No staining observed around the AST or fill port. Minor staining on top of the tank, near the dispensing nozzle. No drains observed in immediate vicinity of the tank.
One – 2,200L diesel steel tank	Exterior north-central portion of Site Building 4	Storage tank for Pro-Land's equipment and vehicles	Yes (implied). Labeled as having an "integral spill containment"	No staining observed around the AST or fill port. Some staining on top of the tank, near the dispensing nozzle. No drains observed in immediate vicinity of the tank.

A portable oil draining and collecting machine was also observed in the service area of Site Building 2, which collects the waste oil from the serviced vehicles prior to being transferred to the waste oil ASTs located exterior of the building.

Watters Environmental observed one small-sized gasoline tank stored at the western portion of the service area of Site Building 3, alongside with other fluid chemicals. In Site Building 2, one small-sized gasoline tank was located in the service area as well. Another small-sized gasoline tank, likely empty, was observed in the northwestern exterior of the Site, adjacent to the Shed.

Underground Storage Tanks (USTs)

The Site representatives advised Watters Environmental that there was one UST within the service area of Site Building 3, which was connected to the municipal sanitary sewer and was formerly used for dumping sanitary waste from the RVs. The UST has not been used for about 10 years and has been abandoned in place. Watters Environmental did not observe any fill or vent pipes, depressions or asphalt cuts that would suggest the presence of any USTs on the Site.

5.1.2 Chemical Storage and Handling

Liquid Chemicals

Watters Environmental observed the following liquid chemicals and/or petroleum products at the Site:

Chemical and Approximate Quantity	Location	Purpose	Secondary Containment	Floor Drains Nearby and Staining
Several small retail-sized containers of cleaning products (i.e., Windex, Lysol, Shout etc.)	Located in the storage rooms and washrooms, of the CRUs within Site building 1 in the northwestern portion of the Site.	General maintenance of the Site building.	None	No floor drains and no staining observed on the concrete floor.
Several 4-litre containers of cleaning products (i.e., grill cleaner, all-purpose cleaner)	Located on the floor beneath the sink in the kitchen of CRU 5B within Site building 1 in the northwestern portion of the Site.	General maintenance of the Site building.	None	One floor drain was present, but no staining was observed on the ceramic floor.
Several 3.78-litre and 18.9-litre containers of paint	Located on the floor beneath the sink in the kitchen of CRU 1 within Site building 1 in the northwestern portion of the Site.	General maintenance of the Site building and cleaning of dishes.	None	No floor drains and no staining observed on the floor.

Chemical and Approximate Quantity	Location	Purpose	Secondary Containment	Floor Drains Nearby and Staining
Several retail-sized containers of cleaning products (i.e., Palmolive, sunlight, bleach)	Located on the floor beneath the sink in the kitchen of CRU 1 within Site building 1 in the northwestern portion of the Site.	General maintenance of the Site building and cleaning of dishes.	None	No floor drains and no staining observed on the floor.
Multiple small to medium sized containers (i.e. spray cans to 20L pails) of paints, streak remover, brake cleaner and/or other automotive maintenance fluids.	Western portion of the service area of Site Building 3	Maintenance and/or detailing purposes.	None	No floor drains and no staining observed on the concrete floor.
Multiple small containers (i.e., 1-5 litres) of cleaners, including floor cleaner, multi-purposes cleaner, and bleaches, as well as automotive cleaners.	Stored in a cabinet located in the western portion of the service area of Site Building 3.	Cleaning and/or maintenance of the service area and the RVs.	None	No floor drains and no staining observed on the concrete floor.
Jerry cans of gasoline.	Northern portion of the service area of Site Building 3.	Not specified. Likely used as a backup to the Jerry can for the maintenance and/or detailing equipment at the Site.	None	No floor drains and no staining observed on the concrete floor.
Multiple small to medium sized containers (i.e. 1L to 5L) of motor oil, refrigerants, coolants, transmission fluid hydraulic oil for the hoist and/or other automotive maintenance fluids.	Located on the storage racks and in the mezzanine in the northern portion of the service area of Site Building 2	Automotive and accessories maintenance and/or repair materials or fluids.	None	No floor drains and no staining observed on the concrete floor.

Chemical and Approximate Quantity	Location	Purpose	Secondary Containment	Floor Drains Nearby and Staining
Three medium-sized drums of Naphtha (petroleum), hydro treated light and Isopropanol mixture.	Ground level of in the northern portion of the service area of Site Building 2	Brake parts cleaner	None	No floor drains and no staining observed on the concrete floor.
Several small retail-sized containers of cleaning products (i.e., Windex, Lysol, Shout etc.)	Located on wooden shelves and floor in the storage rooms and washrooms, of each tenant unit within Site building 4.	General maintenance of the Site building	None	No floor drains and no staining observed on the concrete floor.
Several retail-sized containers of car maintenance and cleaning products (i.e., ArmorAll, rust remover, body mastic, etc.)	Located on steel shelves in Units 105 & 106 and on plastic shelves and on the ceramic-tiled floor in Unit 101 within Site building 4.	Maintenance of the tenants' vehicles	None	No floor drains and no staining observed on the concrete floor.
Several 18.9-litre containers of tractor fluid	Located on the concrete floor of Unit 105 within Site building 4.	Maintenance of the tenant's vehicles	None	No floor drains and no staining observed on the concrete floor.
Several 3.8-litre containers of efflorescence cleaner	Located on the concrete floor of Unit 104 within Site building 4.	Tenant's operations/business	None	No floor drains and no staining observed on the concrete.

Chemical and Approximate Quantity	Location	Purpose	Secondary Containment	Floor Drains Nearby and Staining
Several 3.78-litre and 18.9-litre containers of paint	Located on the vinyl-tiled floor of a storage room in Unit 103, on steel shelves in Unit 105, on the concrete floor of the electrical room for the Site building, and the carpeted floor of Unit 201, within Site building 4.	General maintenance of the Site building	None	No floor drains and no staining observed on the floors.
Several 1-litre and 5-litre containers of windshield washer fluid/coolant	Located on steel shelves in Units 104 and 105 and on plastic shelves and the vinyl-tiled floor in Unit 101 within Site building 4	General maintenance of the tenants' vehicles	None	No floor drains and no staining observed on the floors.
One 1,000 litre tote of windshield washer fluid (half full)	Located outside the truck maintenance tent in the east-central portion of the Site	General maintenance of the tenant's vehicles	None	No drains and no staining observed on the ground surface.
Several boxes of 9.46-litre containers of diesel exhaust fluid	Located inside a storage trailer in the south portion of the truck/trailer parking area and the mezzanine of Unit 104 within Site building 4.	General maintenance of the tenant's vehicles	None	No floor drains and no staining observed on the floor.

Chemical and Approximate Quantity	Location	Purpose	Secondary Containment	Floor Drains Nearby and Staining
Twelve jerry cans of fuel (diesel and gasoline)	Located inside a storage shed outside the north side of Site building 4.	General maintenance of the tenant's vehicles	None	No drains and no staining observed on the ground surface.
Several 18.9-litre containers of motor oil	Located on the concrete floor of Unit 104, near the sliding door and underneath the stairs of the mezzanine within Site building 4.	General maintenance of the tenant's vehicles	None	Partially concrete-filled trench observed nearby. Minor staining observed on the floor.

Compressed Gas Storage

Watters Environmental observed the following compressed gases at the Site:

- Cylinders of carbon dioxide present in CRU 1 for carbonated beverages, and cylinders of sedative-type gases in the CRU 4 for the sedation of animals, within Site building 1;
- Propane storage tank in the service areas of Site buildings 2 and 3;
- Three cylinders of nitrous oxide against a wall in Unit 106 within Site building 4;
- One cylinder of acetylene gas and one cylinder of oxygen gas, both in the centre of the workshop in Unit 106 within Site building 4;
- One cylinder of acetylene gas against a wall of the storage area in Unit 105 within Site building 4;
- One cylinder of acetylene gas and one cylinder of oxygen gas, both on a cart in Unit 105 within Site building 4; and
- Five 20-pound propane tanks in a shed outside the north end of Site building 4 (in the area of the ASTs).

5.1.3 Solid (Non-Hazardous) and Liquid Waste

In general, the Site appeared to be well maintained. Watters Environmental observed deposits of solid waste (i.e., scrap piles) in the landscaped area in the north-central portion of the Site near the sheds and the northern fence boundary. No other deposits of solid waste (i.e., landfilling) were observed at the Site.

Based on discussions with the Site representatives, and on observations made during the Site reconnaissance, Watters Environmental understands that non-hazardous domestic-type solid wastes are generated from the tenant activities. The Site representatives advised that each tenant is responsible for their own wastes and the tenants themselves bring the waste materials to the local community recycling/waste centre. Watters Environmental observed metal waste bins in several locations on the Site including, one steel waste bin in the north-central portion of the Site near Site building 1, one steel waste bin along the western exterior portion of Site building 2 and 3, one steel waste bin west of Site building 4, just inside the entrance to the work yard of Acura Forming, and another steel waste bin in the central portion of the Site, in Pro-Land's work/storage area. Site Building 2 has separate bins, located along the northern exterior of the unit, which is used solely for non-hazardous solids (i.e. oil filters) and collected for offsite disposal by Veolia Environmental.

Watters Environmental understands that recyclable materials such as cardboard, paper, plastics, and glass are also generated at the Site. The Site representatives indicated that recyclable materials are also taken to the local waste centre by each tenant for disposal or picked up twice a week by GFL Environmental Inc.

Waste oil/grease from the kitchen operations (e.g., deep fryers) in Site building 1, located in the northern portion of the Site, is placed into two separate metal containers and one steel drum (no secondary containment) located outdoors adjacent to the waste and recycling bins. Minor staining was observed on the ground surface (i.e., asphalt surface) around the containers and drum. Watters Environmental was advised that the waste oil containers and drum (each restaurant tenant has their own container) are emptied by Rothsay, Green Oil Incorporated, and Sanimax on an as-needed basis.

The kitchens within the restaurant tenants of Site building 1 also generate waste grease. Grease traps were observed in CRU 1 (one above-ground), CRU2 (one in-ground), and CRU 5B (one above-ground). Watters Environmental was advised that these grease traps are cleaned out every two to three months.

5.1.4 Registrable/Hazardous Waste

As noted in Section 4.1.1, the northern portion of the Site (location of Site building 1), was listed as a generator of hazardous wastes (i.e., pathological wastes). CRU 4 in Site building 1 is occupied by a veterinary hospital that generates wastes from animal surgeries and other procedures. Dedicated containers with labelling were observed to be present in this CRU.

The operations conducted in the central portion of the Site were not listed in the MOECC Hazardous Waste Information Network system, however, it is indicated in the Ecolog ERIS report that the operation in Site Building 3 (Globetrotter RV Rentals and Sale at the time) was a generator of waste oils and lubricants from 2002 to 2006. The Site representatives confirmed that RV maintenance is no longer being conducted in this building and therefore the listing is deemed to have low environmental concerns on to the Site.

Similarly, in Site Building 2 the generation of waste oil and/or lubricants was observed at the time of the Site visit. Furthermore, three medium-sized drums of brake parts cleaner consisting of Naphtha (petroleum), hydro treated light chemical and Isopropanol mixture were also observed in the service area. The empty containers of the automotive fluids (i.e, oil and antifreeze) used for maintenance and/or repairs were disposed in the designated bins located along the northern exterior portion of Site Building 3, which are collected for off-Site disposal by Pnewko Brothers Ltd.

Aside from the staining observed underneath the waste oil ASTs, the storage and/or usage of the aforementioned chemicals were anticipated to have low environmental concerns on to the Site due to the limited usage and/or area of application observed to be in good condition.

The Site representative advised Watters Environmental that neither registrable nor hazardous wastes are stored in the southern portion of the Site. Watters Environmental did not observe the generation, storage or disposal of any registrable or hazardous wastes at the Site, other than those discussed above.

5.1.5 Spills and Releases

The Site representative advised Watters Environmental that no spills or releases have occurred in the northern/north-western portions of the Site. Watters Environmental did not observe evidence of spills, accidental releases or widespread staining on the floor surface which would indicate the occurrence of major environmental events that may have resulted in potential contamination at the Site.

The Site representatives advised Watters Environmental that minor waste oil spills or releases have occurred in the area where the two waste oil ASTs are located within Site Building 2. Surface soil staining was apparent underneath the location of the waste oil ASTs.

Aside from the minor staining observed within the service areas of Site Buildings 2 and 3, Watters Environmental did not observe any evidence of major spills, accidental releases or widespread staining on the ground surface, or areas of stressed vegetation which would indicate the occurrence of major environmental events that may have resulted in potential contamination at the Site.

The Site representative advised Watters Environmental that no spills or releases have occurred in the south-western and southern portions of the Site. The EcoLog ERIS report says the Site is listed as having a spill of 530 litres of diesel fuel to the road due to an overturned truck/trailer in November 2004. However, Watters Environmental suspects that the incident occurred on the road in front of the Site (i.e., not on the Site itself), and the Site's address was used in the listing since it was likely the closest property to the incident on Industrial Road. This is based on the wording "MVA", which is likely an acronym for "multi vehicle accident", and "diesel to rd.", which likely means diesel was released to the road.

Watters Environmental observed some staining on the concrete floors of Unit 104 (Pro-Land) and 105 (Clintar) in Site building 4. Some minor cracks were observed on the concrete floors of both units. No floor drains were observed in Unit 105. A steel-grated trench that was partially filled in with concrete was observed in Unit 104 but no significant staining was observed near the trench. Given the good condition of the floor, Watters Environmental does not expect that the above-noted spilled oil on the concrete floor would have impacted the soils beneath Site building 4. Staining was also observed on the gravel surface outside the entrance to the truck maintenance tent in the J-Line truck parking area.

5.1.6 Air Emissions

Based on observations made during the Site reconnaissance, and on discussions with the Site representatives, Watters Environmental understands that the Site has the following active equipment with associated air emissions:

- Seven rooftop-mounted natural gas-fired heating, ventilation, and air conditioning (HVAC) units on Site building 1; and
- Four rooftop-mounted natural gas-fired HVAC units on Site building 4.

The Site representative advised Watters Environmental that no complaints have been raised by neighbouring properties or regulatory agencies concerning noise, odours or air emissions at the Site. Watters Environmental did not observe any significant issues concerning noise, odours or air emissions at the Site.

5.1.7 Water, Wastewater and Storm Water

Water is provided to the Site from the Town of Caledon's municipal water supply. Water is used at the Site for domestic purposes (e.g., washrooms and kitchens). Sanitary wastewater from the Site is discharged to the municipal sanitary sewer system.

Based on information from the Site Representatives of Site Building 3, there was a former UST within the service area where the sanitary waste from the RVs were disposed that lead to the municipal sanitary sewer system. Reportedly, the UST has not been used for approximately 10 years.

Floor trench drains were observed within the service area of Site Building 2 and were expected to be connected to an oil-water separator, which is located at the western corner of the service area in the building. The oil water separator is pumped out as necessary. At the time of the assessment, the oil water separator was observed to be in good condition with no evidences of cracks and/or leaks at ground surface.

Precipitation landing on the roof of the Site buildings is discharged to the municipal storm sewer system via internal piping within the respective Site buildings, or ground surface via external downspouts. Precipitation landing on the Site flows overland to catch basins located in the asphalt-paved areas, towards the swale near the east-central Site boundary, or infiltrates into the unpaved and landscaped areas, or towards the roadside drainage ditches located adjacent to the Site boundaries along Highway 50 and Industrial Road. Watters Environmental did not observe outdoor waste storage, raw material piles or areas of chemical staining that would likely result in the impairment of storm water runoff from the Site.

5.1.8 Trenches, Pits, Sumps and Lagoons

Trenches, Pits and Sumps

No trenches, pits and/or sumps were observed within the Site Building 1 or 3. A trench drain leading to the oil-water separator, was observed at the service area of the Site Building 2. There were no spills and/or stains observed in the vicinity of the floor drains that may pose any environmental concern to the Site.

Watters Environmental observed a steel grate-covered drainage trench that was observed to be partially filled with concrete within Unit 104 of Site building 4. The Site representative advised that this trench was a remnant from the previous tenant's car wash operations and was no longer in use.

Watters Environmental was advised that there are no pits or sumps at the Site. Watters Environmental did not observe any pits or sumps at the Site.

Lagoons

Trench drains linked with corrugated pipes were observed along the western property boundary, leading to the storm water management pond at the west-central corner of the Site. With the exception of the pond, Watters Environmental did not observe any other lagoons or impoundments at the Site.

5.1.9 Radioactive Materials

The Site representative advised Watters Environmental that there are no radioactive materials or equipment at the Site. Watters Environmental did not observe any radioactive materials or equipment at the Site that would require annual licensing by the Canadian Nuclear Safety Commission.

5.1.10 Dry Cleaning Operations

The Site representative advised Watters Environmental that there are no on-the-premises dry cleaning operations at the Site. Watters Environmental did not observe any on-the-premises dry cleaning operations at the Site.

5.1.11 Fueling Operations

Watters Environmental observed small jerry cans and tanks of gasoline in the Site Building 2 and 3 in the west-central portion of the Site, which are anticipated to be used for minor fueling of equipment utilized for maintenance and/or detailing purposes.

Watters Environmental was advised that the three fuel ASTs located outdoors adjacent to the northeast corner of Site building 4 are owned and operated by Pro-Land and are used to fuel their vehicles and equipment. As noted in Section 5.1.2, several jerry cans were observed to be present within a small shed south of the gasoline AST. In addition, empty jerry cans were also observed to be present in the vicinity of the storage trailer owned by Acura Forming, on the concrete floor of Unit 105 (Clintar), on the concrete floor of Unit 104 (Pro-Land) within Site building 4, and on the concrete pad of J-Line's truck maintenance tent in the north-central portion of the Site. Watters Environmental did not observe any other fueling operations or equipment at the Site.

5.1.12 Hydraulic Equipment and Reservoirs

Five above-ground hydraulic hoists were present in Site Building 2. The hydraulic units were observed to be in good condition at the time of the Site assessment. The Site representative advised Watters Environmental that there was no other hydraulic equipment or reservoirs at the Site. Watters Environmental did not observe any other hydraulic equipment or reservoirs at the Site.

5.2 Property-Related Environmental Issues

5.2.1 Asbestos

Watters Environmental was advised by the Site representatives that an asbestos survey has not been conducted at the Site. Based on the age of Site building 1 (i.e., constructed between 2001 and 2003), Watters Environmental does not anticipate friable asbestos-containing materials (ACMs) to be present; however, non-friable materials may be present. Watters Environmental observed potential non-friable ACMs in the Site building in the form of vinyl floor tiles and ceiling tiles. These potential ACMs were observed to be in generally good condition.

Based on the age of Site Building 3 (i.e., dated from as early as 1970's), Watters Environmental anticipates that both friable and non-friable ACMs may be present while Site Building 2 may consist of only non-friable (i.e. friable not anticipated) ACMS as it was built circa 1990's.

The only potential ACMs observed in Site Building 3 were vinyl floor tiles in the sales area and hallway, ceiling tiles in the dry storage room and the dry wall in the office area at the central portion. The building materials observed appeared to be in good condition at the time of the Site visit.

Based on the age of Site building 4 (i.e., constructed in the late-1940s to early-1950s), Watters Environmental anticipates that friable and non-friable ACMs may be present. Watters Environmental observed potential non-friable ACMs in the form of ceiling tiles, linoleum flooring, vinyl tiles, and drywall that may contain asbestos-containing joint compound. These potential ACMs were observed to be in good condition. A formal asbestos survey would be required to confirm the presence/absence and extent of ACMs within the Site buildings.

5.2.2 Polychlorinated Biphenyl-Containing Equipment

Electrical service is supplied to the Site by Hydro One via three pole-mounted transformers located along Highway 50 and three along Industrial Road, as well as the dry-type transformer observed at the mezzanine level of Site Building 2.

Watters Environmental observed air-cooled (dry-type), step-down transformers and fluorescent light fixtures in Site buildings 1, 2 and 4. Based on the age of Site building 1, the fluorescent light ballasts are not anticipated to contain PCBs, since the use of PCBs in electrical equipment was discontinued by approximately 1980. Any original fluorescent light ballasts in Site building 3 and 4 may contain PCBs. PCBs in the light ballasts at the Site may become an issue if they are

leaking or if they are taken out of service. Watters Environmental did not observe any leaking light ballasts at the Site.

5.2.3 Lead in Paints

Some of the finishes in the Site building contain painted surfaces. Lead has been historically used in paint. The Surface Coating Materials Regulation, under the *Hazardous Products Act* restricts the concentration of lead to less than 90 milligrams/kilogram (mg/kg) in paints in specific applications (i.e., interior and exterior surfaces of residential and commercial buildings, furniture and items used by children). As such, the paints in the building should be considered lead-containing, unless proven otherwise by analytical testing.

Observations made during the Site reconnaissance indicated that the painted surfaces within the Site building appeared to be in generally good condition (i.e., not peeling or flaking).

5.2.4 Urea Formaldehyde Foam Insulation

The Site representative were not aware of the presence of urea formaldehyde foam insulation (UFFI) at the Site. Watters Environmental did not observe any visual indicators (such as drill holes in building surfaces) for the possible presence of UFFI at the Site.

5.2.5 Ozone-Depleting Substances

Based on observations made during the Site reconnaissance, Watters Environmental understands that the Site contains several roof-top mounted HVAC units that may contain refrigerants that are ozone-depleting substances (ODSs). Watters Environmental understands that the on-Site HVAC units and refrigeration equipment are serviced twice a year or on an as-needed basis by a licensed contractor. Watters Environmental understands that Site buildings 2 and 3 contains the following equipment that may have ODSs:

- Domestic refrigeration unit (i.e. bar fridge) in the Mezzanine of Site Building 2, near the transformer and boiler area; and
- An outdoor air-conditioning unit located to the south of Site Building 3 (Globetrotter R.V.).

A natural gas forced air furnace with cooling systems was observed at the roof of Site Building 2, however, the inspection of the specification plates on the refrigeration equipment revealed that R-410A type of refrigerant was in use that is not considered as an ODS. Watters Environmental did not observe the storage of ODS at the Site.

5.2.6 Radon

According to a document entitled, “*Guide for Radon Measurements in Residential Dwellings (Homes)*”, prepared by Health Canada and dated 2008, Health Canada has recommended that the average annual concentration of radon in a home should not exceed 200 Becquerels per cubic metre (Bq/m³). It is difficult to determine with any degree of certainty the radon levels in a home or other building without testing. However, radon testing is not a regulatory requirement.

5.2.7 Pesticides

Watters Environmental notes that there are several landscaped areas along the Site boundaries. Although pesticides may have been applied on the Site, it is Watters Environmental’s opinion that the quantities potentially applied would not likely cause a significant environmental contaminant issue to the Site. Watters Environmental observed liquid pesticides (herbicides) stored on the concrete floor of Unit 105 (Clintar warehouse) within Site building 4. These pesticides are likely used off-Site by Clintar at their customers’ properties. The concrete floor where the pesticides were stored was in good condition, with no cracks or stains. No floor drains were observed in Unit 105.

5.2.8 Soil Fill

Based in observations made during the Site reconnaissance, Watters Environmental understands that a significant amount of fill material may be present at the west-central exterior portion of the Site. Stockpiles and/or rubble was observed at the east-central boundary and at the central portion of the Site. Furthermore, the Site representatives indicated that the topsoil in the west-central portion of the Site was stripped out and was backfilled with new soil materials and then covered with a gravel base in 2010. Thus, there is a potential environmental concern on Site due to the unknown quality of fill and/or stockpile materials and will be considered as a Potentially Contaminating Activity.

The Site representative advised that that each tenant in the southern portion of the Site is responsible for filling in any potholes in the gravel surfaces of their respective areas, as needed, and the Site owner brings in gravel, if needed, whenever there is a change in tenants. The Site is generally graded at approximately the same elevation with the surrounding properties.

5.2.9 Mould

Watters Environmental conducted an overview assessment (i.e., not an inspection) of each of the units within the Site building for visual and/or olfactory evidence of obvious significant mould growth, and none was observed.

Watters Environmental also noted that the general indoor air quality of the Site building was good, with no unusual odours present that could potentially indicate the presence of significant mould issues.

Note that the above comments regarding mould are based solely on visual and olfactory observations from a non-intrusive assessment. The assessment was conducted in readily accessible areas and did not involve intrusive or destructive activities, such as peeling back intact vinyl wallpaper or cutting holes in drywall walls or ceilings to inspect conditions in concealed areas.

5.3 Review of Surrounding Properties

Watters Environmental reviewed the current land uses of properties surrounding the Site from publicly accessible locations to assess potential contamination to the Site that may arise from off-Site operations. Properties within 200 metres surrounding the Site are presented on Figure 2 and are summarized in the following table. The surrounding properties are listed in order of direction and then by closest (adjacent) to furthest away from the Site.

Location	Name	Potential to Cause Environmental Impacts to the Site
North of the Site (Inferred upgradient)	Adjacent to the north of the Site is a commercial plaza consisting mainly of commercial automotive related services (i.e., auto sales, RV and trailer sales, auto service).	Moderate to High, based on the auto service-related activities.
	Canadian Tire with gas station, multi-tenant commercial buildings, a car wash.	Moderate to High, based on the gasoline and associated products storage in fixed tanks.
	McEwan Drive East	Low
East of the Site (Inferred transgradient)	Adjacent to the northeast and east of the Site is a truck storage area and towing/collision centre (Sibia Towing / Collision).	Moderate, based on the auto service-related activities and historical waste generation information.
	Commercial Road	Low
	MTN Forming	Low
	Benson Steel Ltd. and Henderson-Oliver Sales & Marketing	Low
South of the Site (Inferred downgradient)	Adjacent to the south of the Site is Industrial Road	Low
	Hwy 50 Connect Church, Skyview Bowling Lanes, Tru Spark Tooling Ltd., Cella Auto, and Bolton Community Recycling Centre	Low
	Armstrong Propane (southwest) and Titan Formworks (further south)	Low
West of the Site (Inferred upgradient/transgradient)	Highway 50	Low
	Pickard Lane Leasing, multi-tenant commercial building, Sushi Resto, and Tim Hortons	Low

6.0 DISCUSSION OF FINDINGS

Based on the historical review completed, Watters Environmental understands that the Site consisted of vacant and/or agricultural land until approximately 1948 or 1950, after which the commercial buildings were constructed. The current multi-tenant commercial Site buildings are occupied by various tenants including, restaurants, hair salon, veterinarian, and a vape shop, an R.V. dealership, vehicle repair and maintenance shop, a dance studio, used car dealer, landscape construction contractor, concrete forming company, landscape management company, and a private vehicle garage.

Several fuel ASTs were observed on Site. Based on the condition of the ASTs, Watters Environmental does not anticipate any significant environmental impacts to the subsurface due to the presence of the ASTs.

No evidence of USTs, such as fill and vent pipes, were observed during the Site reconnaissance.

Chemicals present are used for the general maintenance of the Site buildings, cleaning and maintenance of the tenants' vehicles, and by the landscaping contractors for their (off-Site) projects. Watters Environmental did not observe any potential for significant impact to the subsurface from the use and/or storage of these chemicals.

A portion of the Site contains elevated hydrocarbons in groundwater that are planned to be removed as part of the Record of Site Condition process.

7.0 CONCLUSIONS AND RECOMMENDATIONS

Based on the Phase I ESA completed, there are no significant environmental contaminant issues with the Site. A portion of the Site contains elevated hydrocarbons in groundwater that are planned to be removed as part of the Record of Site Condition process.

8.0 QUALIFICATIONS AND LIMITATIONS

Watters Environmental has prepared this report for the exclusive use of 12599 Hwy 50 Ltd. in evaluating the environmental condition of the Site at the time of the Site reconnaissance. Watters Environmental will not be responsible for the use of this report by any other party, or reliance on or any decision to be made based on it without the prior written consent of Watters Environmental. Watters Environmental accepts no responsibility for damages, if any, by any other party as a result of decisions or actions based on this report.

This report presents an overview of issues of environmental concern, reflecting Watters Environmental's professional judgment using information reasonably available at the Site at the time of the Site reconnaissance. Watters Environmental has prepared this report using information understood to be factual and correct and shall not be responsible for conditions arising from information or facts that were concealed or not fully disclosed to Watters Environmental at the time of the Site reconnaissance. The scope of work completed by Watters Environmental did not involve a review or evaluation of health and safety issues at the Site.

The scope of work for the Phase I ESA did not include conducting a Chain-of-Title review; conducting any intrusive investigations (e.g., cutting exploratory holes in solid walls) or preparing detailed cost estimates associated with addressing any environmental issues identified during the Phase I ESA; disassembling any equipment or building features for further assessment (e.g., removing light ballast covers to check for polychlorinated biphenyls); conducting a detailed intrusive investigation for mould, including in concealed areas (e.g., behind wallpaper, inside wall cavities, etc.); collecting any soil, building material or air samples for laboratory analysis (e.g., asbestos or mould analysis); preparing a scaled Site layout drawing; an assessment of biological features or related aspects of the natural environment; or an assessment of permits or licenses that may be required for re-development of the Site. The Phase I ESA also did not include any review of Building or Property Condition Assessment reports, or any aspects of the building and/or property that would normally be included as part of that type of engineering review.



Any discussions regarding mould are based solely on obvious visual and olfactory observations from a non-intrusive assessment. The assessment was conducted in readily accessible areas and did not involve intrusive or destructive activities, such as peeling back intact vinyl wallpaper or cutting holes in drywall walls or ceilings to inspect conditions in concealed areas. Watters Environmental also did not pull back any peeling wallpaper as to not further damage the wallpaper. The comments regarding mould were based on the observations made at the time of the Site visit. Mould growth conditions can change with time. No assurance is made regarding

changes in conditions subsequent to the time of the Site visit. A detailed mould investigation would be required to confirm the presence / absence of mould within the building.


It is important to note that conducting a Phase I ESA does not eliminate the possibility that negative environmental conditions and/or variations of conditions not described in this report are present on the Site.

This report is complete only as an entire document, and no section is intended to be used separately.

FIGURES



MAP DATA: ©2016 GOOGLE

LEGEND:
 APPROXIMATE
EXTENT OF THE SITE

0m **CONFIDENTIAL** 200m
APPROXIMATE SCALE

WATTERS ENVIRONMENTAL GROUP INC®


 9135 Keele St. Unit A1
Concord, ON. L4K 0J4
T 416 361 2407
F 416 361 2410

DRAWN:
B. CALDERONE
CHECKED:
V. JADEJA
DATE:
MARCH 2021

CLIENT:
12599 HWY 50 LTD.
SITE ADDRESS:
**12563, 12585, AND 12599 HIGHWAY
50, AND 2 INDUSTRIAL ROAD,
BOLTON, ONTARIO**

REPORT NAME:
**PHASE I
ENVIRONMENTAL
SITE ASSESSMENT**

FIGURE NAME:
SITE LOCATION MAP
PROJECT No:
20-0132.02
FIGURE No:
1



AERIAL PHOTO SOURCE: ©2016 DIGITAL GLOBE

LEGEND:

-  APPROXIMATE EXTENT OF THE SITE
-  200m AREA OF ASSESSMENT

MTC MULTI-TENANT COMMERCIAL

0m  100m
CONFIDENTIAL
APPROXIMATE SCALE

WATTERS ENVIRONMENTAL GROUP INC®



 9135 Keele St. Unit A1
Concord, ON. L4K 0J4
T 416 361 2407
F 416 361 2410

DRAWN:
B. CALDERONE
CHECKED:
V. JADEJA
DATE:
MARCH 2021

CLIENT:
12599 HWY 50 LTD.
SITE ADDRESS:
12563, 12585, AND 12599 HIGHWAY
50, AND 2 INDUSTRIAL ROAD,
BOLTON, ONTARIO

REPORT NAME:
**PHASE I
ENVIRONMENTAL
SITE ASSESSMENT**

FIGURE NAME:
**SURROUNDING
LAND USE MAP**
PROJECT No:
20-0132.02 FIGURE No:
2



LEGEND:

- APPROXIMATE EXTENT OF THE SITE
- LANDSCAPED AREA
- PAVED AREA

0m 40m
CONFIDENTIAL
APPROXIMATE SCALE

WATTERS ENVIRONMENTAL GROUP INC®

 9135 Keele St. Unit A1
Concord, ON. L4K 0J4
T 416 361 2407
F 416 361 2410

DRAWN:
B. CALDERONE
CHECKED:
V. JADEJA
DATE:
MARCH 2021

CLIENT:
12599 HWY 50 LTD.
SITE ADDRESS:
**12563, 12585, AND 12599 HIGHWAY
50, AND 2 INDUSTRIAL ROAD,
BOLTON, ONTARIO**

REPORT NAME:
**PHASE I
ENVIRONMENTAL
SITE ASSESSMENT**

FIGURE NAME:
SITE LAYOUT PLAN

PROJECT No:
20-0132.02

FIGURE No:
3

APPENDIX A

Photographs

PHOTOGRAPHS

Photograph No. 1	
Date Taken: May 4, 2016	
Description: Façade of Site building 1, occupied by Globetrotter R.V.	
Looking Towards: East	

Photograph No. 2	
Date Taken: May 4, 2016	
Description: View of the eastern exterior portion of Site building 3, including the unpaved area where minor Recreational Vehicle (RV) maintenance and detailing activities are conducted.	
Looking Towards: West	


Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 3	
Date Taken: May 4, 2016	
Description: The southern face of Site building 2, occupied by NAPA Autopro, showing the five (5) bay doors and the access to the reception/sales area.	
Looking Towards: North	

Photograph No. 4	
Date Taken: May 4, 2016	
Description: Western exterior of Site Building 2 facing Highway 50, occupied by NAPA Autopro.	
Looking Towards: East	

Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 5	
Date Taken: May 4, 2016	
Description: Showing the paved parking lot to the west of Site Building 2 and the commercial properties observed across Highway 50.	
Looking Towards: West	


Photograph No. 6	
Date Taken: May 4, 2016	
Description: View of partially paved and gravel surfaced area at the rear of Site Building 3.	
Looking Towards: East	


Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 7	
Date Taken: May 4, 2016	
Description: Overview of the eastern portion of the Site, used as an RV parking and storage area.	
Looking Towards: East	


Photograph No. 8	
Date Taken: May 4, 2016	
Description: Western exterior portion of the Site between Site Buildings 3 and 2, which is used as an access lane and RV parking/storage area	
Looking Towards: South	


Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 9	
Date Taken: May 4, 2016	
Description: Two sheds reportedly used for storage in the landscaped northern portion of the Site. Scrap piles were observed at the locations adjacent to the sheds as well as the northern boundary along the fence of the Site. A trench drain with corrugated piping was also present.	
Looking Towards: Northwest	


Photograph No. 10	
Date Taken: May 4, 2016	
Description: View of northern portion of the service area in Site Building 3, where one empty 550-litre AST (formerly containing motor oil storage) without secondary containment, jerry cans containing gasoline and RV parts and accessories were observed.	
Looking Towards: Northwest	


Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 11	
Date Taken: May 4, 2016	
Description: Two 1,000-litre ASTs containing waste oil observed on the eastern exterior portion of Site building 2 with no secondary containment. Oil staining observed on the surrounding soil.	
Looking Towards: N/A	


Photograph No. 12	
Date Taken: May 4, 2016	
Description: Two 550-litre ASTs containing motor oil observed in the service area of Site Building 3, north of the car service bays. Staining was observed on the ground near the dispensing nozzles with no secondary containment.	
Looking Towards: N/A	

Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 13	
Date Taken: May 4, 2016	
Description: Storage of automotive maintenance fluids, cans of paint, a propane cylinder and other RV maintenance chemicals, observed in the service area of Site Building 3.	
Looking Towards: West	


Photograph No. 14	
Date Taken: May 4, 2016	
Description: Storage of small to medium containers of automotive maintenance chemicals (i.e., motor oil, refrigerants, etc.), located in the northern portion of the service area of Site Building 2.	
Looking Towards: North	


Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 15	
Date Taken: May 4, 2016	
Description: Mezzanine level of Site Building 2 used for storage of car maintenance chemicals and automotive accessories.	
Looking Towards: East	

Photograph No. 16	
Date Taken: May 4, 2016	
Description: Metal drum containing petroleum-based brake parts cleaner, observed in the northern portion of the service area of Site Building 2.	
Looking Towards: N/A	


Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 17	
Date Taken: May 4, 2016	
Description: One tote containing non-hazardous solid waste (i.e. oil filters) and two bins containing empty automotive chemical containers located in the northeastern portion of Site Building 2.	
Looking Towards: South	


Photograph No. 18	
Date Taken: May 4, 2016	
Description: Minor staining observed on the concrete floors in the service area of Site Building 2.	
Looking Towards: N/A	

Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 19	
Date Taken: May 4, 2016	
Description: Trench leading to the oil-water separator observed within the service area of Site building 2.	
Looking Towards: N/A	


Photograph No. 20	
Date Taken: May 4, 2016	
Description: Five automotive service bays within Site building 2, each with an aboveground hydraulic hoist.	
Looking Towards: East	

Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 21	
Date Taken: May 4, 2016	
Description: Dry-type transformer located on the western wall of the mezzanine level in Site building 2.	
Looking Towards: West	


Photograph No. 22	
Date Taken: May 4, 2016	
Description: Mercury-containing thermostat observed in the reception area of Site building 2.	
Looking Towards: North	


Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 23	
Date Taken: May 4, 2016	
Description: Concrete rubble and asphalt stockpiles observed in the southeastern corner of the Site, near the storm water management pond.	
Looking Towards: North	


Photograph No. 24	
Date Taken: May 4, 2016	
Description: Stockpile observed in the central portion of the Site on an unpaved area.	
Looking Towards: Southeast	

Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 27	
Date Taken: May 4, 2016	
Description: Multitenant commercial plaza located adjacent to the north of the Site.	
Looking Towards: North	

Photograph No. 28	
Date Taken: May 4, 2016	
Description: Automotive service area of Canadian Tire, located adjacent to the north-northeastern portion of the Site.	
Looking Towards: South	


Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 29	
Date Taken: May 4, 2016	
Description: Multitenant commercial plaza with various automotive repair services, located approximately 65 metres north of the Site.	
Looking Towards: Northeast	

Photograph No. 30	
Date Taken: May 4, 2016	
Description: Canadian Tire retail fuel outlet, located approximately 165 metres north of the Site.	
Looking Towards: Northeast	

Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS



Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 33	
Date Taken: May 4, 2016	
Description: Vince's Auto Body, an automotive repair facility, located adjacent to the south of the Site.	
Looking Towards: East	

Photograph No. 34	
Date Taken: May 4, 2016	
Description: View of the property adjacent to the south-southeast of the Site.	
Looking Towards:	

Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS




Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 37	
Date Taken: May 28, 2019	
Description: View of the recycling, waste, and waste grease containers located on the northeast portion of the Site building 1.	
Looking Towards: North	

Photograph No. 38	
Date Taken: May 28, 2019	
Description: View of the above ground grease trap located in CRU 5B.	
Looking Towards: NA	

Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS





Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 41	
Date Taken: May 6, 2020	
Description: Truck maintenance tent in the north-central portion of the Site building 4 (i.e., the northwest corner of the J-Line Truck.	
Looking Towards: North	


Photograph No. 42	
Date Taken: May 6, 2020	
Description: Two diesel ASTs (right side) and one gasoline AST (left side) outside the north end of the Site building 4.	
Looking Towards: Southeast	

Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No. 43	
Date Taken: May 6, 2020	
Description: Propane tanks and jerry cans inside a storage shed outside the north end of the Site building 4 (behind the larger, gasoline, AST in Photograph 3)	
Looking Towards: N/A	

Photograph No. 44	
Date Taken: May 6, 2020	
Description: Partially covered steel-grated trench in Unit 104 of the Site building 4.	
Looking Towards: West	

Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS




Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No.	47	
Date Taken:	May 6, 2020	
Description:	Staining on the concrete and gravel surface of the area outside the truck maintenance tent in the north-central portion of the Site building 4.	
Looking Towards:	Northwest	


Photograph No.	48	
Date Taken:	May 6, 2020	
Description:	Drainage ditch adjacent to the south property line of the Site building 4, along Industrial Road.	
Looking Towards:	West	

Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



PHOTOGRAPHS

Photograph No.	49	
Date Taken:	May 6, 2020	
Description:	Boxes of herbicides in the storage area of Unit 105.	
Looking Towards:	N/A	

Site Address: 12563 and 12585 Highway 50, Bolton, Ontario

Project No.: 16-0053.01



APPENDIX B

EcoLog Environmental Risk Information Services Ltd. (EcoLog ERIS) Report

DATABASE REPORT

Project Property: 16-0053.01
12563 50 Hwy
Caledon ON L7E1M4
16-0053.01

Project No:

Report Type: Quote - Custom-Build Your Own Report

Order No: 20160429018

Requested by: Watters Environmental Group Inc.

Date Completed: May 5, 2016

Ecolog ERIS Ltd.
Environmental Risk Information
Service Ltd. (ERIS)
A division of Glacier Media Inc.
P: 1.866.517.5204
E: info@erisinfo.com
www.erisinfo.com

Table of Contents

Table of Contents.....	1
Executive Summary.....	2
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	15
Map.....	27
Aerial.....	28
Detail Report.....	29
Unplottable Summary.....	104
Unplottable Report.....	107
Appendix: Database Descriptions.....	120
Definitions.....	130

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by EcoLog Environmental Risk Information Services Ltd ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, EcoLog ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of EcoLog ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by EcoLog ERIS Ltd. Copyright in data used in the Service or Report(s) (the "Data") is owned by EcoLog ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of EcoLog ERIS.

Executive Summary

Property Information:

Project Property: 16-0053.01
12563 50 Hwy Caledon ON L7E1M4

Project No: 16-0053.01

Order Information:

Order No: 20160429018
Date Requested: April 29, 2016
Requested by: Watters Environmental Group Inc.
Report Type: Quote - Custom-Build Your Own Report

Additional Products:

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	1	1
CA	Certificates of Approval	Y	0	7	7
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Register	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	4	4
ECA	Environmental Compliance Approval	Y	0	1	1
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	13	13
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EXP	List of TSSA Expired Facilities	Y	0	8	8
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FST	Fuel Storage Tank	Y	0	11	11
FSTH	Fuel Storage Tank - Historic	Y	0	2	2
GEN	Ontario Regulation 347 Waste Generators Summary	Y	1	73	74
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	TSSA Incidents	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBW	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGW	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	5	5
PINC	TSSA Pipeline Incidents	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	1	1
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	2	2
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	6	6
SCT	Scott's Manufacturing Directory	Y	0	16	16
SPL	Ontario Spills	Y	0	6	6
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	TSSA Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	2	2
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	1	24	25
Total:			2	182	184

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
1	WWIS		lot 3 con 7 ON	-/0.0	0.16	29
3	GEN	Globetrotter Rv Rentals and Sale	12563 Hwy#50 Bolton ON L7E 1M4	-/0.0	-0.36	29

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
2	CA	Vincent Dimauro	12553 Highway 50 Caledon ON	SSE/11.6	-1.02	30
2	EBR	Vincent Dimauro	12553 Highway 50 Caledon ON L7E 5T3	SSE/11.6	-1.02	30
4	CA		12543 Highway No. 50 Caledon ON	SE/55.4	-2.11	30
4	EBR	Michael Mario Savo	12543 Highway No. 50 Caledon ON	SE/55.4	-2.11	31
4	EHS		12543 Highway 50 Bolton ON L7E 1M4	SE/55.4	-2.11	31
4	EHS		12543 Highway 50 Bolton ON L7E 1M4	SE/55.4	-2.11	31
5	SPL		2 INDUSTRIAL RD, CALEDON<UNOFFICIAL> Caledon ON	ESE/55.2	-3.08	31
6	BORE		ON	ESE/60.9	-3.19	32
7	WWIS		ON	SE/73.2	-2.89	32
8	WWIS		lot 3 con 7 ON	ENE/34.6	-2.74	32
9	WWIS		lot 3 con 7 ON	S/50.9	-1.81	33
10	WWIS		lot 3 con 7 ON	SE/91.5	-2.87	34
11	WWIS		ON	SSE/83.6	-2.47	35
12	EHS		12550 Highway 50 (Queen Street S), Bolton Bolton ON	S/35.2	-1.33	35
13	EHS		12596 50 Highway BOLTON ON	SW/58.4	-0.57	35
14	EHS		99 McEwan Drive E Bolton ON L7E 2Z7	N/50.1	1.83	36
14	GEN	Canadian Tire #197	99 McEwan Dr. E. Bolton ON L7E 2Z7	N/50.1	1.83	36
14	GEN	Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	N/50.1	1.83	37
14	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	N/50.1	1.83	37
14	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	N/50.1	1.83	37
14	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON	N/50.1	1.83	38

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
14	GEN	Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	N/50.1	1.83	39
14	GEN	Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	N/50.1	1.83	40
14	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	N/50.1	1.83	40
14	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	N/50.1	1.83	41
14	GEN	Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	N/50.1	1.83	42
14	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	N/50.1	1.83	42
14	PES	HARTWIND SALES LIMITED O/A CANADIAN TIRE #197	99 MCEWAN DR. BOLTON ON L7E 2Z7	N/50.1	1.83	43
14	PES	CANADIAN TIRE STORE #197	99 MCEWAN DR E BOLTON ON L7E 2Z7	N/50.1	1.83	43
14	PES	HARTWIND SALES LIMITED O/A CANADIAN TIRE #197	99 MCEWAN DR. BOLTON ON L7E2Z7	N/50.1	1.83	43
14	RST	CANADIAN TIRE GAS BAR	99 MCEWAN DR E BOLTON ON L7E 2Z7	N/50.1	1.83	43
14	RST	CANADIAN TIRE GAS BAR	99 MCEWAN DR E BOLTON ON L7E2Z7	N/50.1	1.83	43
15	WWIS		ON	SE/102.6	-2.81	44
16	WWIS		CALEDON ON	NE/75.1	-0.84	44
17	WWIS		ON	SE/112.7	-3.29	45
18	EHS		12525 Highway 50 Bolton ON L7E 1M4	SSE/109.6	-2.90	45
18	GEN	MapleCon Earthworks Ltd.	12525 Highway 50 Unit 2 Bolton ON	SSE/109.6	-2.90	45
19	CA	Genant Enterprises Inc.	4 Industrial Rd Vaughan ON	ENE/77.6	-3.26	45
19	CA	HI-TEK ENGINEERED DESIGN TRANSPORTATION	4 INDUSTRIAL ROAD CALEDON TOWN ON	ENE/77.6	-3.26	4
19	EHS		4 Industrial Road Bolton ON L7E 1K6	ENE/77.6	-3.26	46
19	GEN	ALL PURPOSE FLOAT SERVICES INC.	4 INDUSTRIAL ROAD BOLTON ON L7E 1K6	ENE/77.6	-3.26	46
19	GEN	HI-Tek Engineered Design Transportation	4 Industrial Road Bolton ON L7E 1K6	ENE/77.6	-3.26	47
19	GEN	HI-TEK ENGINEERED DESIGN TRANSPORTATION	4 INDUSTRIAL ROAD BOLTON ON L7E 1K6	ENE/77.6	-3.26	47
20	WWIS		ON	S/73.1	-1.97	47
21	EHS		12544 Highway 50 Caledon ON	S/68.2	-1.51	47
22	WWIS		lot 3 con 6 ON	S/79.6	-1.50	48

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
23	WWIS		lot 3 con 7 ON	SE/147.6	-3.64	48
24	EXP	REGIONAL MUNICIPALITY OF PEEL	7 INDUSTRIAL RD BOLTON ON	SSE/140.5	-3.51	49
24	EXP	REGIONAL MUNICIPALITY OF PEEL	7 INDUSTRIAL RD BOLTON ON	SSE/140.5	-3.51	50
24	GEN	PEEL, REGIONAL MUNICIPALITY OF 31-536	7 INDUSTRIAL RD.(BOLTON)CALEDON C/O 10 PEEL CENTRE DRIVE BRAMPTON ON L7E 1K5	SSE/140.5	-3.51	50
24	GEN	PEEL, REGIONAL MUNICIPALITY OF	7 INDUSTRIAL RD.(BOLTON)CALEDON C/O 10 PEEL CENTRE DRIVE BRAMPTON ON L7E 1K5	SSE/140.5	-3.51	50
24	PRT	REGIONAL MUNICIPALITY OF PEEL	7 INDUSTRIAL ST BOLTON ON L7E 1K5	SSE/140.5	-3.51	50
25	SPL	ONTARIO HYDRO	IN BOLTON ON INDUSTRIAL RD., EAST OF HWY. 50 MOTOR VEHICLE (OPERATING FLUID) CALEDON TOWN ON	SSE/130.9	-3.28	51
26	GEN	ALFA (OUT OF BUS) 02-448	622180 ONTARIO LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 1K5	ESE/152.5	-4.03	51
26	GEN	ALFA CONSULTANTS	622180 ONTARIO LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 1K5	ESE/152.5	-4.03	51
26	SCT	Tru-Spark Tooling Ltd.	55 Industrial Rd Bolton ON L7E 1K5	ESE/152.5	-4.03	52
26	SCT	HEADING SALES & CONSULTANTS	55 INDUSTRIAL RD BOLTON ON L7E 1K5	ESE/152.5	-4.03	52
27	WWIS		lot 3 con 6 ON	SW/130.3	-0.61	52
28	GEN	HEADING SALES AND CONSULTANTS LTD.	INDUSTRIAL RD. P.O.BOX 382 BOLTON ON L0P 1A0	E/145.3	-3.84	53
28	GEN	HEADING SALES AND CONSULTANTS LIMITED	INDUSTRIAL ROAD 200 YARDS FROM HWY 50 BOLTON ON L0P 1A0	E/145.3	-3.84	53
28	GEN	TRU-SPARK TOOLING LTD.	55 INDUSTRIAL ROAD BOLTON ON L7E 5T3	E/145.3	-3.84	54
28	GEN	HEADING SALES AND CONSULTANTS LTD.20-190	INDUSTRIAL RD. P.O.BOX 382 BOLTON ON L0P 1A0	E/145.3	-3.84	54
28	GEN	HEADING SALES AND CONSULTANTS LTD	INDUSTRIAL ROAD, 200 YARDS FROM HWY 50 BOLTON ON L0P 1A0	E/145.3	-3.84	54
28	GEN	ALFA CONSULTANTS	INDUSTRIAL RD. C/O P.O. BOX 382 BOLTON ON L0P 1A0	E/145.3	-3.84	54
29	SPL	Neelands Refrigeration Limited	150 Mcewan Dr. Caledon ON	NNE/131.8	0.11	55
30	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W/164.0	3.06	55
30	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W/164.0	3.06	55
30	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W/164.0	3.06	56

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
30	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W/164.0	3.06	56
30	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON L7E 1T6	W/164.0	3.06	56
30	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W/164.0	3.06	57
30	SCT	Metroland Printing, Publishing & Distribution Ltd. - The Caledon Enterprise	12612 Hwy 50 S Bolton ON L7E 5T1	W/164.0	3.06	57
30	SCT	Flexopedic Mattress Inc	12612 Highway 50 Unit 30 Bolton ON L7E 1T6	W/164.0	3.06	57
30	SCT	Caledon Italian Bakery Ltd.	12612 Highway 50 Unit 33 Bolton ON L7E 1T6	W/164.0	3.06	57
30	SCT	The Caledon Enterprise	12612 Highway 50 Bolton ON L7E 1T6	W/164.0	3.06	58
30	SCT	THE ENTERPRISE	12612 Hwy 50 S Bolton ON L7E 5T1	W/164.0	3.06	58
30	SCT	Buonissimo Italian Bakery	12612 Hwy 50 Unit 33 Bolton ON L7E 1T6	W/164.0	3.06	58
30	SCT	Caledon Italian Bakery	12612 Hwy 50 Unit 33 Bolton ON L7E 1T6	W/164.0	3.06	58
30	SCT	Flexopedic Mattress Inc.	12612 Hwy 50 Unit 30 Bolton ON L7E 1T6	W/164.0	3.06	58
30	SCT	Caledon Italian Bakery	12612 Highway 50 Unit 33 Bolton ON L7E 1T6	W/164.0	3.06	59
30	SCT	The Caledon Enterprise	12612 Hwy 50 S Bolton ON L7E 5T1	W/164.0	3.06	59
30	SCT	The Caledon Enterprise	12612 Hwy 50 Bolton ON L7E 1T6	W/164.0	3.06	59
31	WWIS		lot 3 con 7 ON	SE/182.4	-4.29	59
32	WWIS		ON	S/125.9	-1.80	60
33	GEN	2090950 Ontario	194 mcewan drive bolton ON	NE/153.5	-2.38	60
34	WWIS		lot 3 con 7 ON	NE/152.5	-2.66	61
35	WWIS		lot 3 con 6 ON	SW/153.6	-0.11	61
36	WWIS		lot 4 con 7 ON	WNW/185.8	3.87	62
37	FST	CANADIAN TIRE CORP LTD C/O CANADIAN TIRE PETROLEUM	59 MCEWEN DR BOLTON ON L7E 2Z7	NW/195.0	3.89	63
37	FST	CANADIAN TIRE CORP LTD C/O CANADIAN TIRE PETROLEUM	59 MCEWEN DR BOLTON ON L7E 2Z7	NW/195.0	3.89	63
37	FST	CANADIAN TIRE CORP LTD C/O CANADIAN TIRE PETROLEUM	59 MCEWEN DR BOLTON ON L7E 2Z7	NW/195.0	3.89	64
37	FST	CANADIAN TIRE CORP LTD C/O CANADIAN TIRE PETROLEUM	59 MCEWEN DR BOLTON ON L7E 2Z7	NW/195.0	3.89	64

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
37	FSTH	CANADIAN TIRE CORP LTD **	59 MCEWEN DR BOLTON ON	NW/195.0	3.89	64
37	FSTH	CANADIAN TIRE CORP LTD C/O Canadian Tire Petroleum 17 Flr	59 MCEWEN DR BOLTON ON	NW/195.0	3.89	65
38	WWIS		lot 4 con 6 ON	WNW/203.4	3.83	66
39	EHS		72 Commercial Road Bolton ON L7E 1K4	NE/184.8	-1.12	66
39	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NE/184.8	-1.12	66
39	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON	NE/184.8	-1.12	67
39	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NE/184.8	-1.12	67
39	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NE/184.8	-1.12	67
39	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NE/184.8	-1.12	68
39	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NE/184.8	-1.12	68
39	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NE/184.8	-1.12	68
39	GEN	BENSON STEEL LIMITED 05-497	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NE/184.8	-1.12	68
39	SCT	Benson Steel Ltd.	72 Commercial Rd Bolton ON L7E 1K4	NE/184.8	-1.12	69
39	SCT	BENSON STEEL LIMITED	72 COMMERCIAL RD BOLTON ON L7E 1K4	NE/184.8	-1.12	69
39	SPL	BENSON STEEL LTD.	BOLTON, 72 COMMERCIAL ROAD BOLTON PLANT COMMERCIAL ROAD CALEDON TOWN ON	NE/184.8	-1.12	69
40	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON	ESE/211.9	-5.04	70
40	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/211.9	-5.04	71
40	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/211.9	-5.04	72
40	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/211.9	-5.04	73
40	GEN	PEEL, REGIONAL MUNICIPALITY OF	109 INDUSTRIAL ROAD TOWN OF CALEDON BOLTON ON L7E 1K5	ESE/211.9	-5.04	74
40	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/211.9	-5.04	75
40	GEN	PEEL, REGIONAL MUNICIPALITY OF	109 INDUSTRIAL ROAD BOLTON TOWN OF CALEDON ON L7E 1K5	ESE/211.9	-5.04	76

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
40	GEN	PEEL, REGION OF Waste Management	109 INDUSTRIAL ROAD BOLTON CRC	ESE/211.9	-5.04	77
40	GEN	PEEL, REGION OF	BOLTON ON L7E 1K5 109 INDUSTRIAL ROAD BOLTON CRC	ESE/211.9	-5.04	78
40	SPL		BOLTON ON L7E 1K5 109 Industrial Rd Caledon ON	ESE/211.9	-5.04	79
40	WDS	The Regional Municipality of Peel	109 Industrial Rd Caledon ON	ESE/211.9	-5.04	79
41	EHS		192-196 McEwan Drive East Bolton (Town of Caledon) ON L7E 4E5	N/167.9	1.71	80
42	WWIS		ON	SSW/165.0	-1.72	80
43	EHS		12532 50 Hwy Caledon ON L7E1M7	S/176.7	-2.88	81
44	WWIS		lot 4 con 7 ON	NW/214.9	4.09	81
45	SPL		Southwest corner of Highway 50 and McEwan, Bolton<UNOFFICIAL> Caledon ON	WNW/231.6	4.08	81
46	WWIS		BOLTON ON	SSE/216.2	-4.20	82
47	GEN	Wal-Mart Canada Corp.	150 McEwan Drive East #5742 Bolton ON L7E 2Y3	N/204.9	4.12	82
47	GEN	Wal-Mart Canada Corp.	150 McEwan Drive East #5742 Bolton ON L7E 2Y3	N/204.9	4.12	83
47	GEN	Wal-Mart Canada Corp.	150 McEwan Drive East Bolton ON L7E 2Y3	N/204.9	4.12	84
47	GEN	Walmart Canada Corp.	150 McEwan Drive East #5742 Bolton ON L7E 2Y3	N/204.9	4.12	85
47	GEN	Walmart Canada Corp.	150 McEwan Drive East #5742 Bolton ON	N/204.9	4.12	85
47	GEN	Walmart Canada Corp.	150 McEwan Drive East #5742 Bolton ON L7E 2Y3	N/204.9	4.12	86
47	GEN	Walmart Canada Corp.	150 McEwan Drive East #5742 Bolton ON L7E 2Y3	N/204.9	4.12	87
47	PES	WAL-MART CANADA CORP STORE #5742	150 MCEWAN DR E BOLTON ON L7E 2Y3	N/204.9	4.12	88
47	PES	WAL-MART CANADA CORP STORE #5742	150 MCEWAN DR E BOLTON ON L7E 2Y3	N/204.9	4.12	88
48	GEN	GO VACATIONS	RR 3 12500 HWY 50 BOLTON ON L7E 1M7	SSE/215.3	-3.48	88
49	WWIS		CALEDON ON	NNE/205.6	1.39	88
50	WWIS		lot 3 con 6 ON	S/204.0	-3.04	89
51	GEN	Dr. Marian Rizk Dentistry Prof.	196 McEwan Drive East Unit 5 & 6 Bolton ON	NNE/215.0	0.48	89
52	EHS		72 Commercial Road Bolton ON	NE/232.9	-1.04	90

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
53	CA	STEELES-JANE PROERTIES INC.-PT. LOT 4	3 & 5 MCEWAN DR./0.1 HWY. #50 CALEDON TOWN ON	W/248.0	4.11	90
53	CA	STEELES-JANE PROPERTIES INC.-PT. LOT 4	3&5 MCEWAN DR. & 0.1 HWY. #50 CALEDON TOWN ON	W/248.0	4.11	90
54	WWIS		CALEDON ON	NNE/218.4	1.34	91
55	EBR	Donald Armstrong	50 Commercial Road Caledon ON	E/236.0	-4.73	91
55	ECA	Donald J. Armstrong	50 Commercial Rd Bolton Caledon ON	E/236.0	-4.73	91
55	EXP	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON	E/236.0	-4.73	92
55	EXP	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/236.0	-4.73	92
55	EXP	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON	E/236.0	-4.73	92
55	EXP	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/236.0	-4.73	92
55	EXP	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/236.0	-4.73	93
55	EXP	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON	E/236.0	-4.73	93
55	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/236.0	-4.73	93
55	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/236.0	-4.73	93
55	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/236.0	-4.73	94
55	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/236.0	-4.73	94
55	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/236.0	-4.73	94
55	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/236.0	-4.73	95
55	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/236.0	-4.73	95
55	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/236.0	-4.73	95
55	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/236.0	-4.73	96
55	GEN	Kardtech Inc.	50 COMMERCIAL ROAD BOLTON ON L7E 1K4	E/236.0	-4.73	96
55	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/236.0	-4.73	96
55	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/236.0	-4.73	97
55	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON	E/236.0	-4.73	97
55	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/236.0	-4.73	97

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
55	REC	DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON	E/236.0	-4.73	98
55	REC	DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON	E/236.0	-4.73	98
55	RST	ARMSTRONG PETROLEUMS	50 COMMERCIAL RD BOLTON ON L7E1K4	E/236.0	-4.73	98
55	RST	ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/236.0	-4.73	99
55	RST	ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E1K4	E/236.0	-4.73	99
55	RST	ARMSTRONG PETROLEUMS	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/236.0	-4.73	99
55	WDS	Donald J. Armstrong	50 Commercial Rd Bolton Caledon ON	E/236.0	-4.73	99
56	CA	551887 Ontario Limited	94 Commercial Road Caledon ON	NE/249.9	-1.17	100
56	EBR	551887 Ontario Limited	94 Commercial Road Caledon ON L7E 5R9	NE/249.9	-1.17	100
56	GEN	551887 Ontario Limited	94 Commercial Road Bolton ON L7E 1K4	NE/249.9	-1.17	100
56	GEN	Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON L7E 1K4	NE/249.9	-1.17	101
56	GEN	Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON L7E 1K4	NE/249.9	-1.17	101
56	GEN	Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON L7E 1K4	NE/249.9	-1.17	101
56	GEN	Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON	NE/249.9	-1.17	102
56	GEN	Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON L7E 1K4	NE/249.9	-1.17	102
56	GEN	Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON L7E 1K4	NE/249.9	-1.17	102
56	GEN	Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON L7E 1K4	NE/249.9	-1.17	103
56	SCT	Tri-Krete Coatings Inc.	94 Commercial Rd Bolton ON L7E 1K4	NE/249.9	-1.17	103
57	EHS		8 HOPCROFT ROAD TOWN OF CALEDON (BOLTON) ON	SW/241.5	-0.42	103

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2014 has found that there are 1 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	60.9	<u>6</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 7 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Vincent Dimauro	12553 Highway 50 Caledon ON	11.6	<u>2</u>
	12543 Highway No. 50 Caledon ON	55.4	<u>4</u>
Genant Enterprises Inc.	4 Industrial Rd Vaughan ON	77.6	<u>19</u>
HI-TEK ENGINEERED DESIGN TRANSPORTATION	4 INDUSTRIAL ROAD CALEDON TOWN ON	77.6	<u>19</u>
STEELES-JANE PROPERTIES INC.-PT. LOT 4	3&5 MCEWAN DR. & 0.1 HWY. #50 CALEDON TOWN ON	248.0	<u>53</u>
STEELES-JANE PROPERTIES INC.-PT. LOT 4	3 & 5 MCEWAN DR./0.1 HWY. #50 CALEDON TOWN ON	248.0	<u>53</u>
551887 Ontario Limited	94 Commercial Road Caledon ON	249.9	<u>56</u>

EBR - Environmental Registry

A search of the EBR database, dated 1994-Jan 2016 has found that there are 4 EBR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Vincent Dimauro	12553 Highway 50 Caledon ON L7E 5T3	11.6	<u>2</u>
Michael Mario Savo	12543 Highway No. 50 Caledon ON	55.4	<u>4</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Donald Armstrong	50 Commercial Road Caledon ON	236.0	<u>55</u>
551887 Ontario Limited	94 Commercial Road Caledon ON L7E 5R9	249.9	<u>56</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 31, 2011-Jun 2015 has found that there are 1 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Donald J. Armstrong	50 Commercial Rd Bolton Caledon ON	236.0	<u>55</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Aug 2014 has found that there are 13 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	12543 Highway 50 Bolton ON L7E 1M4	55.4	<u>4</u>
	12543 Highway 50 Bolton ON L7E 1M4	55.4	<u>4</u>
	12550 Highway 50 (Queen Street S), Bolton Bolton ON	35.2	<u>12</u>
	12596 50 Highway BOLTON ON	58.4	<u>13</u>
	99 McEwan Drive E Bolton ON L7E 2Z7	50.1	<u>14</u>
	12525 Highway 50 Bolton ON L7E 1M4	109.6	<u>18</u>
	4 Industrial Road Bolton ON L7E 1K6	77.6	<u>19</u>
	12544 Highway 50 Caledon ON	68.2	<u>21</u>
	72 Commercial Road Bolton ON L7E 1K4	184.8	<u>39</u>
	192-196 McEwan Drive East Bolton (Town of Caledon) ON L7E 4E5	167.9	<u>41</u>
	12532 50 Hwy Caledon ON L7E1M7	176.7	<u>43</u>
	72 Commercial Road Bolton ON	232.9	<u>52</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	8 HOPCROFT ROAD TOWN OF CALEDON (BOLTON) ON	241.5	57

EXP - List of TSSA Expired Facilities

A search of the EXP database, dated Current to Nov 2015 has found that there are 8 EXP site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
REGIONAL MUNICIPALITY OF PEEL	7 INDUSTRIAL RD BOLTON ON	140.5	24
REGIONAL MUNICIPALITY OF PEEL	7 INDUSTRIAL RD BOLTON ON	140.5	24
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	236.0	55
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	236.0	55
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON	236.0	55
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	236.0	55
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON	236.0	55
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON	236.0	55

FST - Fuel Storage Tank

A search of the FST database, dated 2010-Nov 2015 has found that there are 11 FST site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN TIRE CORP LTD C/O CANADIAN TIRE PETROLEUM	59 MCEWEN DR BOLTON ON L7E 2Z7	195.0	37
CANADIAN TIRE CORP LTD C/O CANADIAN TIRE PETROLEUM	59 MCEWEN DR BOLTON ON L7E 2Z7	195.0	37
CANADIAN TIRE CORP LTD C/O CANADIAN TIRE PETROLEUM	59 MCEWEN DR BOLTON ON L7E 2Z7	195.0	37
CANADIAN TIRE CORP LTD C/O CANADIAN TIRE PETROLEUM	59 MCEWEN DR BOLTON ON L7E 2Z7	195.0	37
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	236.0	55

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	236.0	<u>55</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	236.0	<u>55</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	236.0	<u>55</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	236.0	<u>55</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	236.0	<u>55</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	236.0	<u>55</u>

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 2 FSTH site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN TIRE CORP LTD C/O Canadian Tire Petroleum 17 Flr	59 MCEWEN DR BOLTON ON	195.0	<u>37</u>
CANADIAN TIRE CORP LTD **	59 MCEWEN DR BOLTON ON	195.0	<u>37</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-May 2015 has found that there are 74 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Globetrotter Rv Rentals and Sale	12563 Hwy#50 Bolton ON L7E 1M4	0.0	<u>3</u>
Canadian Tire #197	99 McEwan Dr. E. Bolton ON L7E 2Z7	50.1	<u>14</u>
Canadian Tire	99 McEwan Dr. E. Bolton ON L7E 2Z7	50.1	<u>14</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	50.1	<u>14</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	50.1	<u>14</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON	50.1	<u>14</u>
Canadian Tire	99 McEwan Dr. E. Bolton ON L7E 2Z7	50.1	<u>14</u>

Site	Address	Distance (m)	Map Key
Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	50.1	<u>14</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	50.1	<u>14</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	50.1	<u>14</u>
Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	50.1	<u>14</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	50.1	<u>14</u>
MapleCon Earthworks Ltd.	12525 Highway 50 Unit 2 Bolton ON	109.6	<u>18</u>
HI-Tek Engineered Design Transportation	4 Industrial Road Bolton ON L7E 1K6	77.6	<u>19</u>
HI-TEK ENGINEERED DESIGN TRANSPORTATION	4 INDUSTRIAL ROAD BOLTON ON L7E 1K6	77.6	<u>19</u>
ALL PURPOSE FLOAT SERVICES INC.	4 INDUSTRIAL ROAD BOLTON ON L7E 1K6	77.6	<u>19</u>
PEEL, REGIONAL MUNICIPALITY OF 31-536	7 INDUSTRIAL RD.(BOLTON)CALEDON C/O 10 PEEL CENTRE DRIVE BRAMPTON ON L7E 1K5	140.5	<u>24</u>
PEEL, REGIONAL MUNICIPALITY OF	7 INDUSTRIAL RD.(BOLTON)CALEDON C/O 10 PEEL CENTRE DRIVE BRAMPTON ON L7E 1K5	140.5	<u>24</u>
ALFA (OUT OF BUS) 448	02- 622180 ONTARIO LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 1K5	152.5	<u>26</u>
ALFA CONSULTANTS	622180 ONTARIO LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 1K5	152.5	<u>26</u>
HEADING SALES AND CONSULTANTS LTD.	INDUSTRIAL RD. P.O.BOX 382 BOLTON ON L0P 1A0	145.3	<u>28</u>
HEADING SALES AND CONSULTANTS LIMITED	INDUSTRIAL ROAD 200 YARDS FROM HWY 50 BOLTON ON L0P 1A0	145.3	<u>28</u>
TRU-SPARK TOOLING LTD.	55 INDUSTRIAL ROAD BOLTON ON L7E 5T3	145.3	<u>28</u>
HEADING SALES AND CONSULTANTS LTD.20-190	INDUSTRIAL RD. P.O.BOX 382 BOLTON ON L0P 1A0	145.3	<u>28</u>
HEADING SALES AND CONSULTANTS LTD	INDUSTRIAL ROAD, 200 YARDS FROM HWY 50 BOLTON ON L0P 1A0	145.3	<u>28</u>
ALFA CONSULTANTS	INDUSTRIAL RD. C/O P.O. BOX 382 BOLTON ON L0P 1A0	145.3	<u>28</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	164.0	<u>30</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	164.0	<u>30</u>

Site	Address	Distance (m)	Map Key
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	164.0	<u>30</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	164.0	<u>30</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON L7E 1T6	164.0	<u>30</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	164.0	<u>30</u>
2090950 Ontario	194 mcewan drive bolton ON	153.5	<u>33</u>
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	184.8	<u>39</u>
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON	184.8	<u>39</u>
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	184.8	<u>39</u>
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	184.8	<u>39</u>
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	184.8	<u>39</u>
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	184.8	<u>39</u>
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	184.8	<u>39</u>
BENSON STEEL LIMITED 05-497	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	184.8	<u>39</u>
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON	211.9	<u>40</u>
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	211.9	<u>40</u>
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	211.9	<u>40</u>
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	211.9	<u>40</u>
PEEL, REGIONAL MUNICIPALITY OF	109 INDUSTRIAL ROAD TOWN OF CALEDON BOLTON ON L7E 1K5	211.9	<u>40</u>
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	211.9	<u>40</u>
PEEL, REGIONAL MUNICIPALITY OF	109 INDUSTRIAL ROAD BOLTON TOWN OF CALEDON ON L7E 1K5	211.9	<u>40</u>
PEEL, REGION OF Waste Management	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	211.9	<u>40</u>
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	211.9	<u>40</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Wal-Mart Canada Corp.	150 McEwan Drive East #5742 Bolton ON L7E 2Y3	204.9	<u>47</u>
Wal-Mart Canada Corp.	150 McEwan Drive East #5742 Bolton ON L7E 2Y3	204.9	<u>47</u>
Wal-Mart Canada Corp.	150 McEwan Drive East Bolton ON L7E 2Y3	204.9	<u>47</u>
Walmart Canada Corp.	150 McEwan Drive East #5742 Bolton ON L7E 2Y3	204.9	<u>47</u>
Walmart Canada Corp.	150 McEwan Drive East #5742 Bolton ON	204.9	<u>47</u>
Walmart Canada Corp.	150 McEwan Drive East #5742 Bolton ON L7E 2Y3	204.9	<u>47</u>
Walmart Canada Corp.	150 McEwan Drive East #5742 Bolton ON L7E 2Y3	204.9	<u>47</u>
GO VACATIONS	RR 3 12500 HWY 50 BOLTON ON L7E 1M7	215.3	<u>48</u>
Dr. Marian Rizk Dentistry Prof.	196 McEwan Drive East Unit 5 & 6 Bolton ON	215.0	<u>51</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON	236.0	<u>55</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	236.0	<u>55</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	236.0	<u>55</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	236.0	<u>55</u>
Kardtech Inc.	50 COMMERCIAL ROAD BOLTON ON L7E 1K4	236.0	<u>55</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	236.0	<u>55</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	236.0	<u>55</u>
551887 Ontario Limited	94 Commercial Road Bolton ON L7E 1K4	249.9	<u>56</u>
Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON L7E 1K4	249.9	<u>56</u>
Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON L7E 1K4	249.9	<u>56</u>
Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON L7E 1K4	249.9	<u>56</u>
Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON	249.9	<u>56</u>
Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON L7E 1K4	249.9	<u>56</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON L7E 1K4	249.9	<u>56</u>
Tri-Krete Coatings Inc.	94 Commercial Road Bolton ON L7E 1K4	249.9	<u>56</u>

PES - Pesticide Register

A search of the PES database, dated 1988-Jun 2013 has found that there are 5 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
HARTWIND SALES LIMITED O/A CANADIAN TIRE #197	99 MCEWAN DR. BOLTON ON L7E 2Z7	50.1	<u>14</u>
CANADIAN TIRE STORE #197	99 MCEWAN DR E BOLTON ON L7E 2Z7	50.1	<u>14</u>
HARTWIND SALES LIMITED O/A CANADIAN TIRE #197	99 MCEWAN DR. BOLTON ON L7E2Z7	50.1	<u>14</u>
WAL-MART CANADA CORP STORE #5742	150 MCEWAN DR E BOLTON ON L7E 2Y3	204.9	<u>47</u>
WAL-MART CANADA CORP STORE #5742	150 MCEWAN DR E BOLTON ON L7E 2Y3	204.9	<u>47</u>

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 1 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
REGIONAL MUNICIPALITY OF PEEL	7 INDUSTRIAL ST BOLTON ON L7E 1K5	140.5	<u>24</u>

REC - Ontario Regulation 347 Waste Receivers Summary

A search of the REC database, dated 1986-2013 has found that there are 2 REC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON	236.0	<u>55</u>
DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON	236.0	<u>55</u>

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Jul 2014 has found that there are 6 RST site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN TIRE GAS BAR	99 MCEWAN DR E BOLTON ON L7E2Z7	50.1	<u>14</u>
CANADIAN TIRE GAS BAR	99 MCEWAN DR E BOLTON ON L7E 2Z7	50.1	<u>14</u>
ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E1K4	236.0	<u>55</u>
ARMSTRONG PETROLEUMS	50 COMMERCIAL RD BOLTON ON L7E 1K4	236.0	<u>55</u>
ARMSTRONG PETROLEUMS	50 COMMERCIAL RD BOLTON ON L7E1K4	236.0	<u>55</u>
ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E 1K4	236.0	<u>55</u>

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 16 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Tru-Spark Tooling Ltd.	55 Industrial Rd Bolton ON L7E 1K5	152.5	<u>26</u>
HEADING SALES & CONSULTANTS	55 INDUSTRIAL RD BOLTON ON L7E 1K5	152.5	<u>26</u>
The Caledon Enterprise	12612 Hwy 50 Bolton ON L7E 1T6	164.0	<u>30</u>
Metroland Printing, Publishing & Distribution Ltd. - The Caledon Enterprise	12612 Hwy 50 S Bolton ON L7E 5T1	164.0	<u>30</u>
Flexopedic Mattress Inc	12612 Highway 50 Unit 30 Bolton ON L7E 1T6	164.0	<u>30</u>
Caledon Italian Bakery Ltd.	12612 Highway 50 Unit 33 Bolton ON L7E 1T6	164.0	<u>30</u>
The Caledon Enterprise	12612 Highway 50 Bolton ON L7E 1T6	164.0	<u>30</u>
THE ENTERPRISE	12612 Hwy 50 S Bolton ON L7E 5T1	164.0	<u>30</u>
Buonissimo Italian Bakery	12612 Hwy 50 Unit 33 Bolton ON L7E 1T6	164.0	<u>30</u>
Caledon Italian Bakery	12612 Hwy 50 Unit 33 Bolton ON L7E 1T6	164.0	<u>30</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Flexopedic Mattress Inc.	12612 Hwy 50 Unit 30 Bolton ON L7E 1T6	164.0	<u>30</u>
Caledon Italian Bakery	12612 Highway 50 Unit 33 Bolton ON L7E 1T6	164.0	<u>30</u>
The Caledon Enterprise	12612 Hwy 50 S Bolton ON L7E 5T1	164.0	<u>30</u>
BENSON STEEL LIMITED	72 COMMERCIAL RD BOLTON ON L7E 1K4	184.8	<u>39</u>
Benson Steel Ltd.	72 Commercial Rd Bolton ON L7E 1K4	184.8	<u>39</u>
Tri-Krete Coatings Inc.	94 Commercial Rd Bolton ON L7E 1K4	249.9	<u>56</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Jun 2015 has found that there are 6 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ONTARIO HYDRO	2 INDUSTRIAL RD, CALEDON<UNOFFICIAL> Caledon ON	55.2	<u>5</u>
	IN BOLTON ON INDUSTRIAL RD., EAST OF HWY. 50 MOTOR VEHICLE (OPERATING FLUID) CALEDON TOWN ON	130.9	<u>25</u>
Neelands Refrigeration Limited	150 Mcewan Dr. Caledon ON	131.8	<u>29</u>
BENSON STEEL LTD.	BOLTON, 72 COMMERCIAL ROAD BOLTON PLANT 72 COMMERCIAL ROAD CALEDON TOWN ON	184.8	<u>39</u>
	109 Industrial Rd Caledon ON	211.9	<u>40</u>
	Southwest corner of Highway 50 and McEwan, Bolton<UNOFFICIAL> Caledon ON	231.6	<u>45</u>

WDS - Waste Disposal Sites - MOE CA Inventory

A search of the WDS database, dated 1970-Jun 2015 has found that there are 2 WDS site(s) within approximately 0.25 kilometers of the project property.


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
The Regional Municipality of Peel	109 Industrial Rd Caledon ON	211.9	<u>40</u>
Donald J. Armstrong	50 Commercial Rd Bolton Caledon ON	236.0	<u>55</u>

WWIS - Water Well Information System

A search of the WWIS database, dated 1955-Mar 2014 has found that there are 25 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 3 con 7 ON	0.0	<u>1</u>
	ON	73.2	<u>7</u>
	lot 3 con 7 ON	34.6	<u>8</u>
	lot 3 con 7 ON	50.9	<u>9</u>
	lot 3 con 7 ON	91.5	<u>10</u>
	ON	83.6	<u>11</u>
	ON	102.6	<u>15</u>
	CALEDON ON	75.1	<u>16</u>
	ON	112.7	<u>17</u>
	ON	73.1	<u>20</u>
	lot 3 con 6 ON	79.6	<u>22</u>
	lot 3 con 7 ON	147.6	<u>23</u>
	lot 3 con 6 ON	130.3	<u>27</u>
	lot 3 con 7 ON	182.4	<u>31</u>
	ON	125.9	<u>32</u>
	lot 3 con 7 ON	152.5	<u>34</u>
	lot 3 con 6 ON	153.6	<u>35</u>
	lot 4 con 7 ON	185.8	<u>36</u>
	lot 4 con 6 ON	203.4	<u>38</u>
	ON	165.0	<u>42</u>


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 4 con 7 ON	214.9	<u>44</u>
	BOLTON ON	216.2	<u>46</u>
	CALEDON ON	205.6	<u>49</u>
	lot 3 con 6 ON	204.0	<u>50</u>
	CALEDON ON	218.4	<u>54</u>



Map

Order No: 20160429018

Address: 12563 50 Hwy, Caledon, ON, L7E1M4





Aerial

Order No: 20160429018

Address: 12563 50 Hwy, Caledon, ON, L7E1M4

Source: ESRI World Imagery, Updated October 2014

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
1	1 of 1	-/0.0	238.9	lot 3 con 7 ON	WWIS
Well ID: 4904849 Concession: 07 County: PEEL Easting Nad83: 603660.6 Zone: 17 Primary Water Use: Industrial Sec. Water Use: Domestic Pump Rate: Flow Rate: Specific Capacity: Construction Method: Cable Tool Elevation (m): 242.45 Depth to Bedrock: Water Type: FRESH		Lot: 003 Concession Name: CON Municipality: CALEDON TOWN (ALBION) Northing Nad83: 4857133 Utm Reliability: margin of error : 30 m - 100 m Construction Date: 15-JAN-76 Well Depth: 150 ft Static Water Level: 130 ft Clear/Cloudy: CLEAR Final Well Status: Water Supply Flowing (y/n): N Elevation Reliability: Overburden/Bedrock: Overburden Casing Material: FRESH Original Depth: 18 ft Material: CLAY Original Depth: 45 ft Material: CLAY Original Depth: 68 ft Material: SILT Original Depth: 140 ft Material: CLAY Original Depth: 145 ft Material: FINE SAND Original Depth: 150 ft Material: SILT			
--- Details --- Thickness: 18 ft Material Colour: BROWN + Thickness: 27 ft Material Colour: BLUE + Thickness: 23 ft Material Colour: + Thickness: 72 ft Material Colour: BLUE + Thickness: 5 ft Material Colour: + Thickness: 5 ft Material Colour:					
3	1 of 1	-/0.0	238.4	Globetrotter Rv Rentals and Sale 12563 Hwy#50 Bolton ON L7E 1M4	GEN
Generator #: ON5808793 Approval Yrs: 02,03,04,06 SIC Code: SIC Description:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
--- Details ---					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
<u>2</u>	1 of 2	SSE/11.6	237.7	Vincent Dimauro 12553 Highway 50 Caledon ON	CA
Certificate #:		3962-62VLH9			
Application Year:		2004			
Issue Date:		7/19/2004			
Approval Type:		Air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
<u>2</u>	2 of 2	SSE/11.6	237.7	Vincent Dimauro 12553 Highway 50 Caledon ON L7E 5T3	EBR
Year:		2004			
EBR Registry No.:		IA04E0613			
Ministry Ref. No.:		8248-5X4SMQ			
Type:		Instrument Decision			
Instrument Type:		Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9			
Proposal Date:					
Location:		12553 Highway 50 Caledon Ontario L7E 5T3			
Proponent Address:		12553 Highway 50 Caledon Ontario L7E 5T3			
<u>4</u>	1 of 4	SE/55.4	236.6	12543 Highway No. 50 Caledon ON	CA
Certificate #:		2150-4UBQXB			
Application Year:		01			
Issue Date:		2/26/01			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:		New Certificate of Approval			
Client Name:		Michael Mario Savo			
Client Address:		12543 Highway No. 50			
Client City:		Caledon			
Client Postal Code:		L7E 1M4			
Project Description:		This application is for one automotive paint spray booth, equipped with dry type paint arrestors for overspray control, for the application of solvent based refinish coatings to repaired auto body components and complete vehicles, discharging solvent based vapours to the atmosphere through one roof mounted stack.			
Contaminants:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Emission Control:					
4	2 of 4	SE/55.4	236.6	Michael Mario Savo 12543 Highway No. 50 Caledon ON	EBR
Year: EBR Registry No.: Ministry Ref. No.: Type: Instrument Type: Proposal Date: Location: Proponent Address:		2000 IA00E1826 Instrument EPA s. 9 - Approval for discharge into the natural environment other than water (i.e. Air) 12543 Highway No. 50, Caledon, Ontario, L7E 1M4 Michael Mario Savo 12543 Highway No. 50, Caledon, Ontario, L7E 1M4			
4	3 of 4	SE/55.4	236.6	12543 Highway 50 Bolton ON L7E 1M4	EHS
Addit. Info Ordered: Order No.: Report Date: Report Type: Search Radius (km):		Title Search 20050517022 5/19/2005 0.25			
4	4 of 4	SE/55.4	236.6	12543 Highway 50 Bolton ON L7E 1M4	EHS
Addit. Info Ordered: Order No.: Report Date: Report Type: Search Radius (km):		Title Search 20080903011 9/5/2008 Standard Report 0.25			
5	1 of 1	ESE/55.2	235.7	2 INDUSTRIAL RD, CALEDON<UNOFFICIAL> Caledon ON	SPL
Ref NO: Contaminant Code: Contaminant Name: Contaminant Quantity: Incident Cause: Incident Dt: Incident Reason: Incident Summary: MOE Reported Dt: Environmental Impact: Nature of Impact: Receiving Medium: SAC Action Class: Sector Source Type: Site Municipality:		4754-66DAXA 13 DIESEL FUEL 530 L Overturn - Truck Or Trailer 11/2/2004 Other - Reason not otherwise defined MVA caused 530 L diesel to rd. Cleaned 11/3/2004 Confirmed Soil Contamination Land Spill to Land Caledon			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
6	1 of 1	ESE/60.9	235.5	ON	BORE
Borehole ID: 590486		Type: Outcrop			
Use:		Status: Unknown			
Drill Method:		UTM Zone: 17			
Easting: 603812		Northing: 4857123			
Location Accuracy:		Orig. Ground Elev m: 240			
Elev. Reliability Note:		DEM Ground Elev m: 241			
Total Depth m: 1.2		Primary Name: OGS-OLW-62-581			
Township:		Concession:			
Lot:		Municipality:			
Completion Date:		Static Water Level: -999.9			
Primary Water Use:		Sec. Water Use:			
--- Details ---					
Stratum ID: 218340007		Top Depth(m): 0.0			
Bottom Depth(m): 1.2		Stratum Desc: Di si cl			
7	1 of 1	SE/73.2	235.8	ON	WWIS
Well ID: 7196142		Lot:			
Concession:		Concession Name:			
County: PEEL		Municipality: CALEDON TOWN (ALBION)			
Easting Nad83: 603802		Northing Nad83: 4857091			
Zone: 17		Utm Reliability: margin of error : 30 m - 100 m			
Primary Water Use:		Construction Date: 17-JAN-13			
Sec. Water Use:		Well Depth:			
Pump Rate:		Static Water Level:			
Flow Rate:		Clear/Cloudy:			
Specific Capacity:		Final Well Status:			
Construction Method:		Flowing (y/n):			
Elevation (m):		Elevation Reliability:			
Depth to Bedrock:		Overburden/Bedrock:			
Water Type:		Casing Material:			
8	1 of 1	ENE/34.6	236.0	lot 3 con 7 ON	WWIS
Well ID: 4904095		Lot: 003			
Concession: 07		Concession Name: CON			
County: PEEL		Municipality: CALEDON TOWN (ALBION)			
Easting Nad83: 603834.6		Northing Nad83: 4857203			
Zone: 17		Utm Reliability: margin of error : 30 m - 100 m			
Primary Water Use: Industrial		Construction Date: 15-MAR-73			
Sec. Water Use:		Well Depth: 162 ft			
Pump Rate: 5 GPM		Static Water Level: 127 ft			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Flow Rate: Specific Capacity: Construction Method: Elevation (m):	Cable Tool 240.99			Clear/Cloudy: Final Well Status: Flowing (y/n):	CLEAR Water Supply N
Depth to Bedrock:				Elevation Reliability: Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	18 ft			Original Depth:	18 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	27 ft			Original Depth:	45 ft
Material Colour:	BLUE			Material:	CLAY, STONES
+					
Thickness:	40 ft			Original Depth:	85 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	13 ft			Original Depth:	98 ft
Material Colour:	BLUE			Material:	CLAY, GRAVEL
+					
Thickness:	51 ft			Original Depth:	149 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	13 ft			Original Depth:	162 ft
Material Colour:	BLUE			Material:	FINE SAND

9	1 of 1	S/50.9	236.9	lot 3 con 7 ON	WWIS
Well ID:	4900365			Lot:	003
Concession:	07			Concession Name:	CON
County:	PEEL			Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:	603725.6			Northing Nad83:	4857032
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	11-DEC-63
Sec. Water Use:				Well Depth:	195 ft
Pump Rate:	7 GPM			Static Water Level:	122 ft
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	241.22			Elevation Reliability: Overburden/Bedrock:	Bedrock
Depth to Bedrock:	194			Casing Material:	FRESH
Water Type:	FRESH				
--- Details ---					
Thickness:	23 ft			Original Depth:	23 ft
Material Colour:	YELLOW			Material:	CLAY

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
+					
Thickness:	43 ft			Original Depth:	66 ft
Material Colour:	GREY			Material:	CLAY
+					
Thickness:	80 ft			Original Depth:	146 ft
Material Colour:	GREY			Material:	CLAY, STONES
+					
Thickness:	8 ft			Original Depth:	154 ft
Material Colour:	GREY			Material:	FINE SAND
+					
Thickness:	22 ft			Original Depth:	176 ft
Material Colour:	GREY			Material:	CLAY
+					
Thickness:	3 ft			Original Depth:	179 ft
Material Colour:				Material:	MEDIUM SAND, CLAY
+					
Thickness:	9 ft			Original Depth:	188 ft
Material Colour:				Material:	HARDPAN
+					
Thickness:	1 ft			Original Depth:	189 ft
Material Colour:				Material:	COARSE SAND
+					
Thickness:	5 ft			Original Depth:	194 ft
Material Colour:				Material:	HARDPAN
+					
Thickness:	1 ft			Original Depth:	195 ft
Material Colour:				Material:	SHALE
<hr/>					
10	1 of 1	SE/91.5	235.9	lot 3 con 7 ON	WWIS
Well ID:	4904495			Lot:	003
Concession:	07			Concession Name:	CON
County:	PEEL			Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:	603804.6			Northing Nad83:	4857065
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Commerical			Construction Date:	26-AUG-74
Sec. Water Use:				Well Depth:	225 ft
Pump Rate:	3 GPM			Static Water Level:	90 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	241.14			Elevation Reliability:	
Depth to Bedrock:	193			Overburden/Bedrock:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	3 ft			Original Depth:	3 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	BROWN			Material:	TOPSOIL, CLAY
+					
Thickness:	145 ft			Original Depth:	148 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	32 ft			Original Depth:	180 ft
Material Colour:	BLUE			Material:	CLAY, STONES
+					
Thickness:	13 ft			Original Depth:	193 ft
Material Colour:	GREY			Material:	GRAVEL, CLAY, BOULDERS
+					
Thickness:	32 ft			Original Depth:	225 ft
Material Colour:	GREY			Material:	SHALE
11	1 of 1	SSE/83.6	236.3	ON	WWIS
Well ID:	7196144			Lot:	
Concession:				Concession Name:	
County:	PEEL			Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:	603775			Northing Nad83:	4857041
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:				Construction Date:	17-JAN-13
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction Method:				Flowing (y/n):	
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock	
				k:	
				Casing Material:	
12	1 of 1	S/35.2	237.4	12550 Highway 50 (Queen Street S), Bolton Bolton ON	EHS
Addit. Info Ordered:					
Order No.:	20111020051				
Report Date:	10/26/2011				
Report Type:	Standard Report				
Search Radius (km):	0.25				
13	1 of 1	SW/58.4	238.2	12596 50 Highway BOLTON ON	EHS
Addit. Info Ordered:					
Order No.:	20061011007w				
Report Date:	10/11/2006				
Report Type:	Online Mapless				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Search Radius (km):		0.25			
14	1 of 17	N/50.1	240.6	99 McEwan Drive E Bolton ON L7E 2Z7	EHS
Addit. Info Ordered:					
Order No.:		20080415019			
Report Date:		4/23/2008			
Report Type:		Custom Report			
Search Radius (km):		0.25			
14	2 of 17	N/50.1	240.6	Canadian Tire #197 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator #:		ON3707185			
Approval Yrs:		07,08			
SIC Code:		452991 452999			
SIC Description:		Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores			
--- Details ---					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		222			
Waste Description:		HEAVY FUELS			
+					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		262			
Waste Description:		DETERGENTS/SOAPS			
+					
Waste Code:		331			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Description:		WASTE COMPRESSED GASES			
14	3 of 17	N/50.1	240.6	Canadian Tire 99 McEwan Dr. E Bolton ON L7E 2Z7	GEN
Generator #:		ON9680138			
Approval Yrs:		2010			
SIC Code:		441310			
SIC Description:		Automotive Parts and Accessories Stores			
--- Details ---					
Waste Code:		121			
Waste Description:		ALKALINE WASTES - HEAVY METALS			
+					
Waste Code:		146			
Waste Description:		OTHER SPECIFIED INORGANICS			
+					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
14	4 of 17	N/50.1	240.6	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator #:		ON3707185			
Approval Yrs:		As of May 2015			
SIC Code:					
SIC Description:					
--- Details ---					
Waste Code:		263			
Waste Description:		Misc. waste organic chemicals			
+					
Waste Code:		242			
Waste Description:		Halogenated pesticides and herbicides			
+					
Waste Code:		145			
Waste Description:		Wastes from the use of pigments, coatings and paints			
+					
Waste Code:		212			
Waste Description:		Aliphatic solvents and residues			
+					
Waste Code:		331			
Waste Description:		Waste compressed gases including cylinders			
+					
Waste Code:		148			
Waste Description:		Misc. wastes and inorganic chemicals			
14	5 of 17	N/50.1	240.6	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator #:		ON3707185			
Approval Yrs:		2011			
SIC Code:		452991, 452999			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
SIC Description:		Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores			
--- Details ---					
Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
+					
Waste Code:	262				
Waste Description:	DETERGENTS/SOAPS				
+					
Waste Code:	112				
Waste Description:	ACID WASTE - HEAVY METALS				
+					
Waste Code:	263				
Waste Description:	ORGANIC LABORATORY CHEMICALS				
+					
Waste Code:	212				
Waste Description:	ALIPHATIC SOLVENTS				
+					
Waste Code:	213				
Waste Description:	PETROLEUM DISTILLATES				
+					
Waste Code:	148				
Waste Description:	INORGANIC LABORATORY CHEMICALS				
+					
Waste Code:	242				
Waste Description:	HALOGENATED PESTICIDES				
+					
Waste Code:	122				
Waste Description:	ALKALINE WASTES - OTHER METALS				
+					
Waste Code:	147				
Waste Description:	CHEMICAL FERTILIZER WASTES				
+					
Waste Code:	331				
Waste Description:	WASTE COMPRESSED GASES				
+					
Waste Code:	145				
Waste Description:	PAINT/PIGMENT/COATING RESIDUES				
+					
Waste Code:	221				
Waste Description:	LIGHT FUELS				
+					
Waste Code:	222				
Waste Description:	HEAVY FUELS				
14	6 of 17	N/50.1	240.6	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON	GEN
Generator #:		ON3707185			
Approval Yrs:		2013			
SIC Code:		452991, 452999			
SIC Description:		HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES			
--- Details ---					
Waste Code:	263				
Waste Description:	ORGANIC LABORATORY CHEMICALS				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
+					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
+					
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		222			
Waste Description:		HEAVY FUELS			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
+					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
+					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		262			
Waste Description:		DETERGENTS/SOAPS			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			

<u>14</u>	7 of 17	N/50.1	240.6	Canadian Tire 99 McEwan Dr. E Bolton ON L7E 2Z7	GEN
-----------	---------	--------	-------	---	-----

Generator #:	ON9680138
Approval Yrs:	05,06,07,08
SIC Code:	441310
SIC Description:	Automotive Parts and Accessories Stores

--- Details ---

Waste Code:	112
Waste Description:	ACID WASTE - HEAVY METALS
+	
Waste Code:	121
Waste Description:	ALKALINE WASTES - HEAVY METALS
+	
Waste Code:	146

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB	
Waste Description:		OTHER SPECIFIED INORGANICS				
14	8 of 17	N/50.1	240.6	Canadian Tire 99 McEwan Dr. E Bolton ON L7E 2Z7	GEN	
Generator #:		ON9680138				
Approval Yrs:		2009				
SIC Code:		441310				
SIC Description:		Automotive Parts and Accessories Stores				
--- Details ---						
Waste Code:		112				
Waste Description:		ACID WASTE - HEAVY METALS				
+						
Waste Code:		121				
Waste Description:		ALKALINE WASTES - HEAVY METALS				
+						
Waste Code:		146				
Waste Description:		OTHER SPECIFIED INORGANICS				
14		9 of 17	N/50.1	240.6	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator #:		ON3707185				
Approval Yrs:		2010				
SIC Code:		452991, 452999				
SIC Description:		Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores				
--- Details ---						
Waste Code:		222				
Waste Description:		HEAVY FUELS				
+						
Waste Code:		112				
Waste Description:		ACID WASTE - HEAVY METALS				
+						
Waste Code:		212				
Waste Description:		ALIPHATIC SOLVENTS				
+						
Waste Code:		147				
Waste Description:		CHEMICAL FERTILIZER WASTES				
+						
Waste Code:		122				
Waste Description:		ALKALINE WASTES - OTHER METALS				
+						
Waste Code:		148				
Waste Description:		INORGANIC LABORATORY CHEMICALS				
+						
Waste Code:		331				
Waste Description:		WASTE COMPRESSED GASES				
+						
Waste Code:		221				
Waste Description:		LIGHT FUELS				
+						
Waste Code:		145				
Waste Description:		PAINT/PIGMENT/COATING RESIDUES				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<hr/>					
+	Waste Code:	263			
	Waste Description:	ORGANIC LABORATORY CHEMICALS			
+	Waste Code:	252			
	Waste Description:	WASTE OILS & LUBRICANTS			
+	Waste Code:	213			
	Waste Description:	PETROLEUM DISTILLATES			
+	Waste Code:	262			
	Waste Description:	DETERGENTS/SOAPS			
+	Waste Code:	242			
	Waste Description:	HALOGENATED PESTICIDES			
<hr/>					
14	10 of 17	N/50.1	240.6	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator #:		ON3707185			
Approval Yrs:		2009			
SIC Code:		452991, 452999			
SIC Description:		Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores			
--- Details ---					
	Waste Code:	112			
	Waste Description:	ACID WASTE - HEAVY METALS			
+	Waste Code:	122			
	Waste Description:	ALKALINE WASTES - OTHER METALS			
+	Waste Code:	145			
	Waste Description:	PAINT/PIGMENT/COATING RESIDUES			
+	Waste Code:	147			
	Waste Description:	CHEMICAL FERTILIZER WASTES			
+	Waste Code:	148			
	Waste Description:	INORGANIC LABORATORY CHEMICALS			
+	Waste Code:	213			
	Waste Description:	PETROLEUM DISTILLATES			
+	Waste Code:	221			
	Waste Description:	LIGHT FUELS			
+	Waste Code:	222			
	Waste Description:	HEAVY FUELS			
+	Waste Code:	242			
	Waste Description:	HALOGENATED PESTICIDES			
+	Waste Code:	252			
	Waste Description:	WASTE OILS & LUBRICANTS			
+	Waste Code:	262			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Description:		DETERGENTS/SOAPS			
+					
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
14	11 of 17	N/50.1	240.6	Canadian Tire 99 McEwan Dr. E Bolton ON L7E 2Z7	GEN
Generator #:		ON9680138			
Approval Yrs:		2011			
SIC Code:		441310			
SIC Description:		Automotive Parts and Accessories Stores			
--- Details ---					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		146			
Waste Description:		OTHER SPECIFIED INORGANICS			
+					
Waste Code:		121			
Waste Description:		ALKALINE WASTES - HEAVY METALS			
14	12 of 17	N/50.1	240.6	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator #:		ON3707185			
Approval Yrs:		2012			
SIC Code:		452991, 452999			
SIC Description:		Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores			
--- Details ---					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		262			
Waste Description:		DETERGENTS/SOAPS			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		222			
Waste Description:		HEAVY FUELS			
+					
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<div> <div>+</div> <div>Waste Code:</div> <div>Waste Description:</div> </div> <div>242</div> <div>HALOGENATED PESTICIDES</div>					
<div> <div>+</div> <div>Waste Code:</div> <div>Waste Description:</div> </div> <div>145</div> <div>PAINT/PIGMENT/COATING RESIDUES</div>					
<div> <div>+</div> <div>Waste Code:</div> <div>Waste Description:</div> </div> <div>263</div> <div>ORGANIC LABORATORY CHEMICALS</div>					
<div> <div>+</div> <div>Waste Code:</div> <div>Waste Description:</div> </div> <div>122</div> <div>ALKALINE WASTES - OTHER METALS</div>					
<div> <div>+</div> <div>Waste Code:</div> <div>Waste Description:</div> </div> <div>148</div> <div>INORGANIC LABORATORY CHEMICALS</div>					
<div> <div>+</div> <div>Waste Code:</div> <div>Waste Description:</div> </div> <div>212</div> <div>ALIPHATIC SOLVENTS</div>					
14	13 of 17	N/50.1	240.6	HARTWIND SALES LIMITED O/A CANADIAN TIRE #197 99 MCEWAN DR. BOLTON ON L7E 2Z7	PES
Licence No.:		23-01-14689-0			
Licence Type:		LIMITED			
14	14 of 17	N/50.1	240.6	CANADIAN TIRE STORE #197 99 MCEWAN DR E BOLTON ON L7E 2Z7	PES
Licence No.:		Limited Vendor			
Licence Type:					
14	15 of 17	N/50.1	240.6	HARTWIND SALES LIMITED O/A CANADIAN TIRE #197 99 MCEWAN DR. BOLTON ON L7E2Z7	PES
Licence No.:		Vendor			
Licence Type:					
14	16 of 17	N/50.1	240.6	CANADIAN TIRE GAS BAR 99 MCEWAN DR E BOLTON ON L7E 2Z7	RST
Facility: Description:		SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS			
14	17 of 17	N/50.1	240.6	CANADIAN TIRE GAS BAR 99 MCEWAN DR E	RST

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
BOLTON ON L7E2Z7					
Facility:	SERVICE STATIONS GASOLINE OIL & NATURAL				
Description:					
15	1 of 1	SE/102.6	235.9	ON	WWIS
Well ID:	7196143			Lot:	
Concession:				Concession Name:	
County:	PEEL			Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:	603797			Northing Nad83:	4857038
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:				Construction Date:	17-JAN-13
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction Method:				Flowing (y/n):	
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock:	
				k:	
				Casing Material:	
16	1 of 1	NE/75.1	237.9	CALEDON ON	WWIS
Well ID:	7149490			Lot:	
Concession:				Concession Name:	
County:	PEEL			Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:	603792			Northing Nad83:	4857314
Zone:	17			Utm Reliability:	margin of error : 300 m - 1 km
Primary Water Use:	Monitoring and Test Hole			Construction Date:	15-JUL-10
Sec. Water Use:				Well Depth:	7.62 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Monitoring and Test Hole
Construction Method:	Other Method			Flowing (y/n):	
Elevation (m):				Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock:	
				k:	
				Casing Material:	Not stated
--- Details ---					
Thickness:	2.13 ft			Original Depth:	2.13 ft
Material Colour:	BROWN			Material:	GRAVEL, SAND, FILL
+					
Thickness:	1.36 ft			Original Depth:	3.49 ft
Material Colour:	GREY			Material:	SILT, CLAY, DENSE

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<div> <div>+</div> <div> Thickness: 4.13 ft Material Colour: GREY </div> </div> <div> Original Depth: 7.62 ft Material: CLAY, SILT, SOFT </div>					
17	1 of 1	SE/112.7	235.4	ON	WWIS
<div> <div> Well ID: 7196141 Concession: County: PEEL Easting Nad83: 603831 Zone: 17 Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m): Depth to Bedrock: Water Type: </div> <div> Lot: Concession Name: Municipality: CALEDON TOWN (ALBION) Northing Nad83: 4857064 Utm Reliability: margin of error : 30 m - 100 m Construction Date: 17-JAN-13 Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n): Elevation Reliability: Overburden/Bedrock: k: Casing Material: </div> </div>					
18	1 of 2	SSE/109.6	235.8	12525 Highway 50 Bolton ON L7E 1M4	EHS
<div> Addit. Info Ordered: Order No.: 20031111033 Report Date: 11/20/03 Report Type: Basic Report Search Radius (km): 0.25 </div>					
18	2 of 2	SSE/109.6	235.8	MapleCon Earthworks Ltd. 12525 Highway 50 Unit 2 Bolton ON	GEN
<div> <div> Generator #: ON4156921 Approval Yrs: 2009 SIC Code: 236220 SIC Description: Commercial and Institutional Building Construction --- Details --- Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS </div> </div>					
19	1 of 6	ENE/77.6	235.5	Genant Enterprises Inc. 4 Industrial Rd Vaughan ON	CA
<div> Certificate #: 1608-7E7Q7V Application Year: 2008 </div>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
Issue Date: 5/15/2008 Approval Type: Waste Management Systems Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
19	2 of 6	ENE/77.6	235.5	HI-TEK ENGINEERED DESIGN TRANSPORTATION 4 INDUSTRIAL ROAD CALEDON TOWN ON	CA
Certificate #: 8-3065-95- Application Year: 95 Issue Date: 3/9/1995 Approval Type: Industrial air Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: WASTE OIL FURNACE MODEL CB-2800 Contaminants: Suspended Particulate Matter, Nitrogen Oxides, Sulphur Dioxide, Zinc Emission Control: No Controls					
19	3 of 6	ENE/77.6	235.5	4 Industrial Road Bolton ON L7E 1K6	EHS
Addit. Info Ordered: Fire Insur. Maps And /or Site Plans; City Directory Order No.: 20071002010 Report Date: 10/9/2007 Report Type: CAN - Complete Report Search Radius (km): 0.25					
19	4 of 6	ENE/77.6	235.5	ALL PURPOSE FLOAT SERVICES INC. 4 INDUSTRIAL ROAD BOLTON ON L7E 1K6	GEN
Generator #: ON1864700 Approval Yrs: 94,95,96,97,98,99,00,01 SIC Code: 4569 SIC Description: OTHER TRUCK./TRANS. --- Details --- Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
19	5 of 6	ENE/77.6	235.5	HI-Tek Engineered Design Transportation 4 Industrial Road Bolton ON L7E 1K6	GEN
Generator #:		ON5024327			
Approval Yrs:		2009			
SIC Code:		484229			
SIC Description:		Other Specialized Freight (except Used Goods) Trucking Local			
--- Details ---					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
19	6 of 6	ENE/77.6	235.5	HI-TEK ENGINEERED DESIGN TRANSPORTATION 4 INDUSTRIAL ROAD BOLTON ON L7E 1K6	GEN
Generator #:		ON2010200			
Approval Yrs:		95,96,97,98			
SIC Code:		4561			
SIC Description:		GEN. FREIGHT TRUCK.			
--- Details ---					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
20	1 of 1	S/73.1	236.8	ON	WWIS
Well ID:		7196588		Lot:	
Concession:				Concession Name:	
County:		PEEL		Municipality:	
Easting Nad83:		603701		Northing Nad83:	
Zone:		17		Utm Reliability:	
Primary Water Use:				Construction Date:	
Sec. Water Use:				Well Depth:	
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	
Construction Method:				Flowing (y/n):	
Elevation (m):				Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock k:	
Water Type:				Casing Material:	
21	1 of 1	S/68.2	237.2	12544 Highway 50 Caledon ON	EHS
Addit. Info Ordered:		City Directory; Aerial Photos			
Order No.:		20121205007			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Report Date:		13-DEC-12			
Report Type:		Standard Select Report			
Search Radius (km):		.25			

22	1 of 1	S/79.6	237.2	lot 3 con 6 ON	WWIS
Well ID:	4905282			Lot:	003
Concession:	06			Concession Name:	CON
County:	PEEL			Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:	603664.6			Northing Nad83:	4856973
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	04-NOV-77
Sec. Water Use:				Well Depth:	165 ft
Pump Rate:	6 GPM			Static Water Level:	94 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	240.98			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	FRESH
--- Details ---					
Thickness:	2 ft			Original Depth:	2 ft
Material Colour:	BROWN			Material:	TOPSOIL
+					
Thickness:	4 ft			Original Depth:	6 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	126 ft			Original Depth:	132 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	11 ft			Original Depth:	143 ft
Material Colour:	GREY			Material:	FINE SAND
+					
Thickness:	22 ft			Original Depth:	165 ft
Material Colour:	GREY			Material:	COARSE SAND

23	1 of 1	SE/147.6	235.1	lot 3 con 7 ON	WWIS
Well ID:	4905188			Lot:	003
Concession:	07			Concession Name:	CON
County:	PEEL			Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:	603834.6			Northing Nad83:	4857013
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	02-JUN-77
Sec. Water Use:				Well Depth:	210 ft
Pump Rate:	3 GPM			Static Water Level:	133 ft
Flow Rate:				Clear/Cloudy:	CLOUDY

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	240.57			Elevation Reliability:	
Depth to Bedrock:	188			Overburden/Bedrock:	Bedrock
Water Type:	Not stated			Casing Material:	FRESH
--- Details ---					
Thickness:	3 ft			Original Depth:	3 ft
Material Colour:	BLACK			Material:	TOPSOIL
+					
Thickness:	28 ft			Original Depth:	31 ft
Material Colour:	YELLOW			Material:	CLAY, SANDY
+					
Thickness:	20 ft			Original Depth:	51 ft
Material Colour:	GREY			Material:	CLAY, SANDY
+					
Thickness:	16 ft			Original Depth:	67 ft
Material Colour:	GREY			Material:	SAND, GRAVELLY
+					
Thickness:	25 ft			Original Depth:	92 ft
Material Colour:	BLUE			Material:	CLAY, GRAVELLY
+					
Thickness:	9 ft			Original Depth:	101 ft
Material Colour:				Material:	SAND, GRAVEL
+					
Thickness:	57 ft			Original Depth:	158 ft
Material Colour:	BLUE			Material:	CLAY, SOFT
+					
Thickness:	7 ft			Original Depth:	165 ft
Material Colour:				Material:	SAND, GRAVEL
+					
Thickness:	23 ft			Original Depth:	188 ft
Material Colour:	BLUE			Material:	CLAY, SOFT
+					
Thickness:	22 ft			Original Depth:	210 ft
Material Colour:	BLUE			Material:	SHALE

24

1 of 5

SSE/140.5

235.2

REGIONAL MUNICIPALITY OF PEEL
7 INDUSTRIAL RD
BOLTON ON

EXP

Instance ID: 398448
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:
Instance Number: 9900580
Instance Type: FS Facility

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Status: Description:		EXPIRED FS Propane Refill Cntr - Cylr Fill			
24	2 of 5	SSE/140.5	235.2	REGIONAL MUNICIPALITY OF PEEL 7 INDUSTRIAL RD BOLTON ON	EXP
Instance ID: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Instance Number: Instance Type: Status: Description:		68303 11099216 FS Propane Tank EXPIRED FS Propane Tank			
24	3 of 5	SSE/140.5	235.2	PEEL, REGIONAL MUNICIPALITY OF 31- 536 7 INDUSTRIAL RD.(BOLTON)CALEDON C/O 10 PEEL CENTRE DRIVE BRAMPTON ON L7E 1K5	GEN
Generator #: Approval Yrs: SIC Code: SIC Description: --- Details --- Waste Code: Waste Description: + Waste Code: Waste Description:		ON0148314 94,95,96 8373 ENVIRON. ADMIN. 112 ACID WASTE - HEAVY METALS 213 PETROLEUM DISTILLATES			
24	4 of 5	SSE/140.5	235.2	PEEL, REGIONAL MUNICIPALITY OF 7 INDUSTRIAL RD.(BOLTON)CALEDON C/O 10 PEEL CENTRE DRIVE BRAMPTON ON L7E 1K5	GEN
Generator #: Approval Yrs: SIC Code: SIC Description: --- Details --- Waste Code: Waste Description:		ON0148314 89,90 8373 ENVIRON. ADMIN. 213 PETROLEUM DISTILLATES			
24	5 of 5	SSE/140.5	235.2	REGIONAL MUNICIPALITY OF PEEL 7 INDUSTRIAL ST BOLTON ON L7E 1K5	PRT
Location ID:		19183			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Type: Expiry Date: Capacity (L): Licence #:		retail 1993-01-31 2000 0076350081			
25	1 of 1	SSE/130.9	235.5	ONTARIO HYDRO IN BOLTON ON INDUSTRIAL RD., EAST OF HWY. 50 MOTOR VEHICLE (OPERATING FLUID) CALEDON TOWN ON	SPL
Ref NO: Contaminant Code: Contaminant Name: Contaminant Quantity: Incident Cause: Incident Dt: Incident Reason: Incident Summary: MOE Reported Dt: Environmental Impact: Nature of Impact: Receiving Medium: SAC Action Class: Sector Source Type: Site Municipality:		131599 PIPE/HOSE LEAK 9/9/1996 EQUIPMENT FAILURE ONTARIO HYDRO-15 L HYDRO-LIC OIL TO ASPHALT FROM TRUCK SYSTEM 9/9/1996 NOT ANTICIPATED LAND 21401			
26	1 of 4	ESE/152.5	234.7	ALFA (OUT OF BUS) 02-448 622180 ONTARIO LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 1K5	GEN
Generator #: Approval Yrs: SIC Code: SIC Description: --- Details --- Waste Code: Waste Description:		ON0733901 92,93,94,95,96,97,98 3999 OTHER MANU. PROD. 213 PETROLEUM DISTILLATES			
26	2 of 4	ESE/152.5	234.7	ALFA CONSULTANTS 622180 ONTARIO LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 1K5	GEN
Generator #: Approval Yrs: SIC Code: SIC Description: --- Details --- Waste Code: Waste Description:		ON0733901 90 3999 OTHER MANU. PROD. 213 PETROLEUM DISTILLATES			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
26	3 of 4	ESE/152.5	234.7	Tru-Spark Tooling Ltd. 55 Industrial Rd Bolton ON L7E 1K5	SCT
Established:		01-AUG-90			
Plant Size (ft²):					
Employment:					
--- Details ---					
Description:		Cutlery and Hand Tool Manufacturing			
SIC/NAICS Code:		332210			
+					
Description:		Cutlery and Hand Tool Manufacturing			
SIC/NAICS Code:		332210			
+					
Description:		Other Metalworking Machinery Manufacturing			
SIC/NAICS Code:		333519			
26	4 of 4	ESE/152.5	234.7	HEADING SALES & CONSULTANTS 55 INDUSTRIAL RD BOLTON ON L7E 1K5	SCT
Established:		1970			
Plant Size (ft²):		0			
Employment:		16			
--- Details ---					
Description:		CUTTING TOOLS, MACHINE TOOL ACCESSORIES, AND MACHINISTS' PRECISION MEASURING DEVICES			
SIC/NAICS Code:		3545			
+					
Description:		SPECIAL DIES AND TOOLS, DIE SETS, JIGS AND FIXTURES, AND INDUSTRIAL MOLDS			
SIC/NAICS Code:		3544			
27	1 of 1	SW/130.3	238.1	lot 3 con 6 ON	WWIS
Well ID:		4903682		Lot:	003
Concession:		06		Concession Name:	CON
County:		PEEL		Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:		603554.6		Northing Nad83:	4856988
Zone:		17		Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:		Domestic		Construction Date:	23-AUG-71
Sec. Water Use:				Well Depth:	186 ft
Pump Rate:				Static Water Level:	132 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction		Cable Tool		Flowing (y/n):	N
Method:				Elevation	
Elevation (m):		240.85		Reliability:	
Depth to Bedrock:				Overburden/Bedrock	Overburden
Water Type:		FRESH		k:	
				Casing Material:	FRESH
--- Details ---					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Thickness:	13 ft			Original Depth:	13 ft
Material Colour:	BROWN			Material:	CLAY, GRAVEL
+					
Thickness:	44 ft			Original Depth:	57 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	9 ft			Original Depth:	66 ft
Material Colour:	BLUE			Material:	HARDPAN
+					
Thickness:	21 ft			Original Depth:	87 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	9 ft			Original Depth:	96 ft
Material Colour:	BLUE			Material:	CLAY, SILT
+					
Thickness:	8 ft			Original Depth:	104 ft
Material Colour:	BLUE			Material:	MEDIUM SAND, CLAY
+					
Thickness:	74 ft			Original Depth:	178 ft
Material Colour:	BLUE			Material:	MEDIUM SAND, CLAY
+					
Thickness:	6 ft			Original Depth:	184 ft
Material Colour:	BLUE			Material:	GRAVEL, FINE SAND, COARSE SAND
+					
Thickness:	2 ft			Original Depth:	186 ft
Material Colour:	BLUE			Material:	CLAY
28	1 of 6	E/145.3	234.9	HEADING SALES AND CONSULTANTS LTD. INDUSTRIAL RD. P.O.BOX 382 BOLTON ON L0P 1A0	GEN
Generator #:	ON0733900				
Approval Yrs:	86,87,88,89,90				
SIC Code:	3053				
SIC Description:	INDUSTRIAL FASTENER				
--- Details ---					
Waste Code:	213				
Waste Description:	PETROLEUM DISTILLATES				
28	2 of 6	E/145.3	234.9	HEADING SALES AND CONSULTANTS LIMITED INDUSTRIAL ROAD 200 YARDS FROM HWY 50 BOLTON ON L0P 1A0	GEN
Generator #:	ON0733900				
Approval Yrs:	99,00,01				
SIC Code:	3053				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
SIC Description:		INDUSTRIAL FASTENER			
--- Details ---					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
28	3 of 6	E/145.3	234.9	TRU-SPARK TOOLING LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 5T3	GEN
Generator #:		ON2473300			
Approval Yrs:		99,00,01,03,04			
SIC Code:		3063			
SIC Description:		HAND TOOL/IMPLEMENT			
--- Details ---					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
28	4 of 6	E/145.3	234.9	HEADING SALES AND CONSULTANTS LTD.20-190 INDUSTRIAL RD. P.O.BOX 382 BOLTON ON L0P 1A0	GEN
Generator #:		ON0733900			
Approval Yrs:		94,95,96			
SIC Code:		3053			
SIC Description:		INDUSTRIAL FASTENER			
--- Details ---					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
28	5 of 6	E/145.3	234.9	HEADING SALES AND CONSULTANTS LTD INDUSTRIAL ROAD, 200 YARDS FROM HWY 50 BOLTON ON L0P 1A0	GEN
Generator #:		ON0733900			
Approval Yrs:		92,93,97,98			
SIC Code:		3053			
SIC Description:		INDUSTRIAL FASTENER			
--- Details ---					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
28	6 of 6	E/145.3	234.9	ALFA CONSULTANTS INDUSTRIAL RD. C/O P.O. BOX 382 BOLTON ON L0P 1A0	GEN
Generator #:		ON0733901			
Approval Yrs:		88,89			
SIC Code:		0000			
SIC Description:		*** NOT DEFINED ***			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
29	1 of 1	NNE/131.8	238.9	Neelands Refrigeration Limited 150 Mcewan Dr. Caledon ON	SPL
Ref NO: Contaminant Code: Contaminant Name: Contaminant Quantity: Incident Cause: Incident Dt: Incident Reason: Incident Summary: MOE Reported Dt: Environmental Impact: Nature of Impact: Receiving Medium: SAC Action Class: Sector Source Type: Site Municipality:		1651-9G8JZ9 38 REFRIGERANT GAS, N.O.S. 136 kg Leak/Break 2014/01/23 Equipment Failure Neelands Refrigeration: 136 kg of R404A to atm 2014/02/11 Not Anticipated Air Pollution Air Spills - Gases and Vapours Valve/Fitting/Piping Caledon			
30	1 of 17	W/164.0	241.8	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON	GEN
Generator #: Approval Yrs: SIC Code: SIC Description: --- Details --- Waste Code: Waste Description: + Waste Code: Waste Description:		ON8051832 2012 541940 Veterinary Services 312 PATHOLOGICAL WASTES 261 PHARMACEUTICALS			
30	2 of 17	W/164.0	241.8	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON	GEN
Generator #: Approval Yrs: SIC Code: SIC Description: --- Details --- Waste Code: Waste Description: + Waste Code: Waste Description:		ON8051832 2011 541940 Veterinary Services 312 PATHOLOGICAL WASTES 261 PHARMACEUTICALS			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
30	3 of 17	W/164.0	241.8	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON	GEN
Generator #:		ON8051832			
Approval Yrs:		2013			
SIC Code:		541940			
SIC Description:		VETERINARY SERVICES			
--- Details ---					
Waste Code:		261			
Waste Description:		PHARMACEUTICALS			
+					
Waste Code:		312			
Waste Description:		PATHOLOGICAL WASTES			
+					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
30	4 of 17	W/164.0	241.8	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON	GEN
Generator #:		ON8051832			
Approval Yrs:		2010			
SIC Code:		541940			
SIC Description:		Veterinary Services			
--- Details ---					
Waste Code:		261			
Waste Description:		PHARMACEUTICALS			
+					
Waste Code:		312			
Waste Description:		PATHOLOGICAL WASTES			
30	5 of 17	W/164.0	241.8	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON L7E 1T6	GEN
Generator #:		ON8051832			
Approval Yrs:		As of May 2015			
SIC Code:					
SIC Description:					
--- Details ---					
Waste Code:		261			
Waste Description:		Pharmaceuticals			
+					
Waste Code:		312			
Waste Description:		Pathological wastes			
+					
Waste Code:		212			
Waste Description:		Aliphatic solvents and residues			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
30	6 of 17	W/164.0	241.8	North Hill Animal Hospital Professional Corporation 12612 Hwy 50 unit 11 Bolton ON	GEN
Generator #:		ON8051832			
Approval Yrs:		2009			
SIC Code:		541940			
SIC Description:		Veterinary Services			
--- Details ---					
Waste Code:		261			
Waste Description:		PHARMACEUTICALS			
+					
Waste Code:		312			
Waste Description:		PATHOLOGICAL WASTES			
30	7 of 17	W/164.0	241.8	Metroland Printing, Publishing & Distribution Ltd. - The Caledon Enterprise 12612 Hwy 50 S Bolton ON L7E 5T1	SCT
Established:		1888			
Plant Size (ft²):		1500			
Employment:		10			
--- Details ---					
Description:		Newspaper Publishers			
SIC/NAICS Code:		511110			
30	8 of 17	W/164.0	241.8	Flexopedic Mattress Inc 12612 Highway 50 Unit 30 Bolton ON L7E 1T6	SCT
Established:		1995			
Plant Size (ft²):		5400			
Employment:		2			
--- Details ---					
Description:		Mattress Manufacturing			
SIC/NAICS Code:		337910			
30	9 of 17	W/164.0	241.8	Caledon Italian Bakery Ltd. 12612 Highway 50 Unit 33 Bolton ON L7E 1T6	SCT
Established:		1989			
Plant Size (ft²):		1400			
Employment:		4			
--- Details ---					
Description:		Commercial Bakeries and Frozen Bakery Product Manufacturing			
SIC/NAICS Code:		311814			
+					
Description:		Cookie and Cracker Manufacturing			
SIC/NAICS Code:		311821			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
30	10 of 17	W/164.0	241.8	The Caledon Enterprise 12612 Highway 50 Bolton ON L7E 1T6	SCT
Established:		1888			
Plant Size (ft²):		1500			
Employment:		10			
--- Details ---					
Description:		Newspaper Publishers			
SIC/NAICS Code:		511110			
30	11 of 17	W/164.0	241.8	THE ENTERPRISE 12612 Hwy 50 S Bolton ON L7E 5T1	SCT
Established:		1884			
Plant Size (ft²):		0			
Employment:		10			
--- Details ---					
Description:		Newspaper Publishers			
SIC/NAICS Code:		511110			
30	12 of 17	W/164.0	241.8	Buonissimo Italian Bakery 12612 Hwy 50 Unit 33 Bolton ON L7E 1T6	SCT
Established:		01-MAR-07			
Plant Size (ft²):		1400			
Employment:					
--- Details ---					
Description:		Caterers			
SIC/NAICS Code:		722320			
+					
Description:		Limited-Service Eating Places			
SIC/NAICS Code:		722210			
+					
Description:		Retail Bakeries			
SIC/NAICS Code:		311811			
30	13 of 17	W/164.0	241.8	Caledon Italian Bakery 12612 Hwy 50 Unit 33 Bolton ON L7E 1T6	SCT
Established:		1989			
Plant Size (ft²):		1400			
Employment:		4			
30	14 of 17	W/164.0	241.8	Flexopedic Mattress Inc. 12612 Hwy 50 Unit 30 Bolton ON L7E 1T6	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Established: 01-JUL-95 Plant Size (ft²): 5400 Employment:					
--- Details --- Description: Mattress Manufacturing SIC/NAICS Code: 337910 + Description: Mattress Manufacturing SIC/NAICS Code: 337910					
30	15 of 17	W/164.0	241.8	Caledon Italian Bakery 12612 Highway 50 Unit 33 Bolton ON L7E 1T6	SCT
Established: 1989 Plant Size (ft²): 1400 Employment: 4					
--- Details --- Description: Cookie and Cracker Manufacturing SIC/NAICS Code: 311821 + Description: Commercial Bakeries and Frozen Bakery Product Manufacturing SIC/NAICS Code: 311814					
30	16 of 17	W/164.0	241.8	The Caledon Enterprise 12612 Hwy 50 S Bolton ON L7E 5T1	SCT
Established: 1884 Plant Size (ft²): Employment: 10					
30	17 of 17	W/164.0	241.8	The Caledon Enterprise 12612 Hwy 50 Bolton ON L7E 1T6	SCT
Established: 01-JUN-88 Plant Size (ft²): 1500 Employment:					
--- Details --- Description: Newspaper Publishers SIC/NAICS Code: 511110					
31	1 of 1	SE/182.4	234.4	lot 3 con 7 ON	WWIS
Well ID: 4904191 Concession: 07 County: PEEL Easting Nad83: 603848.6 Zone: 17					
Lot: 003 Concession Name: CON Municipality: CALEDON TOWN (ALBION) Northing Nad83: 4856975 Utm Reliability: margin of error : 30 m - 100 m					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<div> <div> Primary Water Use: Domestic Sec. Water Use: Pump Rate: 2 GPM Flow Rate: Specific Capacity: Construction Method: Cable Tool Elevation (m): 240.42 Depth to Bedrock: Water Type: FRESH --- Details --- Thickness: 171 ft Material Colour: GREY + Thickness: 6 ft Material Colour: BLUE </div> <div> Construction Date: 10-SEP-73 Well Depth: 177 ft Static Water Level: 70 ft Clear/Cloudy: CLEAR Final Well Status: Water Supply Flowing (y/n): N Elevation Reliability: Overburden/Bedrock: Overburden k: Casing Material: FRESH Original Depth: 171 ft Material: CLAY Original Depth: 177 ft Material: GRAVEL </div> </div>					
32	1 of 1	S/125.9	236.9	ON	WWIS
<div> <div> Well ID: 7196590 Concession: County: PEEL Easting Nad83: 603653 Zone: 17 Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m): Depth to Bedrock: Water Type: </div> <div> Lot: Concession Name: Municipality: CALEDON TOWN (ALBION) Northing Nad83: 4856928 Utm Reliability: margin of error : 30 m - 100 m Construction Date: 13-DEC-12 Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n): Elevation Reliability: Overburden/Bedrock: k: Casing Material: </div> </div>					
33	1 of 1	NE/153.5	236.4	2090950 Ontario 194 mcewan drive bolton ON	GEN
<div> <div> Generator #: ON5526081 Approval Yrs: As of May 2015 SIC Code: SIC Description: --- Details --- Waste Code: 251 Waste Description: Waste oils/sludges (petroleum based) </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
34	1 of 1	NE/152.5	236.1	lot 3 con 7 ON	WWIS
Well ID:	4904497			Lot:	003
Concession:	07			Concession Name:	CON
County:	PEEL			Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:	603906.6			Northing Nad83:	4857314
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	13-AUG-74
Sec. Water Use:				Well Depth:	248 ft
Pump Rate:	1 GPM			Static Water Level:	158 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	240.22			Elevation Reliability:	
Depth to Bedrock:	148			Overburden/Bedrock:	Bedrock
Water Type:	FRESH			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	5 ft			Original Depth:	5 ft
Material Colour:	BROWN			Material:	TOPSOIL, STONES
+					
Thickness:	142 ft			Original Depth:	147 ft
Material Colour:	GREY			Material:	CLAY, STONES, HARDPAN
+					
Thickness:	1 ft			Original Depth:	148 ft
Material Colour:	BLUE			Material:	GRAVEL, CLAY
+					
Thickness:	100 ft			Original Depth:	248 ft
Material Colour:	BLUE			Material:	SHALE
35	1 of 1	SW/153.6	238.6	lot 3 con 6 ON	WWIS
Well ID:	4908578			Lot:	003
Concession:	06			Concession Name:	CON
County:	PEEL			Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:	603517			Northing Nad83:	4856992
Zone:	17			Utm Reliability:	margin of error : 30 m - 100 m
Primary Water Use:	Domestic			Construction Date:	17-MAR-00
Sec. Water Use:				Well Depth:	186 ft
Pump Rate:	7 GPM			Static Water Level:	126 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Rotary (Convent.)			Flowing (y/n):	N
Elevation (m):	240.83			Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:	FRESH			Casing Material:	FRESH

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
Thickness:	1 ft			Original Depth:	1 ft
Material Colour:				Material:	TOPSOIL
+					
Thickness:	13 ft			Original Depth:	14 ft
Material Colour:	BROWN			Material:	CLAY
+					
Thickness:	111 ft			Original Depth:	125 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	11 ft			Original Depth:	136 ft
Material Colour:				Material:	SAND
+					
Thickness:	38 ft			Original Depth:	174 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	4 ft			Original Depth:	178 ft
Material Colour:				Material:	FINE SAND
+					
Thickness:	8 ft			Original Depth:	186 ft
Material Colour:				Material:	SAND, CLEAN
--- Details ---					
36	1 of 1	WNW/185.8	242.6	lot 4 con 7 ON	WWIS
Well ID:	4900368			Lot:	004
Concession:	07			Concession Name:	CON
County:	PEEL			Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:	603475.6			Northing Nad83:	4857303
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Domestic			Construction Date:	31-OCT-63
Sec. Water Use:				Well Depth:	230 ft
Pump Rate:	3 GPM			Static Water Level:	70 ft
Flow Rate:				Clear/Cloudy:	CLOUDY
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	244.55			Elevation Reliability:	
Depth to Bedrock:	185			Overburden/Bedrock:	Bedrock
Water Type:	SALTY			Casing Material:	FRESH, MINERIAL
--- Details ---					
Thickness:	67 ft			Original Depth:	67 ft
Material Colour:				Material:	PREVIOUSLY DUG
+					
Thickness:	53 ft			Original Depth:	120 ft
Material Colour:	GREY			Material:	CLAY
+					
Thickness:	5 ft			Original Depth:	125 ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Material Colour:	GREY			Material:	CLAY, MEDIUM SAND
+					
Thickness:	17 ft			Original Depth:	142 ft
Material Colour:				Material:	MEDIUM SAND
+					
Thickness:	6 ft			Original Depth:	148 ft
Material Colour:	GREY			Material:	CLAY
+					
Thickness:	25 ft			Original Depth:	173 ft
Material Colour:				Material:	MEDIUM SAND
+					
Thickness:	7 ft			Original Depth:	180 ft
Material Colour:	GREY			Material:	CLAY
+					
Thickness:	5 ft			Original Depth:	185 ft
Material Colour:				Material:	CLAY, STONES
+					
Thickness:	45 ft			Original Depth:	230 ft
Material Colour:				Material:	SHALE
37	1 of 6	NW/195.0	242.6	CANADIAN TIRE CORP LTD C/O CANADIAN TIRE PETROLEUM 59 MCEWEN DR BOLTON ON L7E 2Z7	FST
Instance Number:	35226172				
Cont Name:					
Instance Type:	FS Liquid Fuel Tank				
Fuel Type:	Gasoline				
Status:	Active				
Capacity:	50000				
Tank Material:	Fiberglass (FRP)				
Corrosion Protection:	Fiberglass				
Tank Type:	Double Wall UST				
Install Year:	2005				
Parent Facility Type:	FS Gasoline Station - Self Serve				
Facility Type:	FS Liquid Fuel Tank				
37	2 of 6	NW/195.0	242.6	CANADIAN TIRE CORP LTD C/O CANADIAN TIRE PETROLEUM 59 MCEWEN DR BOLTON ON L7E 2Z7	FST
Instance Number:	35226175				
Cont Name:					
Instance Type:	FS Liquid Fuel Tank				
Fuel Type:	Diesel				
Status:	Active				
Capacity:	35000				
Tank Material:	Fiberglass (FRP)				
Corrosion Protection:	Fiberglass				
Tank Type:	Double Wall UST				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Install Year: Parent Facility Type: Facility Type:		2005 FS Gasoline Station - Self Serve FS Liquid Fuel Tank			
37	3 of 6	NW/195.0	242.6	CANADIAN TIRE CORP LTD C/O CANADIAN TIRE PETROLEUM 59 MCEWEN DR BOLTON ON L7E 2Z7	FST
Instance Number: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		35226174 FS Liquid Fuel Tank Gasoline Active 50000 Fiberglass (FRP) Fiberglass Double Wall UST 2005 FS Gasoline Station - Self Serve FS Liquid Fuel Tank			
37	4 of 6	NW/195.0	242.6	CANADIAN TIRE CORP LTD C/O CANADIAN TIRE PETROLEUM 59 MCEWEN DR BOLTON ON L7E 2Z7	FST
Instance Number: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		35226173 FS Liquid Fuel Tank Gasoline Active 50000 Fiberglass (FRP) Fiberglass Double Wall UST 2005 FS Gasoline Station - Self Serve FS Liquid Fuel Tank			
37	5 of 6	NW/195.0	242.6	CANADIAN TIRE CORP LTD ** 59 MCEWEN DR BOLTON ON	FSTH
License Issue Date: Tank Status: Tank Status As Of: Operation Type: Facility Type:		9/30/2005 Licensed August 2007 Retail Fuel Outlet Gasoline Station - Self Serve			
--- Details --- Status: Capacity: Year of Installation:		Active 50000 2005			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<div>Corrosion Protection: Tank Fuel Type: Liquid Fuel Double Wall UST - Gasoline + Status: Active Capacity: 50000 Year of Installation: 2005 Corrosion Protection: Tank Fuel Type: Liquid Fuel Double Wall UST - Gasoline + Status: Active Capacity: 50000 Year of Installation: 2005 Corrosion Protection: Tank Fuel Type: Liquid Fuel Double Wall UST - Gasoline + Status: Active Capacity: 35000 Year of Installation: 2005 Corrosion Protection: Tank Fuel Type: Liquid Fuel Double Wall UST - Diesel</div>					
37	6 of 6	NW/195.0	242.6	CANADIAN TIRE CORP LTD C/O Canadian Tire Petroleum 17 Flr 59 MCEWEN DR BOLTON ON	FSTH
<div>License Issue Date: 9/30/2005 3:00:00 PM Tank Status: Licensed Tank Status As Of: December 2008 Operation Type: Retail Fuel Outlet Facility Type: Gasoline Station - Self Serve --- Details --- Status: Active Capacity: 50000 Year of Installation: 2005 Corrosion Protection: Tank Fuel Type: Liquid Fuel Double Wall UST - Gasoline + Status: Active Capacity: 50000 Year of Installation: 2005 Corrosion Protection: Tank Fuel Type: Liquid Fuel Double Wall UST - Gasoline + Status: Active Capacity: 50000 Year of Installation: 2005 Corrosion Protection: Tank Fuel Type: Liquid Fuel Double Wall UST - Gasoline + Status: Active Capacity: 35000 Year of Installation: 2005 Corrosion Protection: Tank Fuel Type: Liquid Fuel Double Wall UST - Diesel</div>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
38	1 of 1	WNW/203.4	242.6	lot 4 con 6 ON	WWIS
Well ID:		4900317	Lot:		004
Concession:		06	Concession Name:		CON
County:		PEEL	Municipality:		CALEDON TOWN (ALBION)
Easting Nad83:		603432.6	Northing Nad83:		4857241
Zone:		17	Utm Reliability:		margin of error : 100 m - 300 m
Primary Water Use:			Construction Date:		20-JUL-59
Sec. Water Use:			Well Depth:		104 ft
Pump Rate:			Static Water Level:		
Flow Rate:			Clear/Cloudy:		
Specific Capacity:			Final Well Status:		Abandoned-Supply
Construction Method:		Boring	Flowing (y/n):		
Elevation (m):		245.01	Elevation Reliability:		
Depth to Bedrock:			Overburden/Bedrock:		Overburden
Water Type:			Casing Material:		FRESH, SULPHUR
--- Details ---					
Thickness:		18 ft	Original Depth:		18 ft
Material Colour:		BROWN	Material:		CLAY
+					
Thickness:		43 ft	Original Depth:		61 ft
Material Colour:		BLUE	Material:		CLAY
+					
Thickness:		19 ft	Original Depth:		80 ft
Material Colour:		BLUE	Material:		CLAY, MEDIUM SAND
+					
Thickness:		24 ft	Original Depth:		104 ft
Material Colour:		BLUE	Material:		CLAY
39	1 of 12	NE/184.8	237.6	72 Commercial Road Bolton ON L7E 1K4	EHS
Addit. Info Ordered:					
Order No.:		20050713002			
Report Date:		7/21/2005			
Report Type:		Complete Report			
Search Radius (km):		0.25			
39	2 of 12	NE/184.8	237.6	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator #:		ON1351600			
Approval Yrs:		As of May 2015			
SIC Code:					
SIC Description:					
--- Details ---					
Waste Code:		145			
66	erisinfo.com EcoLog ERIS Ltd. 16-0053.01 12563 50 Hwy Caledon ON L7E1M4			Order No: 20160429018	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Description:		Wastes from the use of pigments, coatings and paints			
+					
Waste Code:		252			
Waste Description:		Waste crankcase oils and lubricants			
39	3 of 12	NE/184.8	237.6	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON	GEN
Generator #:		ON1351600			
Approval Yrs:		2013			
SIC Code:		332319			
SIC Description:		OTHER PLATE WORK AND FABRICATED STRUCTURAL PRODUCT MANUFACTURING			
--- Details ---					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			
39	4 of 12	NE/184.8	237.6	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator #:		ON1351600			
Approval Yrs:		90,99,00,01,03,04,05,06,07,08			
SIC Code:		3029			
SIC Description:		OTHER FAB. STRUCTURE			
--- Details ---					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			
39	5 of 12	NE/184.8	237.6	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator #:		ON1351600			
Approval Yrs:		2010			
SIC Code:		332319			
SIC Description:		Other Plate Work and Fabricated Structural Product Manufacturing			
--- Details ---					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
39	6 of 12	NE/184.8	237.6	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator #:		ON1351600			
Approval Yrs:		2009			
SIC Code:		332319			
SIC Description:		Other Plate Work and Fabricated Structural Product Manufacturing			
--- Details ---					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			
39	7 of 12	NE/184.8	237.6	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator #:		ON1351600			
Approval Yrs:		2012			
SIC Code:		332319			
SIC Description:		Other Plate Work and Fabricated Structural Product Manufacturing			
--- Details ---					
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
39	8 of 12	NE/184.8	237.6	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator #:		ON1351600			
Approval Yrs:		2011			
SIC Code:		332319			
SIC Description:		Other Plate Work and Fabricated Structural Product Manufacturing			
--- Details ---					
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
39	9 of 12	NE/184.8	237.6	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	05-497 GEN
Generator #:		ON1351600			
Approval Yrs:		92,93,94,95,96,97,98			
SIC Code:		3029			
SIC Description:		OTHER FAB. STRUCTURE			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			
39	10 of 12	NE/184.8	237.6	Benson Steel Ltd. 72 Commercial Rd Bolton ON L7E 1K4	SCT
Established:		01-JUL-80			
Plant Size (ft²):		34000			
Employment:					
--- Details ---					
Description:		Other Plate Work and Fabricated Structural Product Manufacturing			
SIC/NAICS Code:		332319			
+					
Description:		Steel Foundries			
SIC/NAICS Code:		331514			
+					
Description:		Other Plate Work and Fabricated Structural Product Manufacturing			
SIC/NAICS Code:		332319			
39	11 of 12	NE/184.8	237.6	BENSON STEEL LIMITED 72 COMMERCIAL RD BOLTON ON L7E 1K4	SCT
Established:		1980			
Plant Size (ft²):		0			
Employment:		19			
--- Details ---					
Description:		General-Line Building Supplies Wholesaler-Distributors			
SIC/NAICS Code:		416310			
+					
Description:		FABRICATED STRUCTURAL METAL			
SIC/NAICS Code:		3441			
+					
Description:		MISCELLANEOUS STRUCTURAL METAL WORK			
SIC/NAICS Code:		3449			
39	12 of 12	NE/184.8	237.6	BENSON STEEL LTD. BOLTON, 72 COMMERCIAL ROAD BOLTON PLANT 72 COMMERCIAL ROAD CALEDON TOWN ON	SPL
Ref NO:		24901			
Contaminant Code:					
Contaminant Name:					
Contaminant Quantity:					
Incident Cause:		OTHER CAUSE (N.O.S.)			
Incident Dt:		9/7/1989			
Incident Reason:		INTENTIONAL/PLANNED			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Incident Summary: MOE Reported Dt: Environmental Impact: Nature of Impact: Receiving Medium: SAC Action Class: Sector Source Type: Site Municipality:		BENSON'S STEELS- OILING OF PROPERTY CAUSED RUNOFF INTO STORM DITCH 9/7/1989 LAND / WATER 21401			
40	1 of 11	ESE/211.9	233.7	PEEL, REGION OF 109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:		ON0148314 2013 562112 --- Details ---			
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
+					
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
+					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		146			
Waste Description:		OTHER SPECIFIED INORGANICS			
+					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		243			
Waste Description:		PCBS			
+					
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		251			
Waste Description:		OIL SKIMMINGS & SLUDGES			
+					
Waste Code:		261			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<hr/>					
Waste Description:		PHARMACEUTICALS			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		312			
Waste Description:		PATHOLOGICAL WASTES			
+					
Waste Code:		121			
Waste Description:		ALKALINE WASTES - HEAVY METALS			
+					
Waste Code:		231			
Waste Description:		LATEX WASTES			
+					
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
<hr/>					
40	2 of 11	ESE/211.9	233.7	PEEL, REGION OF 109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	GEN
Generator #:		ON0148314			
Approval Yrs:		2009			
SIC Code:		562112			
SIC Description:					
--- Details ---					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		146			
Waste Description:		OTHER SPECIFIED INORGANICS			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		231			
Waste Description:		LATEX WASTES			
+					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
+					
Waste Code:		243			
Waste Description:		PCBS			
+					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		261			
Waste Description:		PHARMACEUTICALS			
+					
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		312			
Waste Description:		PATHOLOGICAL WASTES			
+					
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			

40	3 of 11	ESE/211.9	233.7	PEEL, REGION OF 109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	GEN
Generator #:		ON0148314			
Approval Yrs:		99,00,01,02,03,04,05,06,07,08			
SIC Code:		8373			
SIC Description:		ENVIRON. ADMIN.			
--- Details ---					
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		312			
Waste Description:		PATHOLOGICAL WASTES			
+					
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
+					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		146			
Waste Description:		OTHER SPECIFIED INORGANICS			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
+					
Waste Code:		262			
Waste Description:		DETERGENTS/SOAPS			
+					
Waste Code:		231			
Waste Description:		LATEX WASTES			
+					
Waste Code:		243			
Waste Description:		PCB'S			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
<hr/>					
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		241			
Waste Description:		HALOGENATED SOLVENTS			
+					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		261			
Waste Description:		PHARMACEUTICALS			
<hr/>					
40	4 of 11	ESE/211.9	233.7	PEEL, REGION OF 109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	GEN
Generator #:		ON0148314			
Approval Yrs:		2010			
SIC Code:		562112			
SIC Description:					
--- Details ---					
Waste Code:		231			
Waste Description:		LATEX WASTES			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		121			
Waste Description:		ALKALINE WASTES - HEAVY METALS			
+					
Waste Code:		146			
Waste Description:		OTHER SPECIFIED INORGANICS			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		312			
Waste Description:		PATHOLOGICAL WASTES			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		243			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Description:		PCBS			
+					
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		261			
Waste Description:		PHARMACEUTICALS			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
+					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
+					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
40	5 of 11	ESE/211.9	233.7	PEEL, REGIONAL MUNICIPALITY OF 109 INDUSTRIAL ROAD TOWN OF CALEDON BOLTON ON L7E 1K5	GEN
Generator #:		ON0148314			
Approval Yrs:		98			
SIC Code:		8373			
SIC Description:		ENVIRON. ADMIN.			
--- Details ---					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		241			
Waste Description:		HALOGENATED SOLVENTS			
+					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<hr/>					
+	Waste Code:	252			
	Waste Description:	WASTE OILS & LUBRICANTS			
+	Waste Code:	261			
	Waste Description:	PHARMACEUTICALS			
+	Waste Code:	263			
	Waste Description:	ORGANIC LABORATORY CHEMICALS			
+	Waste Code:	312			
	Waste Description:	PATHOLOGICAL WASTES			
+	Waste Code:	331			
	Waste Description:	WASTE COMPRESSED GASES			
<hr/>					
40	6 of 11	ESE/211.9	233.7	PEEL, REGION OF 109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	GEN
Generator #:		ON0148314			
Approval Yrs:		2011			
SIC Code:		562112			
SIC Description:					
--- Details ---					
	Waste Code:	312			
	Waste Description:	PATHOLOGICAL WASTES			
+	Waste Code:	121			
	Waste Description:	ALKALINE WASTES - HEAVY METALS			
+	Waste Code:	331			
	Waste Description:	WASTE COMPRESSED GASES			
+	Waste Code:	243			
	Waste Description:	PCBS			
+	Waste Code:	252			
	Waste Description:	WASTE OILS & LUBRICANTS			
+	Waste Code:	261			
	Waste Description:	PHARMACEUTICALS			
+	Waste Code:	231			
	Waste Description:	LATEX WASTES			
+	Waste Code:	146			
	Waste Description:	OTHER SPECIFIED INORGANICS			
+	Waste Code:	242			
	Waste Description:	HALOGENATED PESTICIDES			
+	Waste Code:	147			
	Waste Description:	CHEMICAL FERTILIZER WASTES			
+	Waste Code:	213			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
40	7 of 11	ESE/211.9	233.7	PEEL, REGIONAL MUNICIPALITY OF 109 INDUSTRIAL ROAD BOLTON TOWN OF CALEDON ON L7E 1K5	GEN
Generator #:		ON0148314			
Approval Yrs:		97			
SIC Code:		8373			
SIC Description:		ENVIRON. ADMIN.			
--- Details ---					
Waste Code:		312			
Waste Description:		PATHOLOGICAL WASTES			
+					
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
+					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		241			
Waste Description:		HALOGENATED SOLVENTS			
+					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		261			
Waste Description:		PHARMACEUTICALS			
+					
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			

[40](#)

8 of 11

ESE/211.9

233.7

**PEEL, REGION OF Waste Management
109 INDUSTRIAL ROAD BOLTON CRC
BOLTON ON L7E 1K5**

GEN

Generator #: ON0148314
Approval Yrs: As of May 2015
SIC Code:
SIC Description:

--- Details ---

Waste Code: 312
Waste Description: Pathological wastes
+
Waste Code: 121
Waste Description: Alkaline slutions - containing heavy metals
+
Waste Code: 112
Waste Description: Acid solutions - containing heavy metals
+
Waste Code: 252
Waste Description: Waste crankcase oils and lubricants
+
Waste Code: 261
Waste Description: Pharmaceuticals
+
Waste Code: 231
Waste Description: Latex wastes
+
Waste Code: 147
Waste Description: Chemical fertilizer wastes
+
Waste Code: 251
Waste Description: Waste oils/sludges (petroleum based)
+
Waste Code: 146
Waste Description: Other specified inorganic sludges, slurries or solids
+
Waste Code: 242
Waste Description: Halogenated pesticides and herbicides
+
Waste Code: 243
Waste Description: PCB
+
Waste Code: 213
Waste Description: Petroleum distillates

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
+					
Waste Code:		148			
Waste Description:		Misc. wastes and inorganic chemicals			
+					
Waste Code:		212			
Waste Description:		Aliphatic solvents and residues			
+					
Waste Code:		145			
Waste Description:		Wastes from the use of pigments, coatings and paints			
+					
Waste Code:		331			
Waste Description:		Waste compressed gases including cylinders			
+					
Waste Code:		221			
Waste Description:		Light fuels			
+					
Waste Code:		263			
Waste Description:		Misc. waste organic chemicals			

40	9 of 11	ESE/211.9	233.7	PEEL, REGION OF 109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	GEN
Generator #:		ON0148314			
Approval Yrs:		2012			
SIC Code:		562112			
SIC Description:					
--- Details ---					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		231			
Waste Description:		LATEX WASTES			
+					
Waste Code:		261			
Waste Description:		PHARMACEUTICALS			
+					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
+					
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
+					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
+					
Waste Code:		252			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
Waste Description: WASTE OILS & LUBRICANTS + Waste Code: 112 Waste Description: ACID WASTE - HEAVY METALS + Waste Code: 243 Waste Description: PCBS + Waste Code: 221 Waste Description: LIGHT FUELS + Waste Code: 146 Waste Description: OTHER SPECIFIED INORGANICS + Waste Code: 312 Waste Description: PATHOLOGICAL WASTES + Waste Code: 121 Waste Description: ALKALINE WASTES - HEAVY METALS + Waste Code: 263 Waste Description: ORGANIC LABORATORY CHEMICALS					
40	10 of 11	ESE/211.9	233.7	109 Industrial Rd Caledon ON	SPL
Ref NO: 2364-8SBMQZ Contaminant Code: 28 Contaminant Name: POWDER (N.O.S.) Contaminant Quantity: Incident Cause: Other Discharges Incident Dt: 12-MAR-12 Incident Reason: Other - Reason not otherwise defined Incident Summary: Bolton Community Recycl.: orange powder on driveway MOE Reported Dt: 12-MAR-12 Environmental Impact: Not Anticipated Nature of Impact: Other Impact(s) Receiving Medium: Sewage - Municipal/Private and Commercial SAC Action Class: Land Spills Sector Source Type: Other Site Municipality: Caledon					
40	11 of 11	ESE/211.9	233.7	The Regional Municipality of Peel 109 Industrial Rd Caledon ON	WDS
Certificate No.: A680247 Issue Date: 10/31/2007 Status: Approved Application Status: Concession: Lot: Region/County: Proponent: Address: City:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock:	
				Casing Material:	
43	1 of 1	S/176.7	235.9	12532 50 Hwy Caledon ON L7E1M7	EHS
Addit. Info Ordered:					
Order No.:		20140723039			
Report Date:		30-JUL-14			
Report Type:		Standard Report			
Search Radius (km):		.25			
44	1 of 1	NW/214.9	242.8	lot 4 con 7 ON	WWIS
Well ID:		4900370		Lot:	004
Concession:		07		Concession Name:	CON
County:		PEEL		Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:		603521.6		Northing Nad83:	4857410
Zone:		17		Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:				Construction Date:	02-JUL-64
Sec. Water Use:				Well Depth:	136 ft
Pump Rate:				Static Water Level:	
Flow Rate:				Clear/Cloudy:	
Specific Capacity:				Final Well Status:	Abandoned-Supply
Construction Method:		Cable Tool		Flowing (y/n):	
Elevation (m):		244.59		Elevation Reliability:	
Depth to Bedrock:				Overburden/Bedrock:	Overburden
Water Type:				Casing Material:	
--- Details ---					
Thickness:		2 ft		Original Depth:	2 ft
Material Colour:				Material:	TOPSOIL, MEDIUM SAND
+					
Thickness:		93 ft		Original Depth:	95 ft
Material Colour:				Material:	CLAY
+					
Thickness:		5 ft		Original Depth:	100 ft
Material Colour:				Material:	FINE SAND
+					
Thickness:		36 ft		Original Depth:	136 ft
Material Colour:				Material:	CLAY, MEDIUM SAND
45	1 of 1	WNW/231.6	242.8	Southwest corner of Highway 50 and McEwan, Bolton<UNOFFICIAL> Caledon ON	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Ref NO: 6076-7L9VUB Contaminant Code: 15 Contaminant Name: MOTOR OIL Contaminant Quantity: 15 L Incident Cause: Other Transport Accident Incident Dt: Incident Reason: Incident Summary: Highway 50: 15L of engine fluids to ground & ditch from MVA MOE Reported Dt: 11/10/2008 Environmental Impact: Confirmed Nature of Impact: Soil Contamination Receiving Medium: SAC Action Class: Land Spills Sector Source Type: Other Motor Vehicle Site Municipality: Caledon					
46	1 of 1	SSE/216.2	234.5	BOLTON ON	WWIS
Well ID: 7051218 Concession: County: PEEL Easting Nad83: 603826 Zone: 17 Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Elevation (m): 237.68 Depth to Bedrock: Water Type: --- Details --- Thickness: m Material Colour:					
Lot: Concession Name: Municipality: CALEDON TOWN (BOLTON) Northing Nad83: 4856896 Utm Reliability: margin of error : 10 - 30 m Construction Date: 31-AUG-07 Well Depth: m Static Water Level: Clear/Cloudy: Final Well Status: Abandoned-Other Flowing (y/n): Elevation Reliability: Overburden/Bedrock: k: Casing Material: Original Depth: m Material:					
47	1 of 9	N/204.9	242.9	Wal-Mart Canada Corp. 150 McEwan Drive East #5742 Bolton ON L7E 2Y3	GEN
Generator #: ON2346882 Approval Yrs: 2009 SIC Code: 453999 SIC Description: All Other Miscellaneous Store Retailers (except Beer and Wine-Making Supplies Stores) --- Details --- Waste Code: 112 Waste Description: ACID WASTE - HEAVY METALS + Waste Code: 122					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<hr/>					
Waste Description:		ALKALINE WASTES - OTHER METALS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		262			
Waste Description:		DETERGENTS/SOAPS			
+					
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		265			
Waste Description:		GRAPHIC ART WASTES			
+					
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
<hr/>					
47	2 of 9	N/204.9	242.9	Wal-Mart Canada Corp. 150 McEwan Drive East #5742 Bolton ON L7E 2Y3	GEN
<hr/>					
Generator #:		ON2346882			
Approval Yrs:		2010			
SIC Code:		453999			
SIC Description:		All Other Miscellaneous Store Retailers (except Beer and Wine-Making Supplies Stores)			
--- Details ---					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		265			
Waste Description:		GRAPHIC ART WASTES			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
+					
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
+					
Waste Code:		262			
Waste Description:		DETERGENTS/SOAPS			
+					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
+					
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			

<u>47</u>	3 of 9	N/204.9	242.9	Wal-Mart Canada Corp. 150 McEwan Drive East Bolton ON L7E 2Y3	GEN
---------------------------	--------	----------------	--------------	--	------------

Generator #: ON2346882
Approval Yrs: 04,05,06,07,08
SIC Code: 453999
SIC Description: All Other Miscellaneous Store Retailers (except Beer and Wine-Making Supplies Stores)

--- Details ---

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS
 +
Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS
 +
Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES
 +
Waste Code: 147
Waste Description: CHEMICAL FERTILIZER WASTES
 +
Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS
 +
Waste Code: 213
Waste Description: PETROLEUM DISTILLATES
 +
Waste Code: 242
Waste Description: HALOGENATED PESTICIDES
 +
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS
 +
Waste Code: 262
Waste Description: DETERGENTS/SOAPS

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
--- Details ---					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
+					
Waste Code:		265			
Waste Description:		GRAPHIC ART WASTES			
+					
Waste Code:		262			
Waste Description:		DETERGENTS/SOAPS			
+					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
+					
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
+					
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			
+					
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
47	6 of 9	N/204.9	242.9	Walmart Canada Corp. 150 McEwan Drive East #5742 Bolton ON L7E 2Y3	GEN
Generator #:		ON2346882			
Approval Yrs:		2012			
SIC Code:		453999			
SIC Description:		All Other Miscellaneous Store Retailers (except Beer and Wine-Making Supplies Stores)			
--- Details ---					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
+					
Waste Code:		262			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Description:</i>		DETERGENTS/SOAPS			
+					
<i>Waste Code:</i>		331			
<i>Waste Description:</i>		WASTE COMPRESSED GASES			
+					
<i>Waste Code:</i>		242			
<i>Waste Description:</i>		HALOGENATED PESTICIDES			
+					
<i>Waste Code:</i>		148			
<i>Waste Description:</i>		INORGANIC LABORATORY CHEMICALS			
+					
<i>Waste Code:</i>		112			
<i>Waste Description:</i>		ACID WASTE - HEAVY METALS			
+					
<i>Waste Code:</i>		265			
<i>Waste Description:</i>		GRAPHIC ART WASTES			
+					
<i>Waste Code:</i>		252			
<i>Waste Description:</i>		WASTE OILS & LUBRICANTS			
+					
<i>Waste Code:</i>		122			
<i>Waste Description:</i>		ALKALINE WASTES - OTHER METALS			
+					
<i>Waste Code:</i>		263			
<i>Waste Description:</i>		ORGANIC LABORATORY CHEMICALS			

[47](#)

7 of 9

N/204.9

242.9

**Walmart Canada Corp.
150 McEwan Drive East #5742
Bolton ON L7E 2Y3**

GEN

Generator #: ON2346882
Approval Yrs: 2011
SIC Code: 453999
SIC Description: All Other Miscellaneous Store Retailers (except Beer and Wine-Making Supplies Stores)

--- Details ---

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES
+
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS
+
Waste Code: 242
Waste Description: HALOGENATED PESTICIDES
+
Waste Code: 265
Waste Description: GRAPHIC ART WASTES
+
Waste Code: 147
Waste Description: CHEMICAL FERTILIZER WASTES
+
Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS
+
Waste Code: 122
Waste Description: ALKALINE WASTES - OTHER METALS
+

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Code: 148 Waste Description: INORGANIC LABORATORY CHEMICALS + Waste Code: 145 Waste Description: PAINT/PIGMENT/COATING RESIDUES + Waste Code: 213 Waste Description: PETROLEUM DISTILLATES + Waste Code: 263 Waste Description: ORGANIC LABORATORY CHEMICALS + Waste Code: 262 Waste Description: DETERGENTS/SOAPS					
47	8 of 9	N/204.9	242.9	WAL-MART CANADA CORP STORE #5742 150 MCEWAN DR E BOLTON ON L7E 2Y3	PES
Licence No.: Licence Type:		23-01-12557-0 LIMITED			
47	9 of 9	N/204.9	242.9	WAL-MART CANADA CORP STORE #5742 150 MCEWAN DR E BOLTON ON L7E 2Y3	PES
Licence No.: Licence Type:		Vendor			
48	1 of 1	SSE/215.3	235.3	GO VACATIONS RR 3 12500 HWY 50 BOLTON ON L7E 1M7	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:		ON0797500 86,87,88,89,90,92,93,94 0000 *** NOT DEFINED ***			
49	1 of 1	NNE/205.6	240.1	CALEDON ON	WWIS
Well ID: Concession: County: Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method:		7149488 PEEL 603777 17 Monitoring and Test Hole Other Method		Lot: Concession Name: Municipality: Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n):	
				CALEDON TOWN (ALBION) 4857485 margin of error : 30 m - 100 m 15-JUL-10 7.62 ft Monitoring and Test Hole	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Elevation (m):	242.15			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:				Overburden/Bedrock:	
--- Details ---				k:	
Thickness:	2.13 ft			Casing Material:	Not stated
Material Colour:	BROWN			Original Depth:	2.13 ft
+				Material:	GRAVEL, SAND, FILL
Thickness:	3.36 ft			Original Depth:	5.49 ft
Material Colour:	GREY			Material:	SILT, CLAY, DENSE
+					
Thickness:	2.13 ft			Original Depth:	7.62 ft
Material Colour:	GREY			Material:	CLAY, SILT, SOFT
50	1 of 1	S/204.0	235.7	lot 3 con 6 ON	WWIS
Well ID:	4900316			Lot:	003
Concession:	06			Concession Name:	CON
County:	PEEL			Municipality:	CALEDON TOWN (ALBION)
Easting Nad83:	603685.6			Northing Nad83:	4856848
Zone:	17			Utm Reliability:	margin of error : 100 m - 300 m
Primary Water Use:	Livestock			Construction Date:	01-DEC-67
Sec. Water Use:	Domestic			Well Depth:	155 ft
Pump Rate:	4 GPM			Static Water Level:	120 ft
Flow Rate:				Clear/Cloudy:	CLEAR
Specific Capacity:				Final Well Status:	Water Supply
Construction Method:	Cable Tool			Flowing (y/n):	N
Elevation (m):	239.29			Elevation	
Depth to Bedrock:				Reliability:	
Water Type:	FRESH			Overburden/Bedrock:	Overburden
--- Details ---				k:	
Thickness:	18 ft			Casing Material:	FRESH
Material Colour:	BROWN			Original Depth:	18 ft
+				Material:	CLAY
Thickness:	127 ft			Original Depth:	145 ft
Material Colour:	BLUE			Material:	CLAY
+					
Thickness:	10 ft			Original Depth:	155 ft
Material Colour:				Material:	FINE SAND
51	1 of 1	NNE/215.0	239.2	Dr. Marian Rizk Dentistry Prof. 196 McEwan Drive East Unit 5 & 6 Bolton ON	GEN
Generator #:	ON5712584				
Approval Yrs:	As of May 2015				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
SIC Code: SIC Description: --- Details --- Waste Code: 312 Waste Description: Pathological wastes					
52	1 of 1	NE/232.9	237.7	72 Commercial Road Bolton ON	EHS
Addit. Info Ordered: Order No.: 20140129013 Report Date: 06-FEB-14 Report Type: Custom Report Search Radius (km): .25					
53	1 of 2	W/248.0	242.8	STEELES-JANE PROERTIES INC.-PT. LOT 4 3 & 5 MCEWAN DR./0.1 HWY. #50 CALEDON TOWN ON	CA
Certificate #: 7-0808-90- Application Year: 90 Issue Date: 6/15/1990 Approval Type: Municipal water Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
53	2 of 2	W/248.0	242.8	STEELES-JANE PROPERTIES INC.-PT. LOT 4 3&5 MCEWAN DR. & 0.1 HWY. #50 CALEDON TOWN ON	CA
Certificate #: 3-0979-90- Application Year: 90 Issue Date: 6/15/1990 Approval Type: Municipal sewage Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
54	1 of 1	NNE/218.4	240.1	CALEDON ON	WWIS
<div> <div> Well ID: 7149489 Concession: County: PEEL Easting Nad83: 603784 Zone: 17 Primary Water Use: Monitoring and Test Hole Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method: Other Method Elevation (m): 242.22 Depth to Bedrock: Water Type: --- Details --- Thickness: 2.13 ft Material Colour: BROWN + Thickness: 3.31 ft Material Colour: GREY + Thickness: 2.18 ft Material Colour: GREY </div> <div> Lot: Concession Name: Municipality: CALEDON TOWN (ALBION) Northing Nad83: 4857496 Utm Reliability: margin of error : 30 m - 100 m Construction Date: 15-JUL-10 Well Depth: 7.62 ft Static Water Level: Clear/Cloudy: Final Well Status: Monitoring and Test Hole Flowing (y/n): Elevation Reliability: Overburden/Bedrock: Casing Material: Not stated Original Depth: 2.13 ft Material: GRAVEL, SAND, FILL Original Depth: 5.44 ft Material: SILT, CLAY, DENSE Original Depth: 7.62 ft Material: CLAY, SILT, SOFT </div> </div>					
55	1 of 29	E/236.0	234.0	Donald Armstrong 50 Commercial Road Caledon ON	EBR
<div> Year: 2012 EBR Registry No.: 011-7864 Ministry Ref. No.: 6748-8YSNKU Type: Instrument Proposal Instrument Type: (EPA Part II.1) - Environmental Compliance Approval (project type: waste) Proposal Date: December 28, 2012 Location: 50 Commercial Road Caledon Regional Municipality of Peel TOWN OF CALEDON Proponent Address: 50 Commercial Road Bolton Ontario Canada L7E 1K4 </div>					
55	2 of 29	E/236.0	234.0	Donald J. Armstrong 50 Commercial Rd Bolton Caledon ON	ECA
<div> CofA Number: 4877-8MZPZX Date: 11/18/2011 Status: Approved Project Type: Waste Management System </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
55	3 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON	EXP
Instance ID: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Instance Number: Instance Type: Status: Description:		64510014			
		64510014			
		FS Liquid Fuel Tank			
		EXPIRED			
		FS Liquid Fuel Tank			
55	4 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	EXP
Instance ID: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Instance Number: Instance Type: Status: Description:		64510014			
		FS Liquid Fuel Tank			
		7/19/2011 9:40			
		64510014			
		FS Liquid Fuel Tank			
		EXPIRED			
		FS Bulk Plant (Small)			
55	5 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON	EXP
Instance ID: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Instance Number: Instance Type: Status: Description:		64510015			
		64510015			
		FS Liquid Fuel Tank			
		EXPIRED			
		FS Liquid Fuel Tank			
55	6 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	EXP
Instance ID: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Instance Number:		64510015			
		FS Liquid Fuel Tank			
		7/19/2011 9:41			
		64510015			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Instance Type:		FS Liquid Fuel Tank			
Status:		EXPIRED			
Description:		FS Bulk Plant (Small)			
55	7 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	EXP
Instance ID:		64510013			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		7/19/2011 9:39			
Instance Number:		64510013			
Instance Type:		FS Liquid Fuel Tank			
Status:		EXPIRED			
Description:		FS Bulk Plant (Small)			
55	8 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON	EXP
Instance ID:		64510013			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
Instance Number:		64510013			
Instance Type:		FS Liquid Fuel Tank			
Status:		EXPIRED			
Description:		FS Liquid Fuel Tank			
55	9 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
Instance Number:		64510012			
Cont Name:					
Instance Type:		FS Liquid Fuel Tank			
Fuel Type:		Fuel Oil			
Status:		Active			
Capacity:		45000			
Tank Material:		Steel			
Corrosion Protection:		Painted			
Tank Type:		Single Wall Horizontal AST + dike			
Install Year:		2003			
Parent Facility Type:		FS Bulk Plant (Small)			
Facility Type:		FS Liquid Fuel Tank			
55	10 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
Instance Number: 64510010 Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Gasoline Status: Active Capacity: 45000 Tank Material: Steel Corrosion Protection: Painted Tank Type: Single Wall Vertical AST + dike Install Year: 2003 Parent Facility Type: FS Bulk Plant (Small) Facility Type: FS Liquid Fuel Tank					
55	11 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
Instance Number: 11599715 Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Diesel Status: Active Capacity: 45000 Tank Material: Steel Corrosion Protection: Painted Tank Type: Single Wall Vertical AST + dike Install Year: 2003 Parent Facility Type: FS Bulk Plant (Small) Facility Type: FS Liquid Fuel Tank					
55	12 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
Instance Number: 11599701 Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Diesel Status: Active Capacity: 45000 Tank Material: Steel Corrosion Protection: Painted Tank Type: Single Wall Vertical AST + dike Install Year: 2003 Parent Facility Type: FS Bulk Plant (Small) Facility Type: FS Liquid Fuel Tank					
55	13 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
Instance Number: 11599706 Cont Name:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		FS Liquid Fuel Tank Diesel Active 45000 Steel Painted Single Wall Vertical AST + dike 2003 FS Bulk Plant (Small) FS Liquid Fuel Tank			
55	14 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
Instance Number: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		64510011 FS Liquid Fuel Tank Diesel Active 45000 Steel Painted Single Wall Horizontal AST + dike 2003 FS Bulk Plant (Small) FS Liquid Fuel Tank			
55	15 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
Instance Number: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		11599726 FS Liquid Fuel Tank Diesel Active 45000 Steel Painted Single Wall Vertical AST + dike 2003 FS Bulk Plant (Small) FS Liquid Fuel Tank			
55	16 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:		ON3829576 2012 454310 Fuel Dealers			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
			252		
			WASTE OILS & LUBRICANTS		
			+		
			251		
			OIL SKIMMINGS & SLUDGES		
			+		
			221		
			LIGHT FUELS		
55	17 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
			Generator #:	ON3829576	
			Approval Yrs:	2010	
			SIC Code:	454310	
			SIC Description:	Fuel Dealers	
--- Details ---					
			221		
			LIGHT FUELS		
			+		
			252		
			WASTE OILS & LUBRICANTS		
			+		
			251		
			OIL SKIMMINGS & SLUDGES		
55	18 of 29	E/236.0	234.0	Kardtech Inc. 50 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
			Generator #:	ON3556841	
			Approval Yrs:	2010	
			SIC Code:	238990	
			SIC Description:	All Other Specialty Trade Contractors	
--- Details ---					
			251		
			OIL SKIMMINGS & SLUDGES		
55	19 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
			Generator #:	ON3829576	
			Approval Yrs:	2009	
			SIC Code:	454310	
			SIC Description:	Fuel Dealers	
--- Details ---					
			221		
			LIGHT FUELS		
			+		
			252		

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Description:		WASTE OILS & LUBRICANTS			
55	20 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
Generator #:		ON3829576			
Approval Yrs:		03,04,05,06,07,08			
SIC Code:		454310			
SIC Description:		Fuel Dealers			
--- Details ---					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
55	21 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON	GEN
Generator #:		ON3829576			
Approval Yrs:		2013			
SIC Code:		454310			
SIC Description:					
--- Details ---					
Waste Code:		251			
Waste Description:		OIL SKIMMINGS & SLUDGES			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
55	22 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
Generator #:		ON3829576			
Approval Yrs:		2011			
SIC Code:		454310			
SIC Description:		Fuel Dealers			
--- Details ---					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		251			
Waste Description:		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
55	23 of 29	E/236.0	234.0	DONALD J. ARMSTRONG 50 COMMERCIAL ROAD CALEDON ON	REC
Receiver #:		6003-95YKUP			
Facility Type:		TRANSFER STN - PROCESSING			
Approval Yrs:		2013			
--- Details ---					
Waste Code:		150			
Waste Description:		INERT INORGANIC WASTES			
+					
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			
+					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
+					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
+					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
+					
Waste Code:		222			
Waste Description:		HEAVY FUELS			
+					
Waste Code:		241			
Waste Description:		HALOGENATED SOLVENTS			
+					
Waste Code:		251			
Waste Description:		OIL SKIMMINGS & SLUDGES			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		253			
Waste Description:		EMULSIFIED OILS			
+					
Waste Code:		254			
Waste Description:		TRANSFER STATION OILS WASTES			
55	24 of 29	E/236.0	234.0	DONALD J. ARMSTRONG 50 COMMERCIAL ROAD CALEDON ON	REC
Receiver #:		6003-95YKUP			
Facility Type:		TRANSFER STN - PROCESSING			
Approval Yrs:		2012			
55	25 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS 50 COMMERCIAL RD BOLTON ON L7E1K4	RST
Facility:		DIESEL FUEL			
Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
55	26 of 29	E/236.0	234.0	ARMSTRONG PETROLEUM 50 COMMERCIAL RD BOLTON ON L7E 1K4	RST
Facility: Description:		OILS-FUEL			
55	27 of 29	E/236.0	234.0	ARMSTRONG PETROLEUM 50 COMMERCIAL RD BOLTON ON L7E1K4	RST
Facility: Description:		DIESEL FUEL			
55	28 of 29	E/236.0	234.0	ARMSTRONG PETROLEUMS 50 COMMERCIAL RD BOLTON ON L7E 1K4	RST
Facility: Description:		DIESEL FUEL			
55	29 of 29	E/236.0	234.0	Donald J. Armstrong 50 Commercial Rd Bolton Caledon ON	WDS
Certificate No.:		6003-95YKUP			
Issue Date:		5/15/13			
Status:		Approved			
Application Status:					
Concession:					
Lot:					
Region/County:		Caledon			
Proponent:					
Address:					
City:					
Facility Type:					
District Office:					
Municipalities Served:					
Total Area (ha):					
Landfill Capacity (m³):					
Landfill Monitoring:					
Landfill Control Type:					
Est. Closure Date:					
Transfer Area (ha):					
Transfer Capacity (m³):					
Transfer Sites Certificate No.:					
Incinerator Area (ha):					
Incinerator Capacity (t):					
Processing Area (m³):					
Processing Capacity (m³/d):					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
Processing Volume (m³): Processing Feed (m³): Mobile Units: Mobile Description: Mobile Capacity: Mobile Unit Certificate No.: Waste Type: Waste Type Other: Waste Class: Other Approvals/Permits: Approval Description: Waste Description: Site Closing Description:					
56	1 of 11	NE/249.9	237.6	551887 Ontario Limited 94 Commercial Road Caledon ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		3339-5W3JYM 2004 6/11/2004 Air Approved 			
56	2 of 11	NE/249.9	237.6	551887 Ontario Limited 94 Commercial Road Caledon ON L7E 5R9	EBR
Year: EBR Registry No.: Ministry Ref. No.: Type: Instrument Type: Proposal Date: Location: Proponent Address:		2003 IA03E0763 1663-5LEHXL Instrument Decision Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9 5/29/03 94 Commercial Road Caledon Ontario L7E 5R9 94 Commercial Road Caledon Ontario L7E 5R9			
56	3 of 11	NE/249.9	237.6	551887 Ontario Limited 94 Commercial Road Bolton ON L7E 1K4	GEN
Generator #: Approval Yrs: SIC Code: SIC Description:		ON3137281 06 238330 Flooring Contractors			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--- Details ---					
			145		
			Waste Description:	PAINT/PIGMENT/COATING RESIDUES	
			+		
			Waste Code:	211	
			Waste Description:	AROMATIC SOLVENTS	
			+		
			Waste Code:	252	
			Waste Description:	WASTE OILS & LUBRICANTS	
56	4 of 11	NE/249.9	237.6	Tri-Krete Coatings Inc. 94 Commercial Road Bolton ON L7E 1K4	GEN
			Generator #:	ON3137281	
			Approval Yrs:	As of May 2015	
			SIC Code:		
			SIC Description:		
--- Details ---					
			Waste Code:	211	
			Waste Description:	Aromatic solvents and residues	
			+		
			Waste Code:	252	
			Waste Description:	Waste crankcase oils and lubricants	
56	5 of 11	NE/249.9	237.6	Tri-Krete Coatings Inc. 94 Commercial Road Bolton ON L7E 1K4	GEN
			Generator #:	ON3137281	
			Approval Yrs:	07,08	
			SIC Code:	238330	
			SIC Description:	Flooring Contractors	
--- Details ---					
			Waste Code:	145	
			Waste Description:	PAINT/PIGMENT/COATING RESIDUES	
			+		
			Waste Code:	211	
			Waste Description:	AROMATIC SOLVENTS	
			+		
			Waste Code:	252	
			Waste Description:	WASTE OILS & LUBRICANTS	
56	6 of 11	NE/249.9	237.6	Tri-Krete Coatings Inc. 94 Commercial Road Bolton ON L7E 1K4	GEN
			Generator #:	ON3137281	
			Approval Yrs:	2010	
			SIC Code:	238330	
			SIC Description:	Flooring Contractors	
--- Details ---					
			Waste Code:	145	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
+					
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			
56	7 of 11	NE/249.9	237.6	Tri-Krete Coatings Inc. 94 Commercial Road Bolton ON	GEN
Generator #:		ON3137281			
Approval Yrs:		2013			
SIC Code:		238330			
SIC Description:		FLOORING CONTRACTORS			
--- Details ---					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
56	8 of 11	NE/249.9	237.6	Tri-Krete Coatings Inc. 94 Commercial Road Bolton ON L7E 1K4	GEN
Generator #:		ON3137281			
Approval Yrs:		2009			
SIC Code:		238330			
SIC Description:		Flooring Contractors			
--- Details ---					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
+					
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			
+					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
56	9 of 11	NE/249.9	237.6	Tri-Krete Coatings Inc. 94 Commercial Road Bolton ON L7E 1K4	GEN
Generator #:		ON3137281			
Approval Yrs:		2011			
SIC Code:		238330			
SIC Description:		Flooring Contractors			
--- Details ---					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Waste Code: 211 Waste Description: AROMATIC SOLVENTS + Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS + Waste Code: 145 Waste Description: PAINT/PIGMENT/COATING RESIDUES					
56	10 of 11	NE/249.9	237.6	Tri-Krete Coatings Inc. 94 Commercial Road Bolton ON L7E 1K4	GEN
Generator #: ON3137281 Approval Yrs: 2012 SIC Code: 238330 SIC Description: Flooring Contractors --- Details --- Waste Code: 211 Waste Description: AROMATIC SOLVENTS + Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS + Waste Code: 145 Waste Description: PAINT/PIGMENT/COATING RESIDUES					
56	11 of 11	NE/249.9	237.6	Tri-Krete Coatings Inc. 94 Commercial Rd Bolton ON L7E 1K4	SCT
Established: 01-AUG-76 Plant Size (ft²): Employment: --- Details --- Description: Other Ornamental and Architectural Metal Product Manufacturing SIC/NAICS Code: 332329 + Description: Architectural Services SIC/NAICS Code: 541310 + Description: All Other Miscellaneous Chemical Product Manufacturing SIC/NAICS Code: 325999					
57	1 of 1	SW/241.5	238.3	8 HOPCROFT ROAD TOWN OF CALEDON (BOLTON) ON	EHS
Addit. Info Ordered: Order No.: 20110914009 Report Date: 9/15/2011 Report Type: Site Report Search Radius (km): 0.25					

Unplottable Summary

Total: 41 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA		Part of the East Half of Lot 4, Concession 6	Caledon ON	
CA	Loblaw Properties Limited	Part of West Half Lot 4, Concession 7	Caledon ON	
CA		Part of Lot 4, Concession 6	Caledon ON	
CA		Lot 4, Conc. 6, Part 1, Ref 43R-22881, (Old Paisley Estates)	Caledon ON	
CA	Old Paisley Estates	Lot 4, Conc. 6, Part 1, RP 43R-22881	Caledon ON	
CA	Old Paisley Estates	Lot 4, Conc. 6, Part 1, RP 43R-22881	Caledon ON	
CA	Bolton South Business Park	Lot 3, Concession 6	Caledon ON	
CA	Bolton South Business Park	Lot 3, Concession 6	Caledon ON	
CA	J.N.G. COAST. DEVELOPMENT LTD.	BOLTON INDUSTRIAL PARK PH. II	CALEDON TOWN ON	
CA	R.M. OF PEEL - LOT 3, CONC. 7	INDUSTRIAL ROAD	CALEDON TOWN ON	
CA	BOLTON BUILDERS SUPPLY	INDUSTRIAL RD.	CALEDON TOWN ON	
CA	ALBION FAIRWAYS DEVELOPMENTS LTD.	HWY. NO. 50 BOLTON GOLF CLUB	CALEDON TOWN ON	
CA	Bolton South Industrial Lands	Lot 3, Conc. 6, George Bolton Parkway South	Caledon ON	
CA	D. DENOFRIO	COMMERCIAL RD. EXT.	CALEDON TOWN ON	
CA	Loblaw Properties Limited	Part of the West 1/2 of Lot 4, Con. 7	Caledon ON	
CONV	WALMART CANADA INC.		ON	

ECA	First Hungarian Baptist Church Inc.	Lot 3, Concession 7	Vaughan ON	
GEN	Town of Caledon	Part Lot 4, Plan 43M	Caledon ON	
GEN	PETRO-CANADA PRODUCTS	HWY 50 E/S CON 7 PT LOT 6	CALEDOWN TOWNSHIP ON	
HINC		HIGHWAY 50 [NEAR CASTLEDERG SIDEROAD]	CALEDON ON	
PES	SAINT'S COLD CREEK NURSERY	R.R. #2, HWY. 50	BOLTON ON	L7E 5R8
PES	SANT'S COLD CREEK NURSERY	R. R. #2, HWY. 50	BOLTON ON	L7E 5R8
PRT	623088 ONTARIO LIMITED	LOT 2 CON 7 HWY 50	BOLTON ON	
PTTW	Bolton Golf Club (Clublink Corporation)	Highway 50	Bolton ON	
SCT	James Dick Concrete Aggregates - Div. of James Dick Construction Ltd.	Hwy 50	Bolton ON	L7E 5T4
SCT	JAMES DICK CONCRETE AGGREGATES	HWY 50	BOLTON ON	L7E 5T4
SCT	CALEDON SAND & GRAVEL INC.	HIGHWAY 50 RR 1	BOLTON ON	L7E 5Z7
SCT	Caledon Sand & Gravel Inc.	Hwy 50	Bolton ON	L7E 5Z7
SPL	LODWICK TRANSPORT	HWY 50 JUST SOUTH OF BOLTON TRANSPORT TRUCK (CARGO)	PEEL R.M. ON	
SPL	Unknown<UNOFFICIAL>	Region Road 50, near Queensgate Boulevard	Caledon ON	
SPL	Vira Transport Inc. <UNOFFICIAL>; Khalistan Transport Company Ltd.<UNOFFICIAL>	Region Rd. 50, North of Birch Avenue	Caledon ON	
SPL	ONTARIO HYDRO	EAST 1/2 LOT 3, CONC. VI, ALBION TWP. MOTOR VEHICLE (OPERATING FLUID)	CALEDON TOWN ON	
SPL		17 McEwan Drive Bolton	Caledon ON	
SPL	Graham Bros. Construction Limited	Highway 50 south of Highway 9, almost at intersection	Caledon ON	
SPL	UNKNOWN	HWY 50,BOLTON	CALEDON TOWN ON	

SPL	ROTHSAY	HWY 50, 1 KM NORTH OF KING ST IN BOLTON TRANSPORT TRUCK (CARGO)	CALEDON TOWN ON
SPL	PEEL REGIONAL MUNICIPALITY	REGIONAL ROAD 50 5KM SOUTH OF #9 HIGHWAY, PALGRAVE WATER DISTRIBUTION SYSTEM 905-791- 7800	CALEDON TOWN ON
SPL	PRIVATE OWNER	HWY 50 N OF BOLTON-TOP OF HILL ACROSS FROM PETRO CANADA STORAGE TANK/BARREL	PEEL R.M. ON
WWIS		lot 4	ON
WWIS			BOLTON ON
WWIS		lot 4	ON

Unplottable Report

Site:

Part of the East Half of Lot 4, Concession 6 Caledon ON

Database:

CA

Certificate #: 1534-4HTSV5
Application Year: 00
Issue Date: 3/31/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Di Gregorio Investments Ltd.
Client Address: 4 Holland Drive Units 8 & 9
Client City: Bolton
Client Postal Code: L7E 1G1
Project Description: Storm sewers to be constructed in conjunction with project No. C-02.0.
Contaminants:
Emission Control:

Site: **Loblaw Properties Limited**

Part of West Half Lot 4, Concession 7 Caledon ON

Database:

CA

Certificate #: 9828-5RANSC
Application Year: 2003
Issue Date: 9/12/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site:

Part of Lot 4, Concession 6 Caledon ON

Database:

CA

Certificate #: 5356-4SZHVS
Application Year: 02
Issue Date: 2/18/02
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Di Gregorio Investments Ltd.
Client Address: 4 Holland Drive Units 8 & 9
Client City: Bolton
Client Postal Code: L7E 1G1
Project Description: This application is for a Stormwater Management Facility.

Contaminants:
Emission Control:

Site: Lot 4, Conc. 6, Part 1, Ref 43R-22881, (Old Paisley Estates) Caledon ON

Database:
CA

Certificate #: 7351-4NGJPS
Application Year: 00
Issue Date: 8/24/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Old Paisley Estates Inc.
Client Address: 4100 Yonge Street, Suite 310
Client City: Toronto
Client Postal Code: M2P 2B5
Project Description: Construction of watermains on Filton Road and Putney Road.
Contaminants:
Emission Control:

Site: Old Paisley Estates
Lot 4, Conc. 6, Part 1, RP 43R-22881 Caledon ON

Database:
CA

Certificate #: 0807-4TYPBK
Application Year: 01
Issue Date: 3/1/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Old Paisley Estates Inc.
Client Address: 4100 Yonge Street, Suite 310
Client City: Toronto
Client Postal Code: M2P 2B5
Project Description: SWM Facility approx. 60 m E. from center of cul-de-sac of Filton Rd., and , N.E. Corner of Walker Rd. N. & Putney Rd., approx. 300 m W. from Intersection of Airport Rd. and Walker Rd. W.
Contaminants:
Emission Control:

Site: Old Paisley Estates
Lot 4, Conc. 6, Part 1, RP 43R-22881 Caledon ON

Database:
CA

Certificate #: 4432-4NGJFW
Application Year: 01
Issue Date: 2/20/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Old Paisley Estates Inc.
Client Address: 4100 Yonge Street, Suite 310
Client City: Toronto
Client Postal Code: M2P 2B5
Project Description: Construction of sanitary sewers on Filton Road, Putney Road and Airport Road. Construction of storm sewers on Filton Road and Putney Road.
Contaminants:
Emission Control:

Site: *Bolton South Business Park*
Lot 3, Concession 6 Caledon ON

Database:
CA

Certificate #: 8858-4VXNLG
Application Year: 01
Issue Date: 5/3/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Town of Caledon
Client Address: 6311 Old Church Road, Box 1000
Client City: Caledon
Client Postal Code: L0N 1E0
Project Description: Watermains to be constructed on George Bolton Parkway, Nixon Road and Access Road
Contaminants:
Emission Control:

Site: *Bolton South Business Park*
Lot 3, Concession 6 Caledon ON

Database:
CA

Certificate #: 7758-4VXP7Z
Application Year: 01
Issue Date: 5/3/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Town of Caledon
Client Address: 6311 Old Church Road, Box 1000
Client City: Caledon
Client Postal Code: L0N 1E0
Project Description: Sanitary and storm sewers to be constructed on George Bolton Parkway, Nixon Road and Access RoadN/A
Contaminants:
Emission Control:

Site: *J.N.G. COAST. DEVELOPMENT LTD.*
BOLTON INDUSTRIAL PARK PH. II CALEDON TOWN ON

Database:
CA

Certificate #: 3-0280-88-
Application Year: 88
Issue Date: 4/26/1988
Approval Type: Municipal sewage
Status: Revised
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF PEEL - LOT 3, CONC. 7
INDUSTRIAL ROAD CALEDON TOWN ON

Database:
CA

Certificate #: 3-2085-90-
Application Year: 90
Issue Date: 11/16/1990
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: BOLTON BUILDERS SUPPLY
INDUSTRIAL RD. CALEDON TOWN ON

Database:
CA

Certificate #: 3-2205-87-
Application Year: 87
Issue Date: 12/18/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ALBION FAIRWAYS DEVELOPMENTS LTD.
HWY. NO. 50 BOLTON GOLF CLUB CALEDON TOWN ON

Database:
CA

Certificate #: 7-1942-88-
Application Year: 88
Issue Date: 12/5/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Bolton South Industrial Lands
Lot 3, Conc. 6, George Bolton Parkway South Caledon ON

Database:
CA

Certificate #: 1184-4WTPFT

Application Year: 01
Issue Date: 10/31/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Town of Caledon
Client Address: 6311 Old Church Road, Box 1000
Client City: Caledon
Client Postal Code: L0N 1E0
Project Description: This application is for the construction of storm water management ponds A & B to serve Bolton South industrial lands immediately south of George Bolton Parkway.
Contaminants:
Emission Control:

Site: **D. DENOFRIO**
COMMERCIAL RD. EXT. CALEDON TOWN ON

Database:
CA

Certificate #: 7-1531-86-
Application Year: 86
Issue Date: 1/19/1987
Approval Type: Municipal water
Status: Approved in 1987
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Loblaw Properties Limited**
Part of the West 1/2 of Lot 4, Con. 7 Caledon ON

Database:
CA

Certificate #: 5438-5L8L8A
Application Year: 2003
Issue Date: 4/3/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **WALMART CANADA INC.**
ON

Database:
CONV

File No.:
Crown Brief No.: 98-0000-9003
Ministry District:
Region: CENTRAL REGION

Description: THIS IS THE CENTRAL BRIEF FOR ALL P.O.A. TICKETS

--- Details ---

Date Charged: 8/3/00
Fine: \$305.00
Act/Regulation/Section: PA-914-125(B)
Charge Disposition: SUSPENDED SENTENCE

Site: *First Hungarian Baptist Church Inc.
Lot 3, Concession 7 Vaughan ON*

Database:
ECA

CofA Number: 3604-9P8H5X
Date: 9/29/14
Status: Approved
Project Type: Municipal and Private Sewage

Site: *Town of Caledon
Part Lot 4, Plan 43M Caledon ON*

Database:
GEN

Generator #: ON9296314
Approval Yrs: 2009
SIC Code: 913910
SIC Description: Other Local Municipal and Regional Public Administration

--- Details ---

Waste Code: 221
Waste Description: LIGHT FUELS

Site: *PETRO-CANADA PRODUCTS
HWY 50 E/S CON 7 PT LOT 6 CALEDOWN TOWNSHIP ON*

Database:
GEN

Generator #: ON0031051
Approval Yrs: 98
SIC Code: 5111
SIC Description: PETROLEUM PROD., WH.

--- Details ---

Waste Code: 221
Waste Description: LIGHT FUELS

Site: *HIGHWAY 50 [NEAR CASTLEDERG SIDEROAD] CALEDON ON*

Database:
HINC

External File Num: FS INC 0702-00652
Date of Occurrence: 2/9/2007
Fuel Occurrence Type: Leak
Fuel Type Involved: Gasoline
Status Desc: Completed - No Action Required
Job Type Desc: Incident/Near-Miss Occurrence (FS)
Oper. Type Involved: Retail Fuel Station (FS, SS, Multifunctional)
Service Interruptions: No
Property Damage: No
Fuel Life Cycle Stage: Storage and Dispensing
Root Cause:
Reported Details: Complaint received directly via MOE Guelph office.
Fuel Category: Liquid Fuel

Occurrence Type: Near-miss
Affiliation: Safety Authorities (MOL, ESA, Insurers, etc.)
County Name: Peel
Approx. Quant. Rel:
Nearby body of water:
Enter Drainage Syst.:
Approx. Quant. Unit:
Environmental Impact:

Site: **SAINT'S COLD CREEK NURSERY**
R.R. #2, HWY. 50 BOLTON ON L7E 5R8

Database:
PES

Licence No.:
Licence Type: Vendor

Site: **SANT'S COLD CREEK NURSERY**
R. R. #2, HWY. 50 BOLTON ON L7E 5R8

Database:
PES

Licence No.: 23-01-09418-0
Licence Type: Limited Vendor

Site: **623088 ONTARIO LIMITED**
LOT 2 CON 7 HWY 50 BOLTON ON

Database:
PRT

Location ID: 21352
Type: retail
Expiry Date: 1995-10-31
Capacity (L): 113650
Licence #: 0076404409

Site: **Bolton Golf Club (Clublink Corporation)**
Highway 50 Bolton ON

Database:
PTTW

Year: 2000
EBR Registry No.: IA00E0709
Ministry Ref. No.:
Type: Instrument
Instrument Type: OWRA s. 34 - Permit to take water
Proposal Date: 4/20/00
Location: Bolton
Proponent Address: Bolton Golf Club (Clublink Corporation)R.R. #2, Highway 50,Bolton, Ontario, L0N 1P0

Site: **James Dick Concrete Aggregates - Div. of James Dick Construction Ltd.**
Hwy 50 Bolton ON L7E 5T4

Database:
SCT

Established: 1964
Plant Size (ft²): 10000
Employment: 250

--- Details ---
Description: All Other Non-Metallic Mineral Product Manufacturing

SIC/NAICS Code: 327990

Site: JAMES DICK CONCRETE AGGREGATES
HWY 50 BOLTON ON L7E 5T4

Database:
SCT

Established: 1964
Plant Size (ft²): 10000
Employment: 250

--- Details ---

Description: Ready-Mix Concrete Manufacturing
SIC/NAICS Code: 327320

+
Description: All Other Non-Metallic Mineral Product Manufacturing
SIC/NAICS Code: 327990

Site: CALEDON SAND & GRAVEL INC.
HIGHWAY 50 RR 1 BOLTON ON L7E 5Z7

Database:
SCT

Established: 1966
Plant Size (ft²): 0
Employment: 47

--- Details ---

Description: MINERALS AND EARTHS, GROUND OR OTHERWISE TREATED
SIC/NAICS Code: 3295

Site: Caledon Sand & Gravel Inc.
Hwy 50 Bolton ON L7E 5Z7

Database:
SCT

Established: 1966
Plant Size (ft²):
Employment: 47

--- Details ---

Description: All Other Non-Metallic Mineral Product Manufacturing
SIC/NAICS Code: 327990

+
Description: Other Specialty-Line Building Supplies Wholesaler-Distributors
SIC/NAICS Code: 416390

Site: LODWICK TRANSPORT
HWY 50 JUST SOUTH OF BOLTON TRANSPORT TRUCK (CARGO) PEEL R.M. ON

Database:
SPL

Ref NO: 39013
Contaminant Code:
Contaminant Name:
Contaminant Quantity:
Incident Cause: OTHER TRANSPORTATION ACCIDENT
Incident Dt: 8/9/1990
Incident Reason: UNKNOWN
Incident Summary: LODWICK TRANSPORT - 150 L CAR PAINT TO DITCH.
MOE Reported Dt: 8/9/1990
Environmental Impact: POSSIBLE
Nature of Impact:
Receiving Medium: LAND
SAC Action Class:
Sector Source Type:

Site Municipality: 21000

Site: *Unknown<UNOFFICIAL>
Region Road 50, near Queensgate Boulevard Caledon ON*

Database:
SPL

Ref NO: 1203-98YPY4
Contaminant Code: 15
Contaminant Name: OIL (PETROLEUM BASED, NOT SPECIFIED)
Contaminant Quantity: 0 other - see incident description
Incident Cause: Collision/Accident
Incident Dt: 24-JUN-13
Incident Reason: Operator/Human Error
Incident Summary: Region of Peel: oil streak in road, cleaned up
MOE Reported Dt: 24-JUN-13
Environmental Impact: Not Anticipated
Nature of Impact: Other Impact(s)
Receiving Medium:
SAC Action Class: Land Spills
Sector Source Type: Motor Vehicle
Site Municipality: Caledon

Site: *Vira Transport Inc. <UNOFFICIAL>; Khalistan Transport Company Ltd.<UNOFFICIAL>
Region Rd. 50, North of Birch Avenue Caledon ON*

Database:
SPL

Ref NO: 7576-7Z7KJN
Contaminant Code: 13
Contaminant Name: DIESEL FUEL
Contaminant Quantity: 227 L
Incident Cause:
Incident Dt:
Incident Reason:
Incident Summary: Dump Truck: sad. tnk 40-50 gallons of diesel to rd
MOE Reported Dt: 12/29/2009
Environmental Impact:
Nature of Impact: Soil Contamination
Receiving Medium:
SAC Action Class: Land Spills
Sector Source Type:
Site Municipality:

Site: *ONTARIO HYDRO
EAST 1/2 LOT 3, CONC. VI, ALBION TWP. MOTOR VEHICLE (OPERATING FLUID) CALEDON TOWN
ON*

Database:
SPL

Ref NO: 74240
Contaminant Code:
Contaminant Name:
Contaminant Quantity:
Incident Cause: PIPE/HOSE LEAK
Incident Dt: 7/27/1992
Incident Reason: EQUIPMENT FAILURE
Incident Summary: ONTARIO HYDRO -45.5 L. HYDRAULIC OIL TO GRD. FROM BROKEN HOSE ON TRUCK
MOE Reported Dt: 7/27/1992
Environmental Impact: CONFIRMED
Nature of Impact: Soil contamination

Receiving Medium: LAND
SAC Action Class:
Sector Source Type:
Site Municipality: 21401

Site: 17 McEwan Drive Bolton Caledon ON

Database:
SPL

Ref NO: 0037-9V6MMA
Contaminant Code: 44
Contaminant Name: SEWAGE,RAW UNCHLORINATED
Contaminant Quantity: 0 other - see incident description
Incident Cause: Overflow/Surcharge
Incident Dt: 4/1/2015
Incident Reason: Unknown / N/A
Incident Summary: RofP: Manhole Surcharge- Wastes/debris to rdway and cb.
MOE Reported Dt: 4/1/2015
Environmental Impact:
Nature of Impact: Land; Surface Water
Receiving Medium:
SAC Action Class: Watercourse Spills
Sector Source Type:
Site Municipality: Caledon

Site: Graham Bros. Construction Limited
Highway 50 south of Highway 9, almost at intersection Caledon ON

Database:
SPL

Ref NO: 2818-8KMHS4
Contaminant Code: 13
Contaminant Name: DIESEL FUEL
Contaminant Quantity: 200 L
Incident Cause: Other Transport Accident
Incident Dt: 8/11/2011
Incident Reason: Spill
Incident Summary: TT acc: ~200L diesel to asp and CB, ctd, clng
MOE Reported Dt: 8/11/2011
Environmental Impact: Confirmed
Nature of Impact: Other Impact(s); Soil Contamination
Receiving Medium: Sewage - Municipal/Private and Commercial
SAC Action Class: Watercourse Spills
Sector Source Type: Transport Truck
Site Municipality: Caledon

Site: UNKNOWN
HWY 50,BOLTON CALEDON TOWN ON

Database:
SPL

Ref NO: 106027
Contaminant Code:
Contaminant Name:
Contaminant Quantity:
Incident Cause: UNKNOWN
Incident Dt: 10/6/1994
Incident Reason: UNKNOWN
Incident Summary: SOURCE UNKNOWN-UKN QTY DIESEL TO HWY 50,POOLED AT BTM OF HILL,CLEANED.
MOE Reported Dt: 10/6/1994

Environmental Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
SAC Action Class:
Sector Source Type:
Site Municipality: 21401

Site: ROTHSA Y
HWY 50, 1 KM NORTH OF KING ST IN BOLTON TRANSPORT TRUCK (CARGO) CALEDON TOWN ON

Database:
SPL

Ref NO: 95576
Contaminant Code:
Contaminant Name:
Contaminant Quantity:
Incident Cause: CONTAINER OVERFLOW
Incident Dt: 1/22/1994
Incident Reason: ERROR
Incident Summary: ROTHSA Y MEAT COMPANY- 5 M3 RENDERINGS TO HIGHWAY & SHOULDER.
MOE Reported Dt: 1/22/1994
Environmental Impact: CONFIRMED
Nature of Impact: Multi Media Pollution
Receiving Medium: LAND
SAC Action Class:
Sector Source Type:
Site Municipality: 21401

Site: PEEL REGIONAL MUNICIPALITY
REGIONAL ROAD 50 5KM SOUTH OF #9 HIGHWAY, PALGRAVE WATER DISTRIBUTION SYSTEM
905-791-7800 CALEDON TOWN ON

Database:
SPL

Ref NO: 226116
Contaminant Code:
Contaminant Name:
Contaminant Quantity:
Incident Cause: OTHER CAUSE (N.O.S.)
Incident Dt: 5/23/2002
Incident Reason: ERROR
Incident Summary: PEEL: 20 TONS SAND/DIRT TO WATERCOURSE, FEEDS HUMBER, FLUSHLINE ON
MOE Reported Dt: 5/23/2002
Environmental Impact: POSSIBLE
Nature of Impact: Water course or lake
Receiving Medium: WATER
SAC Action Class:
Sector Source Type:
Site Municipality: 21401

Site: PRIVATE OWNER
HWY 50 N OF BOLTON-TOP OF HILL ACROSS FROM PETRO CANADA STORAGE TANK/BARREL
PEEL R.M. ON

Database:
SPL

Ref NO: 38095
Contaminant Code:
Contaminant Name:
Contaminant Quantity:
Incident Cause: PIPE/HOSE LEAK

Incident Dt: 7/23/1990
Incident Reason: CORROSION
Incident Summary: FURNACE OIL TO GROUND
MOE Reported Dt: 7/23/1990
Environmental Impact: CONFIRMED
Nature of Impact: Soil contamination
Receiving Medium: LAND
SAC Action Class:
Sector Source Type:
Site Municipality: 21000

Site:
 lot 4 ON

Database:
 WWIS

Well ID:	6714583	Lot:	004
Concession:		Concession Name:	
County:	WELLINGTON	Municipality:	PEEL TOWNSHIP
Easting Nad83:		Northing Nad83:	
Zone:	17	Utm Reliability:	unknown UTM
Primary Water Use:	Domestic	Construction Date:	20-AUG-03
Sec. Water Use:		Well Depth:	182 ft
Pump Rate:	30 GPM	Static Water Level:	20 ft
Flow Rate:		Clear/Cloudy:	CLEAR
Specific Capacity:		Final Well Status:	Water Supply
Construction Method:	Rotary (Air)	Flowing (y/n):	N
Elevation (m):		Elevation Reliability:	
Depth to Bedrock:		Overburden/Bedrock:	Overburden
Water Type:	FRESH	Casing Material:	FRESH

--- Details ---

Thickness:	95 ft	Original Depth:	95 ft
Material Colour:	BROWN	Material:	CLAY, STONES
+			
Thickness:	9 ft	Original Depth:	104 ft
Material Colour:	BROWN	Material:	SAND
+			
Thickness:	76 ft	Original Depth:	180 ft
Material Colour:	BROWN	Material:	CLAY, STONES
+			
Thickness:	2 ft	Original Depth:	182 ft
Material Colour:		Material:	GRAVEL

Site:
 BOLTON ON

Database:
 WWIS

Well ID:	4909998	Lot:	
Concession:		Concession Name:	
County:	PEEL	Municipality:	CALEDON TOWN (BOLTON)
Easting Nad83:		Northing Nad83:	
Zone:		Utm Reliability:	
Primary Water Use:		Construction Date:	17-AUG-05
Sec. Water Use:		Well Depth:	8.2 m
Pump Rate:		Static Water Level:	
Flow Rate:		Clear/Cloudy:	
Specific Capacity:		Final Well Status:	Observation Wells
Construction	Boring	Flowing (y/n):	

Method:
Elevation (m):
Depth to Bedrock:

Water Type:

Elevation Reliability:
Overburden/Bedrock: Overburden
k:
Casing Material: Not stated

--- Details ---

Thickness: .9 m
Material Colour: BROWN
+
Thickness: 3.3 m
Material Colour: BROWN
+
Thickness: 4 m
Material Colour: GREY

Original Depth: .9 m
Material: FILL, SAND, FINE-GRAINED
Original Depth: 4.2 m
Material: SILT, FILL
Original Depth: 8.2 m
Material: CLAY, SILT

Site:
lot 4 ON

Database:
WWIS

Well ID: 4909093
Concession:
County: PEEL

Lot: 004
Concession Name:
Municipality: CALEDON TOWN (CALEDON EAST)

Easting Nad83:
Zone: 17
Primary Water Use: Domestic
Sec. Water Use:
Pump Rate: 1 GPM
Flow Rate:
Specific Capacity:
Construction Method: Cable Tool
Elevation (m):
Depth to Bedrock: 45

Northing Nad83:
Utm Reliability: unknown UTM
Construction Date: 26-NOV-02
Well Depth: 80 ft
Static Water Level: 5 ft
Clear/Cloudy: CLEAR
Final Well Status: Water Supply
Flowing (y/n): N

Water Type: Not stated

Elevation Reliability:
Overburden/Bedrock: Mixed in a Layer
k:
Casing Material: FRESH, MINERIAL

--- Details ---

Thickness: 1 ft
Material Colour: BROWN
+
Thickness: 19 ft
Material Colour: BROWN
+
Thickness: 10 ft
Material Colour: BROWN
+
Thickness: 15 ft
Material Colour: GREY
+
Thickness: 5 ft
Material Colour: GREY
+
Thickness: 10 ft
Material Colour: RED
+
Thickness: 20 ft
Material Colour: RED

Original Depth: 1 ft
Material: TOPSOIL
Original Depth: 20 ft
Material: MEDIUM SAND, CLAY, MUCK
Original Depth: 30 ft
Material: COARSE SAND, SILT, CLAY
Original Depth: 45 ft
Material: COARSE SAND, GRAVEL, LAYERED
Original Depth: 50 ft
Material: COARSE SAND, SHALE, GRAVEL
Original Depth: 60 ft
Material: SHALE, SOFT
Original Depth: 80 ft
Material: SHALE, LAYERED, SOFT

Appendix: Database Descriptions

*Ecolog Environmental Risk Information Services Ltd (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of all abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

*Government Publication Date: Sept 2002**

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Mar 2015

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2014

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 2001-Jul 2014

Borehole:Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2014

Certificates of Approval:Provincial [CA](#)

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

*Government Publication Date: 1985-Oct 30, 2011**

Commercial Fuel Oil Tanks:Provincial [CFOT](#)

Since May 2002, Ontario developed a new act where it became mandatory for fuel oil tanks to be registered with Technical Standards & Safety Authority (TSSA). This data would include all commercial underground fuel oil tanks in Ontario with fields such as location, registration number, tank material, age of tank and tank size.

Government Publication Date: 1948-Dec 2015

Chemical Register:Private [CHEM](#)

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1992, 1999-Jul 2014

Inventory of Coal Gasification Plants and Coal Tar Sites:Provincial [COAL](#)

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

*Government Publication Date: Apr 1987 and Nov 1988**

Compliance and Convictions:Provincial [CONV](#)

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Feb 2014

Certificates of Property Use:Provincial [CPU](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Jan 2016

Drill Hole Database:Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886-Jun 2014

Environmental Activity and Sector Registry:Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 31 2011-Oct 2015

Environmental Registry:Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Jan 2016

Environmental Compliance Approval:Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 31, 2011-Jun 2015

Environmental Effects Monitoring:Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

*Government Publication Date: 1992-2007**

ERIS Historical Searches:Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Aug 2014

Environmental Issues Inventory System:

Federal EIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

*Government Publication Date: 1992-2001**

Emergency Management Historical Event:

Provincial EMHE

The Emergency Management Historical Event data class will store the locations of historical occurrences of emergency events. Events captured will include those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance.

Government Publication Date: May 31, 2014

List of TSSA Expired Facilities:

Provincial EXP

This is a list of all expired facilities that fall under the TSSA (TSSA Act & Safety Regulations), including the six regulations that exist under the Fuels Safety Division. It will include facilities such as private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. These tanks have been removed and automatically fall under the expired facilities inventory held by TSSA.

Government Publication Date: Current to Nov 2015

Federal Convictions:

Federal FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

*Government Publication Date: 1988-Jun 2007**

Contaminated Sites on Federal Land:

Federal FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

Government Publication Date: June 2000-Oct 2015

Fisheries & Oceans Fuel Tanks:

Federal FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sept 2003

Fuel Storage Tank:

Provincial FST

The Technical Standards & Safety Authority (TSSA), under the Technical Standards & Safety Act of 2000 maintains a database of registered private and retail fuel storage tanks in Ontario with fields such as location, tank status, license date, tank type, tank capacity, fuel type, installation year and facility type.

Government Publication Date: 2010-Nov 2015

Fuel Storage Tank - Historic:Provincial **FSTH**

The Technical Standards & Safety Authority (TSSA), under the Technical Standards & Safety Act of 2000 maintains a database of registered private and retail fuel storage tanks in Ontario with fields such as location, tank status, license date, tank type, tank capacity, fuel type, installation year and facility type.

*Government Publication Date: Pre-Jan 2010**

Ontario Regulation 347 Waste Generators Summary:Provincial **GEN**

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-May 2015

Greenhouse Gas Emissions from Large Facilities:Federal **GHG**

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: Dec 31, 2013

TSSA Historic Incidents:Provincial **HINC**

This database will cover all incidences recorded by TSSA with their older system, before they moved to their new management system. TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. The TSSA works to protect the public, the environment and property from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from pipelines, diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

*Government Publication Date: 2006-June 2009**

Indian & Northern Affairs Fuel Tanks:Federal **IAFT**

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

*Government Publication Date: 1950-Aug 2003**

TSSA Incidents:Provincial **INC**

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

Government Publication Date: June 2009 - Nov 2015

Landfill Inventory Management Ontario:Provincial [LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

*Government Publication Date: 2012***Canadian Mine Locations:**Private [MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

*Government Publication Date: 1998-2009****Mineral Occurrences:**Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

*Government Publication Date: 1846-Apr 2013***National Analysis of Trends in Emergencies System (NATES):**Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

*Government Publication Date: 1974-1994****Non-Compliance Reports:**Provincial [NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

*Government Publication Date: 1994-2013***National Defense & Canadian Forces Fuel Tanks:**Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

*Government Publication Date: Up to May 2001**

National Defense & Canadian Forces Spills:Federal [NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Aug 2010

National Defence & Canadian Forces Waste Disposal Sites:Federal [NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

*Government Publication Date: 2001-Apr 2007**

National Energy Board Wells:Federal [NEBW](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

*Government Publication Date: 1920-Feb 2003**

National Environmental Emergencies System (NEES):Federal [NEES](#)

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

*Government Publication Date: 1974-2003**

National PCB Inventory:Federal [NPCB](#)

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

*Government Publication Date: 1988-2008**

National Pollutant Release Inventory:Federal [NPRI](#)

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-2013

Oil and Gas Wells:Private [OGW](#)

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-2015

Ontario Oil and Gas Wells:Provincial [OOGW](#)

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Aug 2015

Inventory of PCB Storage Sites:Provincial [OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:Provincial [ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Jan 2016

Canadian Pulp and Paper:Private [PAP](#)

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009

Parks Canada Fuel Storage Tanks:Federal [PCFT](#)

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

*Government Publication Date: 1920-Jan 2005**

Pesticide Register:Provincial [PES](#)

The Ontario Ministry of Environment maintains a database of all manufacturers and vendors of registered pesticides.

Government Publication Date: 1988-Jun 2013

TSSA Pipeline Incidents:Provincial [PINC](#)

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. This database will include spills, strike and leaks from recorded by the TSSA.

Government Publication Date: June 2009-2014

Private and Retail Fuel Storage Tanks:Provincial [PRT](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

*Government Publication Date: 1989-1996**

Permit to Take Water:Provincial [PTTW](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Jan 2016

Ontario Regulation 347 Waste Receivers Summary:Provincial [REC](#)

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2013

Record of Site Condition:Provincial [RSC](#)

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Jan 2016

Retail Fuel Storage Tanks:Private [RST](#)

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jul 2014

Scott's Manufacturing Directory:Private [SCT](#)

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

*Government Publication Date: 1992-Mar 2011**

Ontario Spills:Provincial [SPL](#)

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2015

Wastewater Discharger Registration Database:Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-2013

Anderson's Storage Tanks:

Private TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

*Government Publication Date: 1915-1953**

Transport Canada Fuel Storage Tanks:

Federal TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Mar 2007

TSSA Variances for Abandonment of Underground Storage Tanks:

Provincial VAR

The TSSA, under the Liquid Fuels Handling Code and the Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, you may apply to seek a variance from this code requirement. This is a list of all variances granted for abandoned tanks.

Government Publication Date: Current to Nov 2015

Waste Disposal Sites - MOE CA Inventory:

Provincial WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: 1970-Jun 2015

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

*Government Publication Date: Up to Oct 1990**

Water Well Information System:

Provincial WWIS

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: 1955-Mar 2014

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries". All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and were included as reference.



DATABASE **REPORT**

Project Property: 19-0072.01
12599 Highway 50
Bolton ON L7E 1M4

Project No: 19-0072.01

Report Type: Standard Report

Order No: 20190524163

Requested by: Watters Environmental Group Inc.

Date Completed: May 31, 2019

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	15
Map.....	26
Aerial.....	27
Topographic Map.....	28
Detail Report.....	29
Unplottable Summary.....	124
Unplottable Report.....	127
Appendix: Database Descriptions.....	169
Definitions.....	178

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 19-0072.01
12599 Highway 50 Bolton ON L7E 1M4

Project No: 19-0072.01

Coordinates:

Latitude: 43.860481
Longitude: -79.710586
UTM Northing: 4,857,184.93
UTM Easting: 603,619.92
UTM Zone: UTM Zone 17T

Elevation: 797 FT
242.86 M

Order Information:

Order No: 20190524163
Date Requested: May 24, 2019
Requested by: Watters Environmental Group Inc.
Report Type: Standard Report

Historical/Products:

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	1	1
CA	Certificates of Approval	Y	0	4	4
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	2	2
ECA	Environmental Compliance Approval	Y	0	2	2
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	9	9
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of TSSA Expired Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FST	Fuel Storage Tank	Y	0	4	4
FSTH	Fuel Storage Tank - Historic	Y	0	2	2
GEN	Ontario Regulation 347 Waste Generators Summary	Y	1	26	27
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	TSSA Incidents	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	4	4
PINC	TSSA Pipeline Incidents	Y	0	2	2
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	2	2
SCT	Scott's Manufacturing Directory	Y	0	11	11
SPL	Ontario Spills	Y	0	4	4
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	TSSA Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	21	21
Total:			1	94	95

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
1	GEN	Northpoint Veterinary Hospital Professional Corp	12599 Hwy 50, Unit 4 Bolton ON L7E 1M4	-/0.0	0.00	29

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>2</u>	EHS		12621 50 Hwy Caledon ON L7E1M4	NW/33.1	0.00	<u>29</u>
<u>3</u>	WWIS		lot 3 con 7 BOLTON ON Well ID: 7263863	ESE/45.0	-1.00	<u>29</u>
<u>4</u>	WWIS		lot 3 con 7 ON Well ID: 4904849	SE/66.0	-1.00	<u>32</u>
<u>5</u>	WWIS		BOLTON ON Well ID: 7263868	NE/77.7	0.00	<u>36</u>
<u>6</u>	EHS		12563 50 Hwy Caledon ON L7E1M4	E/81.7	-1.00	<u>38</u>
<u>7</u>	GEN	Globetrotter Rv Rentals and Sale	12563 Hwy#50 Bolton ON L7E 1M4	E/84.0	-1.00	<u>38</u>
<u>8</u>	SPL		12596 Regional Road 50 Caledon ON	SW/86.0	-1.00	<u>39</u>
<u>9</u>	GEN	Globetrotter Rv inc	12563 Hwy#50 Bolton ON L7E1M4	SE/109.4	-1.00	<u>39</u>
<u>10</u>	WWIS		BOLTON ON Well ID: 7263877	SE/125.4	-1.13	<u>39</u>
<u>11</u>	EHS		12596 50 Highway BOLTON ON	SSW/132.6	-1.35	<u>42</u>
<u>12</u>	WWIS		BOLTON ON Well ID: 7263876	ENE/133.9	-1.00	<u>42</u>
<u>13</u>	CA	Vincent Dimauro	12553 Highway 50 Caledon ON	SE/139.3	-2.00	<u>45</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
13	EBR	Vincent Dimauro	12553 Highway 50 Caledon Ontario L7E 5T3 Caledon ON	SE/139.3	-2.00	45
13	ECA	Vincent Dimauro	12553 Highway 50 Caledon ON L7E 5T3	SE/139.3	-2.00	45
14	FST	CANADIAN TIRE CORPORATION, LIMITED	59 MCEWEN DR BOLTON ON L7E 2Z7	NW/162.2	1.00	45
14	FST	CANADIAN TIRE CORPORATION, LIMITED	59 MCEWEN DR BOLTON ON L7E 2Z7	NW/162.2	1.00	46
14	FST	CANADIAN TIRE CORPORATION, LIMITED	59 MCEWEN DR BOLTON ON L7E 2Z7	NW/162.2	1.00	46
14	FST	CANADIAN TIRE CORPORATION, LIMITED	59 MCEWEN DR BOLTON ON L7E 2Z7	NW/162.2	1.00	46
14	FSTH	CANADIAN TIRE CORP LTD **	59 MCEWEN DR BOLTON ON	NW/162.2	1.00	47
14	FSTH	CANADIAN TIRE CORP LTD C/O Canadian Tire Petroleum 17 Flr	59 MCEWEN DR BOLTON ON	NW/162.2	1.00	47
15	EHS		99 McEwan Drive E Bolton ON L7E 2Z7	NNE/167.2	0.00	48
15	GEN	Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NNE/167.2	0.00	48
15	GEN	Canadian Tire #197	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE/167.2	0.00	48
15	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE/167.2	0.00	49
15	GEN	Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NNE/167.2	0.00	50

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
15	GEN	Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NNE/167.2	0.00	50
15	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE/167.2	0.00	51
15	GEN	Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NNE/167.2	0.00	52
15	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE/167.2	0.00	52
15	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE/167.2	0.00	53
15	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON	NNE/167.2	0.00	54
15	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE/167.2	0.00	55
15	GEN	A & J Marshall Holdings Ltd	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE/167.2	0.00	55
15	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE/167.2	0.00	56
15	GEN	A & J Marshall Holdings Ltd	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE/167.2	0.00	57
15	PES	CANADIAN TIRE STORE #197	99 MCEWAN DR E BOLTON ON L7E 2Z7	NNE/167.2	0.00	58
15	PES	HARTWIND SALES LIMITED O/A CANADIAN TIRE #197	99 MCEWAN DR. BOLTON ON L7E2Z7	NNE/167.2	0.00	58
15	PES	HARTWIND SALES LIMITED O/A CANADIAN TIRE #197	99 MCEWAN DR. BOLTON ON L7E2Z7	NNE/167.2	0.00	59

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>15</u>	PES	A+J MARSHALL HOLDINGS LTD. O/A CANADIAN TIRE	99 MCEWAN DR E BOLTON ON L7E2Z7	NNE/167.2	0.00	<u>59</u>
<u>15</u>	RST	CANADIAN TIRE GAS BAR	99 MCEWAN DR E BOLTON ON L7E 2Z7	NNE/167.2	0.00	<u>59</u>
<u>15</u>	RST	CANADIAN TIRE GAS BAR	99 MCEWAN DR E BOLTON ON L7E2Z7	NNE/167.2	0.00	<u>59</u>
<u>16</u>	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W/169.0	1.51	<u>60</u>
<u>16</u>	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W/169.0	1.51	<u>60</u>
<u>16</u>	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W/169.0	1.51	<u>60</u>
<u>16</u>	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W/169.0	1.51	<u>61</u>
<u>16</u>	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W/169.0	1.51	<u>61</u>
<u>16</u>	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON L7E1T6	W/169.0	1.51	<u>61</u>
<u>16</u>	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON L7E1T6	W/169.0	1.51	<u>62</u>
<u>16</u>	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON L7E1T6	W/169.0	1.51	<u>62</u>
<u>16</u>	GEN	North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON L7E1T6	W/169.0	1.51	<u>63</u>
<u>16</u>	SCT	THE ENTERPRISE	12612 Hwy 50 S Bolton ON L7E 5T1	W/169.0	1.51	<u>63</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
16	SCT	Caledon Italian Bakery	12612 Hwy 50 Unit 33 Bolton ON L7E 1T6	W/169.0	1.51	63
16	SCT	The Caledon Enterprise	12612 Hwy 50 S Bolton ON L7E 5T1	W/169.0	1.51	63
16	SCT	Flexopedic Mattress Inc	12612 Highway 50 Unit 30 Bolton ON L7E 1T6	W/169.0	1.51	64
16	SCT	Caledon Italian Bakery	12612 Highway 50 Unit 33 Bolton ON L7E 1T6	W/169.0	1.51	64
16	SCT	Metroland Printing, Publishing & Distribution Ltd. - The Caledon Enterprise	12612 Hwy 50 S Bolton ON L7E 5T1	W/169.0	1.51	64
16	SCT	Caledon Italian Bakery Ltd.	12612 Highway 50 Unit 33 Bolton ON L7E 1T6	W/169.0	1.51	64
16	SCT	The Caledon Enterprise	12612 Hwy 50 Bolton ON L7E 1T6	W/169.0	1.51	65
16	SCT	Flexopedic Mattress Inc.	12612 Hwy 50 Unit 30 Bolton ON L7E 1T6	W/169.0	1.51	65
16	SCT	The Caledon Enterprise	12612 Highway 50 Bolton ON L7E 1T6	W/169.0	1.51	65
16	SCT	Buonissimo Italian Bakery	12612 Hwy 50 Unit 33 Bolton ON L7E 1T6	W/169.0	1.51	65
16	SPL	Hydro One Brampton Networks Inc.	12612 Highway 50 Bolton Caledon ON NA	W/169.0	1.51	66
17	WWIS		BOLTON ON Well ID: 7263862	E/172.4	-1.35	66
18	EHS		12550 Highway 50 (Queen Street S), Bolton Bolton ON	SSE/178.9	-2.00	68

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>19</u>	CA		12543 Highway No. 50 Caledon ON	SE/183.0	-2.00	<u>69</u>
<u>19</u>	EBR	Michael Mario Savo	12543 Highway No. 50 Caledon Ontario L7E 1M4 Caledon ON	SE/183.0	-2.00	<u>69</u>
<u>19</u>	ECA	Michael Mario Savo	12543 Highway No. 50 Caledon ON L7E 1M4	SE/183.0	-2.00	<u>69</u>
<u>19</u>	EHS		12543 Highway 50 Bolton ON L7E 1M4	SE/183.0	-2.00	<u>70</u>
<u>19</u>	EHS		12543 Highway 50 Bolton ON L7E 1M4	SE/183.0	-2.00	<u>70</u>
<u>20</u>	WWIS		lot 3 con 7 ON Well ID: 4900365	SE/185.9	-2.00	<u>70</u>
<u>21</u>	WWIS		lot 4 con 7 ON Well ID: 4900368	NW/186.5	1.35	<u>75</u>
<u>22</u>	WWIS		lot 4 con 6 ON Well ID: 4900317	WNW/195.5	2.00	<u>79</u>
<u>23</u>	PINC		12550 Highway 50, Vaughan ON	SSE/200.8	-2.00	<u>81</u>
<u>23</u>	PINC		12550 Regional Road 50, Bolton ON	SSE/200.8	-2.00	<u>82</u>
<u>24</u>	BORE		ON	ESE/201.9	-2.00	<u>82</u>
<u>25</u>	WWIS		BOLTON ON Well ID: 7196142	ESE/204.9	-2.00	<u>83</u>
<u>26</u>	WWIS		lot 3 con 6 ON	SSW/207.5	-2.00	<u>85</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 4903682			
27	EHS		12544 Highway 50 Caledon ON	SSE/207.7	-2.00	90
28	WWIS		BOLTON ON Well ID: 7196144	SE/211.6	-2.00	90
29	WWIS		CALEDON ON Well ID: 7149490	NE/215.1	-1.74	93
30	WWIS		lot 3 con 7 ON Well ID: 4904095	E/215.4	-2.00	96
31	WWIS		lot 3 con 6 ON Well ID: 4905282	SSE/216.6	-2.00	100
32	WWIS		Caledon ON Well ID: 7196588	SSE/217.6	-2.03	103
33	WWIS		lot 3 con 6 ON Well ID: 4908578	SSW/218.7	-2.00	106
34	WWIS		lot 3 con 7 ON Well ID: 4904495	ESE/220.2	-2.00	110
35	SPL		Southwest corner of Highway 50 and McEwan, Bolton<UNOFFICIAL> Caledon ON	WNW/220.9	2.00	114
36	SPL		2 INDUSTRIAL RD, CALEDON<UNOFFICIAL> Caledon ON	ESE/227.8	-2.00	114
37	WWIS		BOLTON ON Well ID: 7196143	SE/230.1	-2.00	115
38	EHS		12525 Highway 50 Bolton ON L7E 1M4	SE/238.0	-2.20	117
38	GEN	MapleCon Earthworks Ltd.	12525 Highway 50 Unit 2 Bolton ON	SE/238.0	-2.20	118

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
39	WWIS		BOLTON ON <i>Well ID:</i> 7196141	ESE/243.3	-2.00	118
40	WWIS		lot 4 con 7 ON <i>Well ID:</i> 4900370	NNW/245.6	1.16	120
41	CA	STEELES-JANE PROPERTIES INC.-PT. LOT 4	3&5 MCEWAN DR. & 0.1 HWY. #50 CALEDON TOWN ON	W/249.3	2.00	123
41	CA	STEELES-JANE PROERTIES INC.-PT. LOT 4	3 & 5 MCEWAN DR./0.1 HWY. #50 CALEDON TOWN ON	W/249.3	2.00	123

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2014 has found that there are 1 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	ESE	201.88	<u>24</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 4 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
STEELES-JANE PROPERTIES INC.-PT. LOT 4	3&5 MCEWAN DR. & 0.1 HWY. #50 CALEDON TOWN ON	W	249.28	<u>41</u>

STEELES-JANE PROPERTIES INC.-PT. LOT 4	3 & 5 MCEWAN DR./0.1 HWY. #50 CALEDON TOWN ON	W	249.28	<u>41</u>
--	--	---	--------	---------------------------

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Vincent Dimauro	12553 Highway 50 Caledon ON	SE	139.33	<u>13</u>
	12543 Highway No. 50 Caledon ON	SE	183.04	<u>19</u>

EBR - Environmental Registry

A search of the EBR database, dated 1994-Apr 30, 2019 has found that there are 2 EBR site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Vincent Dimauro	12553 Highway 50 Caledon Ontario L7E 5T3 Caledon ON	SE	139.33	<u>13</u>

Michael Mario Savo	12543 Highway No. 50 Caledon Ontario L7E 1M4 Caledon ON	SE	183.04	19
--------------------	---	----	--------	--------------------

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Apr 30, 2019 has found that there are 2 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Vincent Dimauro	12553 Highway 50 Caledon ON L7E 5T3	SE	139.33	13
Michael Mario Savo	12543 Highway No. 50 Caledon ON L7E 1M4	SE	183.04	19

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Apr 30, 2019 has found that there are 9 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	12621 50 Hwy Caledon ON L7E1M4	NW	33.07	2
	99 McEwan Drive E Bolton ON L7E 2Z7	NNE	167.24	15

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	12563 50 Hwy Caledon ON L7E1M4	E	81.66	6
	12596 50 Highway BOLTON ON	SSW	132.63	11
	12550 Highway 50 (Queen Street S), Bolton Bolton ON	SSE	178.91	18

12543 Highway 50 Bolton ON L7E 1M4	SE	183.04	19
12543 Highway 50 Bolton ON L7E 1M4	SE	183.04	19
12544 Highway 50 Caledon ON	SSE	207.72	27
12525 Highway 50 Bolton ON L7E 1M4	SE	238.00	38

FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2017 has found that there are 4 FST site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN TIRE CORPORATION, LIMITED	59 MCEWEN DR BOLTON ON L7E 2Z7	NW	162.16	14
CANADIAN TIRE CORPORATION, LIMITED	59 MCEWEN DR BOLTON ON L7E 2Z7	NW	162.16	14
CANADIAN TIRE CORPORATION, LIMITED	59 MCEWEN DR BOLTON ON L7E 2Z7	NW	162.16	14
CANADIAN TIRE CORPORATION, LIMITED	59 MCEWEN DR BOLTON ON L7E 2Z7	NW	162.16	14

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 2 FSTH site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN TIRE CORP LTD **	59 MCEWEN DR BOLTON ON	NW	162.16	14

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN TIRE CORP LTD C/O Canadian Tire Petroleum 17 Flr	59 MCEWEN DR BOLTON ON	NW	162.16	14

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Dec 31, 2018 has found that there are 27 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Northpoint Veterinary Hospital Professional Corp	12599 Hwy 50, Unit 4 Bolton ON L7E 1M4	-	0.00	1
Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NNE	167.24	15
Canadian Tire #197	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE	167.24	15
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE	167.24	15
Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NNE	167.24	15
Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NNE	167.24	15
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE	167.24	15
Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NNE	167.24	15
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE	167.24	15

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE	167.24	<u>15</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON	NNE	167.24	<u>15</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE	167.24	<u>15</u>
A & J Marshall Holdings Ltd	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE	167.24	<u>15</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE	167.24	<u>15</u>
A & J Marshall Holdings Ltd	99 McEwan Dr. E. Bolton ON L7E 2Z7	NNE	167.24	<u>15</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W	168.97	<u>16</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W	168.97	<u>16</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W	168.97	<u>16</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W	168.97	<u>16</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON	W	168.97	<u>16</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON L7E1T6	W	168.97	<u>16</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON L7E1T6	W	168.97	<u>16</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON L7E1T6	W	168.97	<u>16</u>
North Hill Animal Hospital Professional Corporatio	12612 Hwy 50 unit 11 Bolton ON L7E1T6	W	168.97	<u>16</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Globetrotter Rv Rentals and Sale	12563 Hwy#50 Bolton ON L7E 1M4	E	83.96	<u>7</u>
Globetrotter Rv inc	12563 Hwy#50 Bolton ON L7E1M4	SE	109.39	<u>9</u>
MapleCon Earthworks Ltd.	12525 Highway 50 Unit 2 Bolton ON	SE	238.00	<u>38</u>

PES - Pesticide Register

A search of the PES database, dated 1988-Mar 2019 has found that there are 4 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
HARTWIND SALES LIMITED O/A CANADIAN TIRE #197	99 MCEWAN DR. BOLTON ON L7E2Z7	NNE	167.24	<u>15</u>
A+J MARSHALL HOLDINGS LTD. O/A CANADIAN TIRE	99 MCEWAN DR E BOLTON ON L7E2Z7	NNE	167.24	<u>15</u>
HARTWIND SALES LIMITED O/A CANADIAN TIRE #197	99 MCEWAN DR. BOLTON ON L7E2Z7	NNE	167.24	<u>15</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN TIRE STORE #197	99 MCEWAN DR E BOLTON ON L7E 2Z7	NNE	167.24	15

PINC - TSSA Pipeline Incidents

A search of the PINC database, dated Feb 28, 2017 has found that there are 2 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	12550 Highway 50, Vaughan ON	SSE	200.77	23
	12550 Regional Road 50, Bolton ON	SSE	200.77	23

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Jan 31, 2019 has found that there are 2 RST site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN TIRE GAS BAR	99 MCEWAN DR E BOLTON ON L7E 2Z7	NNE	167.24	15
CANADIAN TIRE GAS BAR	99 MCEWAN DR E BOLTON ON L7E2Z7	NNE	167.24	15

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 11 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
THE ENTERPRISE	12612 Hwy 50 S Bolton ON L7E 5T1	W	168.97	16
Caledon Italian Bakery	12612 Hwy 50 Unit 33 Bolton ON L7E 1T6	W	168.97	16

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
The Caledon Enterprise	12612 Hwy 50 S Bolton ON L7E 5T1	W	168.97	16
Flexopedic Mattress Inc	12612 Highway 50 Unit 30 Bolton ON L7E 1T6	W	168.97	16
Caledon Italian Bakery	12612 Highway 50 Unit 33 Bolton ON L7E 1T6	W	168.97	16
Metroland Printing, Publishing & Distribution Ltd. - The Caledon Enterprise	12612 Hwy 50 S Bolton ON L7E 5T1	W	168.97	16
Buonissimo Italian Bakery	12612 Hwy 50 Unit 33 Bolton ON L7E 1T6	W	168.97	16
The Caledon Enterprise	12612 Hwy 50 Bolton ON L7E 1T6	W	168.97	16
Caledon Italian Bakery Ltd.	12612 Highway 50 Unit 33 Bolton ON L7E 1T6	W	168.97	16
The Caledon Enterprise	12612 Highway 50 Bolton ON L7E 1T6	W	168.97	16
Flexopedic Mattress Inc.	12612 Hwy 50 Unit 30 Bolton ON L7E 1T6	W	168.97	16

SPL - Ontario Spills

A search of the SPL database, dated 1988-Feb 2019 has found that there are 4 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Hydro One Brampton Networks Inc.	12612 Highway 50 Bolton Caledon ON NA	W	168.97	16

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Southwest corner of Highway 50 and McEwan, Bolton<UNOFFICIAL> Caledon ON	WNW	220.90	35

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	12596 Regional Road 50 Caledon ON	SW	86.03	8
	2 INDUSTRIAL RD, CALEDON<UNOFFICIAL> Caledon ON	ESE	227.76	36

WWIS - Water Well Information System

A search of the WWIS database, dated Feb 28, 2019 has found that there are 21 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	BOLTON ON <i>Well ID: 7263868</i>	NE	77.73	5
	lot 4 con 7 ON <i>Well ID: 4900368</i>	NW	186.46	21
	lot 4 con 6 ON <i>Well ID: 4900317</i>	WNW	195.53	22
	lot 4 con 7 ON <i>Well ID: 4900370</i>	NNW	245.61	40

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 3 con 7 BOLTON ON <i>Well ID: 7263863</i>	ESE	44.98	3

lot 3 con 7 ON Well ID: 4904849	SE	65.97	<u>4</u>
BOLTON ON Well ID: 7263877	SE	125.44	<u>10</u>
BOLTON ON Well ID: 7263876	ENE	133.93	<u>12</u>
BOLTON ON Well ID: 7263862	E	172.38	<u>17</u>
lot 3 con 7 ON Well ID: 4900365	SE	185.89	<u>20</u>
BOLTON ON Well ID: 7196142	ESE	204.88	<u>25</u>
lot 3 con 6 ON Well ID: 4903682	SSW	207.48	<u>26</u>
BOLTON ON Well ID: 7196144	SE	211.58	<u>28</u>
CALEDON ON Well ID: 7149490	NE	215.11	<u>29</u>
lot 3 con 7 ON Well ID: 4904095	E	215.44	<u>30</u>
lot 3 con 6 ON Well ID: 4905282	SSE	216.59	<u>31</u>
Caledon ON Well ID: 7196588	SSE	217.60	<u>32</u>
lot 3 con 6 ON	SSW	218.66	<u>33</u>

Well ID: 4908578

lot 3 con 7
ON

ESE

220.21

[34](#)

Well ID: 4904495

BOLTON ON

SE

230.10

[37](#)

Well ID: 7196143


BOLTON ON

ESE

243.27

[39](#)

Well ID: 7196141




Map : 0.25 Kilometer Radius

Order No: 20190524163

Address: 12599 Highway 50, Bolton, ON, L7E 1M4



Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
Eris Sites with Unknown Elevation	Trail		Other Recreation Area
	Proposed Road		
	Ferry Route/Ice Road		



Aerial (2015)

Address: 12599 Highway 50, Bolton, ON, L7E 1M4

Source: ESRI World Imagery

Order No: 20190524163

ERIS
ENVIRONMENTAL RISK INFORMATION SERVICES



© ERIS Information Limited Partnership

79°43'30"W


79°42'W

43°52'30"N

43°52'30"N

43°51'N

43°51'N



Topographic Map

Address: 12599 Highway 50, Bolton, ON, L7E 1M4

Source: ESRI World Topographic Map

Order No: 20190524163



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 1	-/0.0	242.9 / 0.00	Northpoint Veterinary Hospital Professional Corp 12599 Hwy 50, Unit 4 Bolton ON L7E 1M4	GEN
Generator No: ON4797449				PO Box No:	
Status: Registered				Country: Canada	
Approval Years: As of Dec 2018				Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
--Details--					
Waste Code:		312 P			
Waste Description:		Pathological wastes			
2	1 of 1	NW/33.1	242.9 / 0.00	12621 50 Hwy Caledon ON L7E1M4	EHS
Order No: 20170717036				Nearest Intersection:	
Status: C				Municipality:	
Report Type: Custom Report				Client Prov/State: ON	
Report Date: 21-JUL-17				Search Radius (km): .2	
Date Received: 17-JUL-17				X: -79.710854	
Previous Site Name:				Y: 43.860707	
Lot/Building Size:					
Additional Info Ordered:					
3	1 of 1	ESE/45.0	241.9 / -1.00	lot 3 con 7 BOLTON ON	WWIS
Well ID: 7263863				Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use: Monitoring				Date Received: 5/27/2016	
Sec. Water Use:				Selected Flag: Yes	
Final Well Status: Observation Wells				Abandonment Rec:	
Water Type:				Contractor: 6607	
Casing Material:				Form Version: 7	
Audit No: Z162536				Owner:	
Tag: A201541				Street Name: 12585 HWY 50	
Construction Method:				County: PEEL	
Elevation (m):				Municipality: CALEDON TOWN (ALBION)	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 003	
Well Depth:				Concession: 07	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1006023446			Elevation:	242.694656
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603658
Code OB Desc:				North83:	4857161
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	5/11/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006079514				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Other Materials:					
Mat3:	77				
Other Materials:	LOOSE				
Formation Top Depth:	0				
Formation End Depth:	0.7				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006079516				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Other Materials:					
Mat3:	66				
Other Materials:	DENSE				
Formation Top Depth:	4.5				
Formation End Depth:	6				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006079515				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		06			
Other Materials:		SILT			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0.7			
Formation End Depth:		4.5			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006079524			
Layer:		2			
Plug From:		0.3			
Plug To:		2.7			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006079523			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006079513			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006079519			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.1			
Depth To:		3			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006079520			
Layer:		1			
Slot:		10			
Screen Top Depth:		3			
Screen End Depth:		6			
Screen Material:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Hole Diameter</u>					
Hole ID:		1006079517			
Diameter:		21			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
4	1 of 1	SE/66.0	241.9 / -1.00	lot 3 con 7 ON	WWIS
Well ID:		4904849		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Industrial		Date Received:	3/9/1976
Sec. Water Use:		Domestic		Selected Flag:	Yes
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	5206
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	003
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		10319618		Elevation:	242.449066
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:		o		East83:	603660.6
Code OB Desc:		Overburden		North83:	4857133
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:		1/15/1976		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932047432			
Layer:		2			
Color:		3			
General Color:		BLUE			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		18			
Formation End Depth:		45			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932047431			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		18			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932047433			
Layer:		3			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		45			
Formation End Depth:		68			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932047435			
Layer:		5			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		140			
Formation End Depth:		145			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932047434			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		68			
Formation End Depth:		140			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932047436			
Layer:		6			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		145			
Formation End Depth:		150			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10868188			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930527552			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		141			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		933359651			
Layer:		1			
Slot:		012			
Screen Top Depth:		141			
Screen End Depth:		144			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994904849			
Pump Set At:					
Static Level:		130			
Final Level After Pumping:		140			
Recommended Pump Depth:		145			
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:		8			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		6			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934779638			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		130			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934525521			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		130			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934260182			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		130			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935045008			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		130			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933792880			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		140			
Water Found Depth UOM:		ft			
5	1 of 1	NE/77.7	242.9 / 0.00	BOLTON ON	WWIS
Well ID:	7263868			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	5/27/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	7
Audit No:	Z223889			Owner:	
Tag:	A201539			Street Name:	12585 HWY 50
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006023545			Elevation:	242.776123
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603668
Code OB Desc:				North83:	4857246
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	5/11/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006079581				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Other Materials:	SILT				
Mat3:	66				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Other Materials:		DENSE			
Formation Top Depth:		3.7			
Formation End Depth:		6			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006079580			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0.3			
Formation End Depth:		3.7			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006079579			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Other Materials:					
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		0			
Formation End Depth:		0.3			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1006079588			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1006079589			
Layer:		2			
Plug From:		0.3			
Plug To:		2.7			
Plug Depth UOM:		m			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:					
Method Construction Code:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Boring			
Other Method Construction:					
Pipe Information					
Pipe ID:		1006079578			
Casing No:		0			
Comment:					
Alt Name:					
Construction Record - Casing					
Casing ID:		1006079584			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.1			
Depth To:		3			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
Construction Record - Screen					
Screen ID:		1006079585			
Layer:		1			
Slot:		10			
Screen Top Depth:		3			
Screen End Depth:		6			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
Hole Diameter					
Hole ID:		1006079582			
Diameter:		21			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
6	1 of 1	E/81.7	241.9 / -1.00	12563 50 Hwy Caledon ON L7E1M4	EHS
Order No:		20160920097		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		27-SEP-16		Search Radius (km): .25	
Date Received:		20-SEP-16		X: -79.709579	
Previous Site Name:				Y: 43.860384	
Lot/Building Size:					
Additional Info Ordered:					
7	1 of 1	E/84.0	241.9 / -1.00	Globetrotter Rv Rentals and Sale 12563 Hwy#50 Bolton ON L7E 1M4	GEN
Generator No:		ON5808793		PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Years: 02,03,04,06 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
				Country: Choice of Contact: Co Admin: Phone No Admin:	
--Details--					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
8	1 of 1	SW/86.0	241.9 / -1.00	12596 Regional Road 50 Caledon ON	SPL
Ref No: 7378-ASC26M Site No: NA Incident Dt: 2017/10/20 Year: Incident Cause: Incident Event: Overflow/Surcharge Contaminant Code: 44 Contaminant Name: SEWAGE,RAW UNCHLORINATED Contaminant Limit 1: Contam Limit Freq 1: any Contaminant UN No 1: n/a Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: Land MOE Response: No Dt MOE Arvl on Scn: MOE Reported Dt: 2017/10/20 Dt Document Closed: Incident Reason: Blockage Site Name: Plaza<UNOFFICIAL> Site County/District: Regional Municipality of Peel Site Geo Ref Meth: Incident Summary: ROP sani blockage, relieved Contaminant Qty: 0 other - see incident description					
Discharger Report: Material Group: Health/Env Conseq: 2 - Minor Environment Client Type: Sector Type: Municipal Sewage Agency Involved: Nearest Watercourse: Site Address: 12596 Regional Road 50 Site District Office: Halton-Peel Site Postal Code: Site Region: Central Site Municipality: Caledon Site Lot: Site Conc: Northing: 4857055.85 Easting: 603561.73 Site Geo Ref Accu: Site Map Datum: SAC Action Class: Primary Assessment of Spills Source Type: Sewer (Private or Municipal)					
9	1 of 1	SE/109.4	241.9 / -1.00	Globetrotter Rv inc 12563 Hwy#50 Bolton ON L7E1M4	GEN
Generator No: ON7669488 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
--Details--					
Waste Code:		252 L			
Waste Description:		Waste crankcase oils and lubricants			
10	1 of 1	SE/125.4	241.7 / -1.13	BOLTON ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	7263877			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	5/27/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	7
Audit No:	Z170061			Owner:	
Tag:	A196699			Street Name:	12563 HWY 50
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1006023696	Elevation:	241.982894
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	603719
Code OB Desc:		North83:	4857108
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	5/11/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006079707
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	11
Other Materials:	GRAVEL
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	0
Formation End Depth:	0.6
Formation End Depth UOM:	m

Overburden and Bedrock Materials Interval

Formation ID:	1006079709
Layer:	3
Color:	2
General Color:	GREY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		4.5			
Formation End Depth:		6			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006079708			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0.6			
Formation End Depth:		4.5			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006079716			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006079717			
Layer:		2			
Plug From:		0.3			
Plug To:		2.7			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006079706			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing ID:		1006079712			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.1			
Depth To:		3			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1006079713			
Layer:		1			
Slot:		10			
Screen Top Depth:		3			
Screen End Depth:		6			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
 <u>Hole Diameter</u>					
Hole ID:		1006079710			
Diameter:		21			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
11	1 of 1	SSW/132.6	241.5 / -1.35	12596 50 Highway BOLTON ON	EHS
Order No:	20061011007w			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Online Mapless			Client Prov/State:	ON
Report Date:	10/11/2006			Search Radius (km):	0.25
Date Received:	10/11/2006			X:	0
Previous Site Name:				Y:	0
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
12	1 of 1	ENE/133.9	241.9 / -1.00	BOLTON ON	WWIS
Well ID:	7263876			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	5/27/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	7
Audit No:	Z169992			Owner:	
Tag:	A196672			Street Name:	12653 HWY 50
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:			Easting NAD83: Northing NAD83: Zone: UTM Reliability:		
<u>Bore Hole Information</u>					
Bore Hole ID: 1006023693			Elevation: 241.995666		
DP2BR:			Elevrc:		
Spatial Status:			Zone: 17		
Code OB:			East83: 603742		
Code OB Desc:			North83: 4857240		
Open Hole:			Org CS: UTM83		
Cluster Kind:			UTMRC: 4		
Date Completed: 5/10/2016			UTMRC Desc: margin of error : 30 m - 100 m		
Remarks:			Location Method: wwr		
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1006079694					
Layer: 2					
Color: 6					
General Color: BROWN					
Mat1: 05					
Most Common Material: CLAY					
Mat2: 06					
Other Materials: SILT					
Mat3: 66					
Other Materials: DENSE					
Formation Top Depth: 1.2					
Formation End Depth: 6					
Formation End Depth UOM: m					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1006079693					
Layer: 1					
Color: 6					
General Color: BROWN					
Mat1: 01					
Most Common Material: FILL					
Mat2: 11					
Other Materials: GRAVEL					
Mat3: 85					
Other Materials: SOFT					
Formation Top Depth: 0					
Formation End Depth: 1.2					
Formation End Depth UOM: m					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID: 1006079701					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	1				
Plug From:	0				
Plug To:	0.3				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1006079702				
Layer:	2				
Plug From:	0.3				
Plug To:	2.7				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	6				
Method Construction:	Boring				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1006079692				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1006079697				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0				
Depth To:	2.7				
Casing Diameter:	5.1				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1006079698				
Layer:	1				
Slot:	10				
Screen Top Depth:	2.7				
Screen End Depth:	6				
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6.4				
<u>Hole Diameter</u>					
Hole ID:	1006079695				
Diameter:	21				
Depth From:	0				
Depth To:	6				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
13	1 of 3	SE/139.3	240.9 / -2.00	Vincent Dimauro 12553 Hlghway 50 Caledon ON	CA
Certificate #:		3962-62VLH9			
Application Year:		2004			
Issue Date:		7/19/2004			
Approval Type:		Air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
13	2 of 3	SE/139.3	240.9 / -2.00	Vincent Dimauro 12553 Hlghway 50 Caledon Ontario L7E 5T3 Caledon ON	EBR
EBR Registry No:		IA04E0613		Proposal Date:	April 07, 2004
Ministry Ref. No:		8248-5X4SMQ		Notice Pub Date:	July 26, 2004
Notice Type:		Instrument Decision		Year:	2004
Company Name:		Vincent Dimauro			
Proponent Name:					
Proponent Address:		12553 Highway 50, Caledon Ontario, L7E 5T3			
Instrument Type:		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
Location Other:					
URL:					
Location:					
12553 Highway 50 Caledon Ontario L7E 5T3 Caledon					
13	3 of 3	SE/139.3	240.9 / -2.00	Vincent Dimauro 12553 Highway 50 Caledon ON L7E 5T3	ECA
Approval No:		3962-62VLH9		MOE District:	Halton-Peel
Approval Date:		2004-07-19		City:	Caledon
Status:		Approved		Longitude:	-79.71026599999999
Record Type:		ECA		Latitude:	43.859524
Link Source:		IDS		Geometry X:	
SWP Area Name:		Toronto		Geometry Y:	
Approval Type:		ECA-AIR			
Project Type:		AIR			
Address:		12553 Highway 50			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/8248-5X4SMQ-14.pdf			
14	1 of 6	NW/162.2	243.9 / 1.00	CANADIAN TIRE CORPORATION, LIMITED 59 MCEWEN DR BOLTON ON L7E 2Z7	FST
Instance No:		35226174			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Gasoline Status: Active Capacity: 50000 Tank Material: Fiberglass (FRP) Corrosion Protection: Fiberglass Tank Type: Double Wall UST Install Year: 2005 Parent Facility Type: FS Gasoline Station - Self Serve Facility Type: FS Liquid Fuel Tank					
14	2 of 6	NW/162.2	243.9 / 1.00	CANADIAN TIRE CORPORATION, LIMITED 59 MCEWEN DR BOLTON ON L7E 2Z7	FST
Instance No: 35226175 Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Diesel Status: Active Capacity: 35000 Tank Material: Fiberglass (FRP) Corrosion Protection: Fiberglass Tank Type: Double Wall UST Install Year: 2005 Parent Facility Type: FS Gasoline Station - Self Serve Facility Type: FS Liquid Fuel Tank					
14	3 of 6	NW/162.2	243.9 / 1.00	CANADIAN TIRE CORPORATION, LIMITED 59 MCEWEN DR BOLTON ON L7E 2Z7	FST
Instance No: 35226173 Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Gasoline Status: Active Capacity: 50000 Tank Material: Fiberglass (FRP) Corrosion Protection: Fiberglass Tank Type: Double Wall UST Install Year: 2005 Parent Facility Type: FS Gasoline Station - Self Serve Facility Type: FS Liquid Fuel Tank					
14	4 of 6	NW/162.2	243.9 / 1.00	CANADIAN TIRE CORPORATION, LIMITED 59 MCEWEN DR BOLTON ON L7E 2Z7	FST
Instance No: 35226172 Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Gasoline Status: Active Capacity: 50000 Tank Material: Fiberglass (FRP) Corrosion Protection: Fiberglass Tank Type: Double Wall UST Install Year: 2005					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Parent Facility Type:		FS Gasoline Station - Self Serve			
Facility Type:		FS Liquid Fuel Tank			
14	5 of 6	NW/162.2	243.9 / 1.00	CANADIAN TIRE CORP LTD ** 59 MCEWEN DR BOLTON ON	FSTH
License Issue Date:		9/30/2005			
Tank Status:		Licensed			
Tank Status As Of:		August 2007			
Operation Type:		Retail Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
<u>--Details--</u>					
Status:		Active			
Year of Installation:		2005			
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			
Status:		Active			
Year of Installation:		2005			
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			
Status:		Active			
Year of Installation:		2005			
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			
Status:		Active			
Year of Installation:		2005			
Corrosion Protection:					
Capacity:		35000			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Diesel			
14	6 of 6	NW/162.2	243.9 / 1.00	CANADIAN TIRE CORP LTD C/O Canadian Tire Petroleum 17 Flr 59 MCEWEN DR BOLTON ON	FSTH
License Issue Date:		9/30/2005 3:00:00 PM			
Tank Status:		Licensed			
Tank Status As Of:		December 2008			
Operation Type:		Retail Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
<u>--Details--</u>					
Status:		Active			
Year of Installation:		2005			
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			
Status:		Active			
Year of Installation:		2005			
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Active Year of Installation: 2005 Corrosion Protection: Capacity: 50000 Tank Fuel Type: Liquid Fuel Double Wall UST - Gasoline Status: Active Year of Installation: 2005 Corrosion Protection: Capacity: 35000 Tank Fuel Type: Liquid Fuel Double Wall UST - Diesel					
15	1 of 21	NNE/167.2	242.9 / 0.00	99 McEwan Drive E Bolton ON L7E 2Z7	EHS
Order No: 20080415019 Status: C Report Type: Custom Report Report Date: 4/23/2008 Date Received: 4/15/2008 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Hwy #50 Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -79.710723 Y: 43.862185					
15	2 of 21	NNE/167.2	242.9 / 0.00	Canadian Tire 99 McEwan Dr. E Bolton ON L7E 2Z7	GEN
Generator No: ON9680138 Status: Approval Years: 05,06,07,08 Contam. Facility: MHSW Facility: SIC Code: 441310 SIC Description: Automotive Parts and Accessories Stores PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: --Details-- Waste Code: 112 Waste Description: ACID WASTE - HEAVY METALS Waste Code: 121 Waste Description: ALKALINE WASTES - HEAVY METALS Waste Code: 146 Waste Description: OTHER SPECIFIED INORGANICS					
15	3 of 21	NNE/167.2	242.9 / 0.00	Canadian Tire #197 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No: ON3707185 Status: Approval Years: 07,08 Contam. Facility: MHSW Facility: SIC Code: 452991 452999 SIC Description: Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
Waste Code:		221			
Waste Description:		LIGHT FUELS			
Waste Code:		222			
Waste Description:		HEAVY FUELS			
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
Waste Code:		262			
Waste Description:		DETERGENTS/SOAPS			
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
15	4 of 21	NNE/167.2	242.9 / 0.00	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:	ON3707185			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	452991, 452999				
SIC Description:	Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores				
--Details--					
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
Waste Code:		262			
Waste Description:		DETERGENTS/SOAPS			
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
Waste Code:		221			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Description:		LIGHT FUELS			
Waste Code:		222			
Waste Description:		HEAVY FUELS			
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
15	5 of 21	NNE/167.2	242.9 / 0.00	Canadian Tire 99 McEwan Dr. E Bolton ON L7E 2Z7	GEN
Generator No:		ON9680138		PO Box No:	
Status:				Country:	
Approval Years:		2009		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		441310			
SIC Description:		Automotive Parts and Accessories Stores			
--Details--					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
Waste Code:		121			
Waste Description:		ALKALINE WASTES - HEAVY METALS			
Waste Code:		146			
Waste Description:		OTHER SPECIFIED INORGANICS			
15	6 of 21	NNE/167.2	242.9 / 0.00	Canadian Tire 99 McEwan Dr. E Bolton ON L7E 2Z7	GEN
Generator No:		ON9680138		PO Box No:	
Status:				Country:	
Approval Years:		2010		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		441310			
SIC Description:		Automotive Parts and Accessories Stores			
--Details--					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Code:		121			
Waste Description:		ALKALINE WASTES - HEAVY METALS			
Waste Code:		146			
Waste Description:		OTHER SPECIFIED INORGANICS			
15	7 of 21	NNE/167.2	242.9 / 0.00	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:	ON3707185			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	452991, 452999				
SIC Description:	Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores				
--Details--					
Waste Code:	222				
Waste Description:	HEAVY FUELS				
Waste Code:	112				
Waste Description:	ACID WASTE - HEAVY METALS				
Waste Code:	212				
Waste Description:	ALIPHATIC SOLVENTS				
Waste Code:	147				
Waste Description:	CHEMICAL FERTILIZER WASTES				
Waste Code:	221				
Waste Description:	LIGHT FUELS				
Waste Code:	145				
Waste Description:	PAINT/PIGMENT/COATING RESIDUES				
Waste Code:	263				
Waste Description:	ORGANIC LABORATORY CHEMICALS				
Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
Waste Code:	213				
Waste Description:	PETROLEUM DISTILLATES				
Waste Code:	262				
Waste Description:	DETERGENTS/SOAPS				
Waste Code:	242				
Waste Description:	HALOGENATED PESTICIDES				
Waste Code:	122				
Waste Description:	ALKALINE WASTES - OTHER METALS				
Waste Code:	148				
Waste Description:	INORGANIC LABORATORY CHEMICALS				
Waste Code:	331				
Waste Description:	WASTE COMPRESSED GASES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
15	8 of 21	NNE/167.2	242.9 / 0.00	Canadian Tire 99 McEwan Dr. E Bolton ON L7E 2Z7	GEN
Generator No:	ON9680138			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	441310				
SIC Description:	Automotive Parts and Accessories Stores				
--Details--					
Waste Code:	112				
Waste Description:	ACID WASTE - HEAVY METALS				
Waste Code:	146				
Waste Description:	OTHER SPECIFIED INORGANICS				
Waste Code:	121				
Waste Description:	ALKALINE WASTES - HEAVY METALS				
15	9 of 21	NNE/167.2	242.9 / 0.00	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:	ON3707185			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	452991, 452999				
SIC Description:	Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores				
--Details--					
Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
Waste Code:	262				
Waste Description:	DETERGENTS/SOAPS				
Waste Code:	112				
Waste Description:	ACID WASTE - HEAVY METALS				
Waste Code:	263				
Waste Description:	ORGANIC LABORATORY CHEMICALS				
Waste Code:	212				
Waste Description:	ALIPHATIC SOLVENTS				
Waste Code:	213				
Waste Description:	PETROLEUM DISTILLATES				
Waste Code:	148				
Waste Description:	INORGANIC LABORATORY CHEMICALS				
Waste Code:	242				
Waste Description:	HALOGENATED PESTICIDES				
Waste Code:	122				
Waste Description:	ALKALINE WASTES - OTHER METALS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
Waste Code:		221			
Waste Description:		LIGHT FUELS			
Waste Code:		222			
Waste Description:		HEAVY FUELS			
<hr/>					
15	10 of 21	NNE/167.2	242.9 / 0.00	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:	ON3707185			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	452991, 452999				
SIC Description:	Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores				
 --Details--					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
Waste Code:		262			
Waste Description:		DETERGENTS/SOAPS			
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
Waste Code:		221			
Waste Description:		LIGHT FUELS			
Waste Code:		222			
Waste Description:		HEAVY FUELS			
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
<hr/>					
15	11 of 21	NNE/167.2	242.9 / 0.00	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON	GEN
Generator No:		ON3707185		PO Box No:	
Status:				Country:	
Approval Years:		2013		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		452991, 452999			
SIC Description:		HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES			
<hr/>					
--Details--					
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			
Waste Code:		221			
Waste Description:		LIGHT FUELS			
Waste Code:		222			
Waste Description:		HEAVY FUELS			
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
Waste Code:		262			
Waste Description:		DETERGENTS/SOAPS			
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
15	12 of 21	NNE/167.2	242.9 / 0.00	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
<hr/>					
Generator No:	ON3707185			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Matt Gunness
MHSW Facility:	No			Phone No Admin:	905-795-3352 Ext.
SIC Code:	452991, 452999				
SIC Description:	HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES				
<hr/>					
--Details--					
Waste Code:	112				
Waste Description:	ACID WASTE - HEAVY METALS				
Waste Code:	263				
Waste Description:	ORGANIC LABORATORY CHEMICALS				
Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
Waste Code:	221				
Waste Description:	LIGHT FUELS				
Waste Code:	145				
Waste Description:	PAINT/PIGMENT/COATING RESIDUES				
Waste Code:	122				
Waste Description:	ALKALINE WASTES - OTHER METALS				
Waste Code:	331				
Waste Description:	WASTE COMPRESSED GASES				
Waste Code:	242				
Waste Description:	HALOGENATED PESTICIDES				
Waste Code:	147				
Waste Description:	CHEMICAL FERTILIZER WASTES				
Waste Code:	148				
Waste Description:	INORGANIC LABORATORY CHEMICALS				
Waste Code:	262				
Waste Description:	DETERGENTS/SOAPS				
Waste Code:	212				
Waste Description:	ALIPHATIC SOLVENTS				
Waste Code:	213				
Waste Description:	PETROLEUM DISTILLATES				
Waste Code:	222				
Waste Description:	HEAVY FUELS				
<hr/>					
15	13 of 21	NNE/167.2	242.9 / 0.00	A & J Marshall Holdings Ltd 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:	ON3707185			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility:	No			Co Admin:	Matt Gunness
MHSW Facility:	No			Phone No Admin:	905-795-3352 Ext.
SIC Code:	452991, 452999				
SIC Description:	HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES				
--Details--					
Waste Code:	263				
Waste Description:	ORGANIC LABORATORY CHEMICALS				
Waste Code:	112				
Waste Description:	ACID WASTE - HEAVY METALS				
Waste Code:	222				
Waste Description:	HEAVY FUELS				
Waste Code:	221				
Waste Description:	LIGHT FUELS				
Waste Code:	145				
Waste Description:	PAINT/PIGMENT/COATING RESIDUES				
Waste Code:	213				
Waste Description:	PETROLEUM DISTILLATES				
Waste Code:	122				
Waste Description:	ALKALINE WASTES - OTHER METALS				
Waste Code:	212				
Waste Description:	ALIPHATIC SOLVENTS				
Waste Code:	148				
Waste Description:	INORGANIC LABORATORY CHEMICALS				
Waste Code:	262				
Waste Description:	DETERGENTS/SOAPS				
Waste Code:	147				
Waste Description:	CHEMICAL FERTILIZER WASTES				
Waste Code:	331				
Waste Description:	WASTE COMPRESSED GASES				
Waste Code:	242				
Waste Description:	HALOGENATED PESTICIDES				
Waste Code:	252				
Waste Description:	WASTE OILS & LUBRICANTS				
15	14 of 21	NNE/167.2	242.9 / 0.00	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:	ON3707185			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Matt Gunness
MHSW Facility:	No			Phone No Admin:	905-795-3352 Ext.
SIC Code:	452991, 452999				
SIC Description:	HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES				
--Details--					
Waste Code:	252				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Description:		WASTE OILS & LUBRICANTS			
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			
Waste Code:		242			
Waste Description:		HALOGENATED PESTICIDES			
Waste Code:		222			
Waste Description:		HEAVY FUELS			
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
Waste Code:		147			
Waste Description:		CHEMICAL FERTILIZER WASTES			
Waste Code:		221			
Waste Description:		LIGHT FUELS			
Waste Code:		148			
Waste Description:		INORGANIC LABORATORY CHEMICALS			
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
Waste Code:		262			
Waste Description:		DETERGENTS/SOAPS			
15	15 of 21	NNE/167.2	242.9 / 0.00	A & J Marshall Holdings Ltd 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:		ON3707185		PO Box No:	
Status:		Registered		Country: Canada	
Approval Years:		As of Dec 2018		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
--Details--					
Waste Code:		145 I			
Waste Description:		Wastes from the use of pigments, coatings and paints			
Waste Code:		148 C			
Waste Description:		Misc. wastes and inorganic chemicals			
Waste Code:		148 I			
Waste Description:		Misc. wastes and inorganic chemicals			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Code: Waste Description:		212 L Aliphatic solvents and residues			
Waste Code: Waste Description:		242 A Halogenated pesticides and herbicides			
Waste Code: Waste Description:		263 I Misc. waste organic chemicals			
Waste Code: Waste Description:		331 I Waste compressed gases including cylinders			
15	16 of 21	NNE/167.2	242.9 / 0.00	CANADIAN TIRE STORE #197 99 MCEWAN DR E BOLTON ON L7E 2Z7	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:	Limited Vendor 23			Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
15	17 of 21	NNE/167.2	242.9 / 0.00	HARTWIND SALES LIMITED O/A CANADIAN TIRE #197 99 MCEWAN DR. BOLTON ON L7E2Z7	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:	Vendor			Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
15	18 of 21	NNE/167.2	242.9 / 0.00	HARTWIND SALES LIMITED O/A CANADIAN TIRE #197 99 MCEWAN DR. BOLTON ON L7E2Z7	PES
Detail Licence No: Licence No: 14689 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 905 Oper Phone No: 8570505 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
15	19 of 21	NNE/167.2	242.9 / 0.00	A+J MARSHALL HOLDINGS LTD. O/A CANADIAN TIRE 99 MCEWAN DR E BOLTON ON L7E2Z7	PES
Detail Licence No: Licence No: 18043 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 905 Oper Phone No: 8573229 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
15	20 of 21	NNE/167.2	242.9 / 0.00	CANADIAN TIRE GAS BAR 99 MCEWAN DR E BOLTON ON L7E 2Z7	RST
Headcode: 01186800 Headcode Desc: SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS Phone: List Name: Description:					
15	21 of 21	NNE/167.2	242.9 / 0.00	CANADIAN TIRE GAS BAR 99 MCEWAN DR E	RST

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
BOLTON ON L7E2Z7					
Headcode:		01186800			
Headcode Desc:		SERVICE STATIONS GASOLINE OIL & NATURAL GAS			
Phone:		9058573229			
List Name:		INFO-DIRECT(TM) BUSINESS FILE			
Description:					
16	1 of 21	W/169.0	244.4 / 1.51	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON	GEN
Generator No:		ON8051832		PO Box No:	
Status:				Country:	
Approval Years:		2009		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		541940			
SIC Description:		Veterinary Services			
--Details--					
Waste Code:		261			
Waste Description:		PHARMACEUTICALS			
Waste Code:		312			
Waste Description:		PATHOLOGICAL WASTES			
16	2 of 21	W/169.0	244.4 / 1.51	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON	GEN
Generator No:		ON8051832		PO Box No:	
Status:				Country:	
Approval Years:		2010		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		541940			
SIC Description:		Veterinary Services			
--Details--					
Waste Code:		261			
Waste Description:		PHARMACEUTICALS			
Waste Code:		312			
Waste Description:		PATHOLOGICAL WASTES			
16	3 of 21	W/169.0	244.4 / 1.51	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON	GEN
Generator No:		ON8051832		PO Box No:	
Status:				Country:	
Approval Years:		2011		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code:	541940				
SIC Description:		Veterinary Services			
--Details--					
Waste Code:	312				
Waste Description:		PATHOLOGICAL WASTES			
Waste Code:	261				
Waste Description:		PHARMACEUTICALS			
16	4 of 21	W/169.0	244.4 / 1.51	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON	GEN
Generator No:	ON8051832			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	541940				
SIC Description:		Veterinary Services			
--Details--					
Waste Code:	312				
Waste Description:		PATHOLOGICAL WASTES			
Waste Code:	261				
Waste Description:		PHARMACEUTICALS			
16	5 of 21	W/169.0	244.4 / 1.51	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON	GEN
Generator No:	ON8051832			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	541940				
SIC Description:		VETERINARY SERVICES			
--Details--					
Waste Code:	212				
Waste Description:		ALIPHATIC SOLVENTS			
Waste Code:	261				
Waste Description:		PHARMACEUTICALS			
Waste Code:	312				
Waste Description:		PATHOLOGICAL WASTES			
16	6 of 21	W/169.0	244.4 / 1.51	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON L7E1T6	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Generator No: ON8051832 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 541940 SIC Description: VETERINARY SERVICES </div> <div> PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Ruth Hendershot Phone No Admin: 905-689-8005 Ext. </div> </div>					
--Details--					
Waste Code: 212 Waste Description: ALIPHATIC SOLVENTS					
Waste Code: 312 Waste Description: PATHOLOGICAL WASTES					
Waste Code: 261 Waste Description: PHARMACEUTICALS					
16	7 of 21	W/169.0	244.4 / 1.51	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON L7E1T6	GEN
<div> <div> Generator No: ON8051832 Status: Approval Years: 2015 Contam. Facility: No MHSW Facility: No SIC Code: 541940 SIC Description: VETERINARY SERVICES </div> <div> PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Ruth Hendershot Phone No Admin: 905-689-8005 Ext. </div> </div>					
--Details--					
Waste Code: 261 Waste Description: PHARMACEUTICALS					
Waste Code: 312 Waste Description: PATHOLOGICAL WASTES					
Waste Code: 212 Waste Description: ALIPHATIC SOLVENTS					
16	8 of 21	W/169.0	244.4 / 1.51	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON L7E1T6	GEN
<div> <div> Generator No: ON8051832 Status: Approval Years: 2014 Contam. Facility: No MHSW Facility: No SIC Code: 541940 SIC Description: VETERINARY SERVICES </div> <div> PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Ruth Hendershot Phone No Admin: 905-689-8005 Ext. </div> </div>					
--Details--					
Waste Code: 312 Waste Description: PATHOLOGICAL WASTES					
Waste Code: 261 Waste Description: PHARMACEUTICALS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Code: Waste Description:		212 ALIPHATIC SOLVENTS			
16	9 of 21	W/169.0	244.4 / 1.51	North Hill Animal Hospital Professional Corporatio 12612 Hwy 50 unit 11 Bolton ON L7E1T6	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON8051832 Registered As of Dec 2018		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada
--Details--					
Waste Code: Waste Description:		212 L Aliphatic solvents and residues			
Waste Code: Waste Description:		261 A Pharmaceuticals			
Waste Code: Waste Description:		261 B Pharmaceuticals			
Waste Code: Waste Description:		312 P Pathological wastes			
16	10 of 21	W/169.0	244.4 / 1.51	THE ENTERPRISE 12612 Hwy 50 S Bolton ON L7E 5T1	SCT
Established: Plant Size (ft²): Employment:		1884 0 10			
--Details-- Description: SIC/NAICS Code:		Newspaper Publishers 511110			
16	11 of 21	W/169.0	244.4 / 1.51	Caledon Italian Bakery 12612 Hwy 50 Unit 33 Bolton ON L7E 1T6	SCT
Established: Plant Size (ft²): Employment:		1989 1400 4			
16	12 of 21	W/169.0	244.4 / 1.51	The Caledon Enterprise 12612 Hwy 50 S Bolton ON L7E 5T1	SCT
Established: Plant Size (ft²): Employment:		1884 10			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
16	13 of 21	W/169.0	244.4 / 1.51	Flexopedic Mattress Inc 12612 Highway 50 Unit 30 Bolton ON L7E 1T6	SCT
Established:		1995			
Plant Size (ft²):		5400			
Employment:		2			
--Details--					
Description:		Mattress Manufacturing			
SIC/NAICS Code:		337910			
16	14 of 21	W/169.0	244.4 / 1.51	Caledon Italian Bakery 12612 Highway 50 Unit 33 Bolton ON L7E 1T6	SCT
Established:		1989			
Plant Size (ft²):		1400			
Employment:		4			
--Details--					
Description:		Cookie and Cracker Manufacturing			
SIC/NAICS Code:		311821			
Description:		Commercial Bakeries and Frozen Bakery Product Manufacturing			
SIC/NAICS Code:		311814			
16	15 of 21	W/169.0	244.4 / 1.51	Metroland Printing, Publishing & Distribution Ltd. - The Caledon Enterprise 12612 Hwy 50 S Bolton ON L7E 5T1	SCT
Established:		1888			
Plant Size (ft²):		1500			
Employment:		10			
--Details--					
Description:		Newspaper Publishers			
SIC/NAICS Code:		511110			
16	16 of 21	W/169.0	244.4 / 1.51	Caledon Italian Bakery Ltd. 12612 Highway 50 Unit 33 Bolton ON L7E 1T6	SCT
Established:		1989			
Plant Size (ft²):		1400			
Employment:		4			
--Details--					
Description:		Commercial Bakeries and Frozen Bakery Product Manufacturing			
SIC/NAICS Code:		311814			
Description:		Cookie and Cracker Manufacturing			
SIC/NAICS Code:		311821			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
16	17 of 21	W/169.0	244.4 / 1.51	The Caledon Enterprise 12612 Hwy 50 Bolton ON L7E 1T6	SCT
Established:		01-JUN-88			
Plant Size (ft²):		1500			
Employment:					
--Details--					
Description:		Newspaper Publishers			
SIC/NAICS Code:		511110			
16	18 of 21	W/169.0	244.4 / 1.51	Flexopedic Mattress Inc. 12612 Hwy 50 Unit 30 Bolton ON L7E 1T6	SCT
Established:		01-JUL-95			
Plant Size (ft²):		5400			
Employment:					
--Details--					
Description:		Mattress Manufacturing			
SIC/NAICS Code:		337910			
Description:		Mattress Manufacturing			
SIC/NAICS Code:		337910			
16	19 of 21	W/169.0	244.4 / 1.51	The Caledon Enterprise 12612 Highway 50 Bolton ON L7E 1T6	SCT
Established:		1888			
Plant Size (ft²):		1500			
Employment:		10			
--Details--					
Description:		Newspaper Publishers			
SIC/NAICS Code:		511110			
16	20 of 21	W/169.0	244.4 / 1.51	Buonissimo Italian Bakery 12612 Hwy 50 Unit 33 Bolton ON L7E 1T6	SCT
Established:		01-MAR-07			
Plant Size (ft²):		1400			
Employment:					
--Details--					
Description:		Caterers			
SIC/NAICS Code:		722320			
Description:		Limited-Service Eating Places			
SIC/NAICS Code:		722210			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description:		Retail Bakeries			
SIC/NAICS Code:		311811			
16	21 of 21	W/169.0	244.4 / 1.51	Hydro One Brampton Networks Inc. 12612 Highway 50 Bolton Caledon ON NA	SPL
Ref No:		1576-A5JPJG		Discharger Report:	
Site No:		3771-A5VQ4X		Material Group:	
Incident Dt:		12/25/2015		Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:				Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:		13		Nearest Watercourse:	
Contaminant Name:		MINERAL OIL		Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:		Yes		Easting:	
Dt MOE Arvl on Scn:		1/5/2016		Site Geo Ref Accu:	
MOE Reported Dt:		12/25/2015		Site Map Datum:	
Dt Document Closed:		1/27/2016		SAC Action Class:	
Incident Reason:		Equipment Failure		Source Type:	
Site Name:		Padmount Transformer			
Site County/District:					
Site Geo Ref Meth:		NA			
Incident Summary:		Hydro-One: 1100 L of non-PCB mineral oil to transformer vault; cleaning			
Contaminant Qty:		1100 L			
17	1 of 1	E/172.4	241.5 / -1.35	BOLTON ON	WWIS
Well ID:		7263862		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring		Date Received:	
Sec. Water Use:				Selected Flag:	
Final Well Status:		Observation Wells		Abandonment Rec:	
Water Type:				Contractor:	
Casing Material:				Form Version:	
Audit No:		Z147927		Owner:	
Tag:		A201547		Street Name:	
Construction Method:				County:	
Elevation (m):				Municipality:	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		1006023443		Elevation:	
DP2BR:				Elevrc:	
				241.504974	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	17
Code OB:				East83:	603791
Code OB Desc:				North83:	4857206
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		5/10/2016		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006079500			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Other Materials:		SAND			
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		0			
Formation End Depth:		1.2			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006079501			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		1.2			
Formation End Depth:		6			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006079509			
Layer:		2			
Plug From:		0.3			
Plug To:		2.7			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006079508			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006079499			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006079504			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.7			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006079505			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.7			
Screen End Depth:		6			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Hole Diameter</u>					
Hole ID:		1006079502			
Diameter:		2			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[18](#)

1 of 1

SSE/178.9

240.9 / -2.00

12550 Highway 50 (Queen Street S), Bolton
Bolton ON

EHS

Order No: 20111020051
Status: C
Report Type: Standard Report
Report Date: 10/26/2011
Date Received: 10/20/2011 4:56:41 PM
Previous Site Name:

Nearest Intersection:
Municipality:
Client Prov/State: ON
Search Radius (km): 0.25
X: -79.709846
Y: 43.858962

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot/Building Size: Additional Info Ordered:					
19	1 of 5	SE/183.0	240.9 / -2.00	12543 Highway No. 50 Caledon ON	CA
Certificate #:		2150-4UBQXB			
Application Year:		01			
Issue Date:		2/26/01			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:		New Certificate of Approval			
Client Name:		Michael Mario Savo			
Client Address:		12543 Highway No. 50			
Client City:		Caledon			
Client Postal Code:		L7E 1M4			
Project Description:		This application is for one automotive paint spray booth, equipped with dry type paint arrestors for overspray control, for the application of solvent based refinish coatings to repaired auto body components and complete vehicles, discharging solvent based vapours to the atmosphere through one roof mounted stack.			
Contaminants:					
Emission Control:					
19	2 of 5	SE/183.0	240.9 / -2.00	Michael Mario Savo 12543 Highway No. 50 Caledon Ontario L7E 1M4 Caledon ON	EBR
EBR Registry No:		IA00E1826		Proposal Date:	November 29, 2000
Ministry Ref. No:		8572-4RJQA6		Notice Pub Date:	March 02, 2001
Notice Type:		Instrument Decision		Year:	2000
Company Name:		Michael Mario Savo			
Proponent Name:					
Proponent Address:		12543 Highway No. 50, Caledon Ontario, L7E 1M4			
Instrument Type:		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
Location Other:					
URL:					
Location:					
12543 Highway No. 50 Caledon Ontario L7E 1M4 Caledon					
19	3 of 5	SE/183.0	240.9 / -2.00	Michael Mario Savo 12543 Highway No. 50 Caledon ON L7E 1M4	ECA
Approval No:		2150-4UBQXB		MOE District:	Halton-Peel
Approval Date:		2001-02-26		City:	Caledon
Status:		Approved		Longitude:	-79.70975
Record Type:		ECA		Latitude:	43.859158
Link Source:		IDS		Geometry X:	
SWP Area Name:		Toronto		Geometry Y:	
Approval Type:		ECA-AIR			
Project Type:		AIR			
Address:		12543 Highway No. 50			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/8572-4RJQA6-14.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
19	4 of 5	SE/183.0	240.9 / -2.00	12543 Highway 50 Bolton ON L7E 1M4	EHS
Order No: 20050517022				Nearest Intersection:	
Status: C				Municipality:	Regional Municipality of York
Report Type:				Client Prov/State:	ON
Report Date: 5/19/2005				Search Radius (km):	0.25
Date Received: 5/17/2005				X:	-79.709197
Previous Site Name:				Y:	43.859034
Lot/Building Size:					
Additional Info Ordered: Title Search					
19	5 of 5	SE/183.0	240.9 / -2.00	12543 Highway 50 Bolton ON L7E 1M4	EHS
Order No: 20080903011				Nearest Intersection:	
Status: C				Municipality:	
Report Type: Standard Report				Client Prov/State:	ON
Report Date: 9/5/2008				Search Radius (km):	0.25
Date Received: 9/3/2008				X:	-79.709035
Previous Site Name:				Y:	43.859224
Lot/Building Size:					
Additional Info Ordered: Title Search					
20	1 of 1	SE/185.9	240.9 / -2.00	lot 3 con 7 ON	WWIS
Well ID: 4900365				Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use: Domestic				Date Received:	12/24/1963
Sec. Water Use: 0				Selected Flag:	Yes
Final Well Status: Water Supply				Abandonment Rec:	
Water Type:				Contractor:	2613
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	003
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID: 10315213				Elevation:	241.222427
DP2BR: 194				Elevrc:	
Spatial Status:				Zone:	17
Code OB: r				East83:	603725.6
Code OB Desc: Bedrock				North83:	4857032
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed: 12/11/1963				UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932029752			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		23			
Formation End Depth:		66			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932029756			
Layer:		6			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		176			
Formation End Depth:		179			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932029755			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		154			
Formation End Depth:		176			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932029753			
Layer:		3			
Color:		2			
General Color:		GREY			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		66			
Formation End Depth:		146			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029757			
Layer:		7			
Color:					
General Color:					
Mat1:		14			
Most Common Material:		HARDPAN			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		179			
Formation End Depth:		188			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029759			
Layer:		9			
Color:					
General Color:					
Mat1:		14			
Most Common Material:		HARDPAN			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		189			
Formation End Depth:		194			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029758			
Layer:		8			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		188			
Formation End Depth:		189			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932029751			
Layer:		1			
Color:		5			
General Color:		YELLOW			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		23			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932029754			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		146			
Formation End Depth:		154			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932029760			
Layer:		10			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		194			
Formation End Depth:		195			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10863783			
Casing No:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930521302			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		147			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933358957			
Layer:		1			
Slot:		025			
Screen Top Depth:		147			
Screen End Depth:		151			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994900365			
Pump Set At:					
Static Level:		122			
Final Level After Pumping:		135			
Recommended Pump Depth:		142			
Pumping Rate:		7			
Flowing Rate:					
Recommended Pump Rate:		5			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		12			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933788319			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		176			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933788320			
Layer:		3			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		188			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933788318			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		146			
Water Found Depth UOM:		ft			
<hr/>					
21	1 of 1	NW/186.5	244.2 / 1.35	lot 4 con 7 ON	WWIS
Well ID:	4900368			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	3/9/1964
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3108
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	004
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10315216			Elevation:	244.553314
DP2BR:	185			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	603475.6
Code OB Desc:	Bedrock			North83:	4857303
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	10/31/1963			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932029771				
Layer:	4				
Color:					
General Color:					
Mat1:	09				
Most Common Material:	MEDIUM SAND				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		125			
Formation End Depth:		142			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932029769			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		67			
Formation End Depth:		120			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932029768			
Layer:		1			
Color:					
General Color:					
Mat1:		23			
Most Common Material:		PREVIOUSLY DUG			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		67			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932029770			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		09			
Other Materials:		MEDIUM SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		120			
Formation End Depth:		125			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932029775			
Layer:		8			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		180			
Formation End Depth:		185			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029774			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		173			
Formation End Depth:		180			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029773			
Layer:		6			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		148			
Formation End Depth:		173			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029776			
Layer:		9			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		185			
Formation End Depth:		230			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029772			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		142			
Formation End Depth:		148			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10863786			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930521305			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		190			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930521306			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		230			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994900368			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Set At: Static Level: 70 Final Level After Pumping: 230 Recommended Pump Depth: 230 Pumping Rate: 3 Flowing Rate: Recommended Pump Rate: 2 Levels UOM: ft Rate UOM: GPM Water State After Test Code: 2 Water State After Test: CLOUDY Pumping Test Method: 1 Pumping Duration HR: 2 Pumping Duration MIN: 0 Flowing: N					
<u>Water Details</u>					
Water ID: 933788324 Layer: 1 Kind Code: 2 Kind: SALTY Water Found Depth: 230 Water Found Depth UOM: ft					
22	1 of 1	WNW/195.5	244.9 / 2.00	lot 4 con 6 ON	WWIS
Well ID: 4900317 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Abandoned-Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: 1 Date Received: 8/11/1959 Selected Flag: Yes Abandonment Rec: Contractor: 1325 Form Version: 1 Owner: Street Name: County: PEEL Municipality: CALEDON TOWN (ALBION) Site Info: Lot: 004 Concession: 06 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 10315165 DP2BR: Spatial Status: Code OB: o Code OB Desc: Overburden Open Hole: Cluster Kind: Date Completed: 7/20/1959 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source:					
Elevation: 245.014144 Elevrc: Zone: 17 East83: 603432.6 North83: 4857241 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029554			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		80			
Formation End Depth:		104			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029553			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		09			
Other Materials:		MEDIUM SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		61			
Formation End Depth:		80			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029552			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		18			
Formation End Depth:		61			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029551			
Layer:		1			
Color:		6			
General Color:		BROWN			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		18			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10863735			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930521250			
Layer:		1			
Material:		3			
Open Hole or Material:		CONCRETE			
Depth From:					
Depth To:		70			
Casing Diameter:		36			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930521251			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		104			
Casing Diameter:		18			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
23	1 of 2	SSE/200.8	240.9 / -2.00	12550 Highway 50, Vaughan ON	PINC
Incident ID:				Health Impact:	
Incident No:	859806			Environment Impact:	
Type:	FS-Pipeline Incident			Property Damage:	No
Status Code:	Pipeline Damage Reason Est			Service Interrupt:	
Fuel Occurrence Tp:				Enforce Policy:	Yes
Fuel Type:				Public Relation:	
Tank Status:	RC Established			Pipeline System:	
Task No:	3943929			Depth:	
Spills Action Centre:				Pipe Material:	
Method Details:	E-mail			PSIG:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Fuel Category: Natural Gas Date of Occurrence: Occurrence Start Date: 2012/08/20 Operation Type: Pipeline Type: Regulator Type: Summary: 12550 Highway 50, Vaughan - Pipeline Hit Reported By: John Todorovski Affiliation: Occurrence Desc: Damage Reason: Notification to one call center made but not sufficient Notes: </div> <div> Attribute Category: Regualtor Location: FS-Perform P-line Inc Invest </div> </div>					
23	2 of 2	SSE/200.8	240.9 / -2.00	12550 Regional Road 50, Bolton ON	PINC
<div> <div> Incident ID: Incident No: 835966 Type: FS-Pipeline Incident Status Code: Pipeline Damage Reason Est Fuel Occurrence Tp: Fuel Type: Tank Status: RC Established Task No: 3887169 Spills Action Centre: Method Details: E-mail Fuel Category: Natural Gas Date of Occurrence: Occurrence Start Date: 2012/07/05 Operation Type: Pipeline Type: Regulator Type: Summary: 12550 Regional Road 50, Bolton - 1" Pipeline Hit Reported By: Bill Reid - Enbridge Affiliation: Occurrence Desc: Damage Reason: Excavation practices not sufficient Notes: </div> <div> Health Impact: Environment Impact: Property Damage: Yes Service Interupt: Enforce Policy: Yes Public Relation: Pipeline System: Depth: Pipe Material: PSIG: Attribute Category: FS-Perform P-line Inc Invest Regualtor Location: </div> </div>					
24	1 of 1	ESE/201.9	240.9 / -2.00	ON	BORE
<div> <div> Borehole ID: 590486 Use: Drill Method: Easting: 603812 Location Accuracy: Elev. Reliability Note: Total Depth m: 1.2 Township: Lot: Completion Date: Primary Water Use: </div> <div> Type: Outcrop Status: Unknown UTM Zone: 17 Northing: 4857123 Orig. Ground Elev m: 240 DEM Ground Elev m: 241 Primary Name: OGS-OLW-62-581 Concession: Municipality: Static Water Level: -999.9 Sec. Water Use: </div> </div>					
<div> <div> --Details-- Stratum ID: 218340007 Bottom Depth(m): 1.2 </div> <div> Top Depth(m): 0.0 Stratum Desc: Di si cl </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
25	1 of 1	ESE/204.9	240.9 / -2.00	BOLTON ON	WWIS
<div> <div> Well ID: 7196142 Construction Date: Primary Water Use: Monitoring and Test Hole Sec. Water Use: 0 Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z165751 Tag: A143690 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 1/28/2013 Selected Flag: Yes Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 12525 HIGHWAY 50 County: PEEL Municipality: CALEDON TOWN (ALBION) Site Info: WKQ-005653 A0-A02 Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 1004244707 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 1/17/2013 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Elevation: 241.351852 Elevrc: Zone: 17 East83: 603802 North83: 4857091 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr </div> </div>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<div> <div> Formation ID: 1006139026 Layer: 2 Color: 6 General Color: BROWN Mat1: 06 Most Common Material: SILT Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 2 Formation End Depth: 10 Formation End Depth UOM: ft </div> </div>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Formation ID:		1006139025			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006139027			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		10			
Formation End Depth:		20			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139036			
Layer:		2			
Plug From:		0.5			
Plug To:		8			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139037			
Layer:		3			
Plug From:		9			
Plug To:		19			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139035			
Layer:		1			
Plug From:		0			
Plug To:		0.5			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006139024			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006139030			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		9			
Casing Diameter:		1.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006139031			
Layer:		1			
Slot:		10			
Screen Top Depth:		9			
Screen End Depth:		19			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.5			
<u>Hole Diameter</u>					
Hole ID:		1006139028			
Diameter:		2.25			
Depth From:		0			
Depth To:		19			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
26	1 of 1	SSW/207.5	240.9 / -2.00	lot 3 con 6 ON	WWIS
Well ID:		4903682			
Construction Date:				Data Entry Status:	
Primary Water Use:		Domestic		Data Src:	1
Sec. Water Use:		0		Date Received:	9/23/1971
Final Well Status:		Water Supply		Selected Flag:	Yes
Water Type:				Abandonment Rec:	
Casing Material:				Contractor:	4610
Audit No:				Form Version:	1
Tag:				Owner:	
Construction Method:				Street Name:	
Elevation (m):				County:	PEEL
Elevation Reliability:				Municipality:	CALEDON TOWN (ALBION)
Depth to Bedrock:				Site Info:	
Well Depth:				Lot:	003
Overburden/Bedrock:				Concession:	06
				Concession Name:	CON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	10318515			Elevation:	240.84848
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:	o			East83:	603554.6
Code OB Desc:	Overburden			North83:	4856988
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	8/23/1971			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932042637				
Layer:	7				
Color:	3				
General Color:	BLUE				
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:	05				
Other Materials:	CLAY				
Mat3:					
Other Materials:					
Formation Top Depth:	104				
Formation End Depth:	178				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932042631				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	11				
Other Materials:	GRAVEL				
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	13				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932042638				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		8			
Color:		3			
General Color:		BLUE			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		08			
Other Materials:		FINE SAND			
Mat3:		10			
Other Materials:		COARSE SAND			
Formation Top Depth:		178			
Formation End Depth:		184			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932042632			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		13			
Formation End Depth:		57			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932042634			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		66			
Formation End Depth:		87			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932042636			
Layer:		6			
Color:		3			
General Color:		BLUE			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		96			
Formation End Depth:		104			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932042639			
Layer:		9			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		184			
Formation End Depth:		186			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932042635			
Layer:		5			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		87			
Formation End Depth:		96			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932042633			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		14			
Most Common Material:		HARDPAN			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		57			
Formation End Depth:		66			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		10867085			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930526077			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		182			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933359413			
Layer:		1			
Slot:		035			
Screen Top Depth:		182			
Screen End Depth:		186			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994903682			
Pump Set At:					
Static Level:		132			
Final Level After Pumping:		172			
Recommended Pump Depth:		180			
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934785559			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		172			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934531418			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		157			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935050475			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		172			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934256886			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		145			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933791723			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		87			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933791724			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		178			
Water Found Depth UOM:		ft			
27	1 of 1	SSE/207.7	240.9 / -2.00	12544 Highway 50 Caledon ON	EHS
Order No:	20121205007			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Select Report			Client Prov/State:	ON
Report Date:	13-DEC-12			Search Radius (km):	.25
Date Received:	05-DEC-12			X:	-79.709981
Previous Site Name:				Y:	43.858663
Lot/Building Size:					
Additional Info Ordered:	City Directory; Aerial Photos				
28	1 of 1	SE/211.6	240.9 / -2.00	BOLTON ON	WWIS
Well ID:	7196144			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	1/28/2013
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z165753			Owner:	
Tag:	A143774			Street Name:	12525 HIGHWAY 50

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	PEEL CALEDON TOWN (ALBION) WKQ-005653 A0-A02
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1004244713 1/17/2013			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	241.015182 17 603775 4857041 UTM83 4 margin of error : 30 m - 100 m wwr
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	1006139094 1 6 BROWN 01 FILL 0 2 ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	1006139095 2 6 BROWN 06 SILT 2 2 ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006139096			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		2			
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139107			
Layer:		2			
Plug From:		8.5			
Plug To:		19.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139102			
Layer:		1			
Plug From:		0			
Plug To:		8.5			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006139093			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006139099			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		9.5			
Casing Diameter:		1.25			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:	1006139100				
Layer:	1				
Slot:	10				
Screen Top Depth:	9.5				
Screen End Depth:	19.5				
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	1.5				
<u>Hole Diameter</u>					
Hole ID:	1006139097				
Diameter:	2.25				
Depth From:	0				
Depth To:	19.5				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				
29	1 of 1	NE/215.1	241.1 / -1.74	CALEDON ON	WWIS
Well ID:	7149490			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	8/5/2010
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z118956			Owner:	
Tag:	A102978			Street Name:	12621 HWY 50
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003269399			Elevation:	241.099288
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603792
Code OB Desc:				North83:	4857314
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	6
Date Completed:	7/15/2010			UTMRC Desc:	margin of error : 300 m - 1 km
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003312967			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		3.49			
Formation End Depth:		7.62			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003312966			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		2.13			
Formation End Depth:		3.49			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003312965			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Other Materials:		SAND			
Mat3:		01			
Other Materials:		FILL			
Formation Top Depth:		0			
Formation End Depth:		2.13			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003312969			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003312970			
Layer:		2			
Plug From:		0.31			
Plug To:		3.1			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003312971			
Layer:		3			
Plug From:		3.1			
Plug To:		7.62			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		B			
Method Construction Code:		Other Method			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1003312964			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003312973			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3.1			
Casing Diameter:		4.03			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1003312974			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.1			
Screen End Depth:		7.62			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.82			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: 1003312968 Diameter: 8.25 Depth From: 0 Depth To: 7.62 Hole Depth UOM: ft Hole Diameter UOM: inch					
30	1 of 1	E/215.4	240.9 / -2.00	lot 3 con 7 ON	WWIS
Well ID: 4904095 Construction Date: Primary Water Use: Industrial Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: 1 Date Received: 7/3/1973 Selected Flag: Yes Abandonment Rec: Contractor: 4610 Form Version: 1 Owner: Street Name: County: PEEL Municipality: CALEDON TOWN (ALBION) Site Info: Lot: 003 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 10318883 DP2BR: Spatial Status: Code OB: o Code OB Desc: Overburden Open Hole: Cluster Kind: Date Completed: 3/15/1973 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: 240.987411 Elevrc: Zone: 17 East83: 603834.6 North83: 4857203 Org CS: UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: p4					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 932044246 Layer: 5 Color: 3 General Color: BLUE Mat1: 05 Most Common Material: CLAY Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 98					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		149			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932044244			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		45			
Formation End Depth:		85			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932044243			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		18			
Formation End Depth:		45			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932044245			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		85			
Formation End Depth:		98			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932044242			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		18			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932044247			
Layer:		6			
Color:		3			
General Color:		BLUE			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		149			
Formation End Depth:		162			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10867453			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930526588			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		158			
Casing Diameter:		7			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933359477			
Layer:		1			
Slot:		025			
Screen Top Depth:		159			
Screen End Depth:		162			
Screen Material:					
Screen Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994904095			
Pump Set At:					
Static Level:		127			
Final Level After Pumping:		154			
Recommended Pump Depth:		154			
Pumping Rate:		5			
Flowing Rate:					
Recommended Pump Rate:		5			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934532526			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		154			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935042820			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		154			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934786660			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		154			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934257994			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		146			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933792130			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		149			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		ft			
31	1 of 1	SSE/216.6	240.9 / -2.00	lot 3 con 6 ON	WWIS
Well ID: 4905282		Data Entry Status:			
Construction Date:		Data Src: 1			
Primary Water Use: Domestic		Date Received: 2/9/1978			
Sec. Water Use: 0		Selected Flag: Yes			
Final Well Status: Water Supply		Abandonment Rec:			
Water Type:		Contractor: 5206			
Casing Material:		Form Version: 1			
Audit No:		Owner:			
Tag:		Street Name:			
Construction Method:		County: PEEL			
Elevation (m):		Municipality: CALEDON TOWN (ALBION)			
Elevation Reliability:		Site Info:			
Depth to Bedrock:		Lot: 003			
Well Depth:		Concession: 06			
Overburden/Bedrock:		Concession Name: CON			
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			
Flowing (Y/N):		Zone:			
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID: 10320037		Elevation: 240.98085			
DP2BR:		Elevrc:			
Spatial Status:		Zone: 17			
Code OB: 0		East83: 603664.6			
Code OB Desc: Overburden		North83: 4856973			
Open Hole:		Org CS:			
Cluster Kind:		UTMRC: 5			
Date Completed: 11/4/1977		UTMRC Desc: margin of error : 100 m - 300 m			
Remarks:		Location Method: p5			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 932049417					
Layer: 2					
Color: 6					
General Color: BROWN					
Mat1: 05					
Most Common Material: CLAY					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth: 2					
Formation End Depth: 6					
Formation End Depth UOM: ft					
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932049419			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		132			
Formation End Depth:		143			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932049420			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		143			
Formation End Depth:		165			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932049416			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932049418			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:	6				
Formation End Depth:	132				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10868607				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930528114				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	152				
Casing Diameter:	6				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933359750				
Layer:	1				
Slot:	006				
Screen Top Depth:	152				
Screen End Depth:	160				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	6				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	994905282				
Pump Set At:					
Static Level:	94				
Final Level After Pumping:	130				
Recommended Pump Depth:	160				
Pumping Rate:	6				
Flowing Rate:					
Recommended Pump Rate:	5				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	2				
Pumping Duration HR:	2				
Pumping Duration MIN:	0				
Flowing:	N				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935045665			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		94			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934780695			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		94			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934526582			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		94			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934260834			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		104			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933793319			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		143			
Water Found Depth UOM:		ft			

32	1 of 1	SSE/217.6	240.8 / -2.03	Caledon ON	WWIS
Well ID:	7196588			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	2/4/2013
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7324
Casing Material:				Form Version:	7
Audit No:	Z147641			Owner:	
Tag:	A139186			Street Name:	12544 HIGHWAY 50
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy:				Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	1004248890			Elevation:	240.855041
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603701
Code OB Desc:				North83:	4856983
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/13/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004751221				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Other Materials:	SILT				
Mat3:	73				
Other Materials:	HARD				
Formation Top Depth:	1.83				
Formation End Depth:	4.88				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004751220				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	05				
Other Materials:	CLAY				
Mat3:	85				
Other Materials:	SOFT				
Formation Top Depth:	0.3				
Formation End Depth:	1.83				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004751219				
Layer:	1				
Color:	2				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		68			
Other Materials:		DRY			
Formation Top Depth:		0			
Formation End Depth:		0.3			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004751228			
Layer:		1			
Plug From:		0			
Plug To:		2.95			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004751229			
Layer:		2			
Plug From:		2.95			
Plug To:		4.88			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004751218			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004751224			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3.26			
Casing Diameter:		0.05			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004751225			
Layer:		1			
Slot:		40			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top Depth:		3.26			
Screen End Depth:		4.79			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		3.06			
<u>Water Details</u>					
Water ID:		1004751223			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		0.65			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004751222			
Diameter:		10			
Depth From:		0			
Depth To:		4.88			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
33	1 of 1	SSW/218.7	240.9 / -2.00	lot 3 con 6 ON	WWIS
Well ID:	4908578			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	4/13/2000
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	6300
Casing Material:				Form Version:	1
Audit No:	212395			Owner:	
Tag:				Street Name:	
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	003
Well Depth:				Concession:	06
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10323113			Elevation:	240.827972
DP2BR:				Elevrc:	
Spatial Status:	Improved			Zone:	17
Code OB:	o			East83:	603517
Code OB Desc:	Overburden			North83:	4856992
Open Hole:				Org CS:	N83
Cluster Kind:				UTMRC:	4
Date Completed:	3/17/2000			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	
Elevrc Desc:					
Location Source Date:	As of Fall, 2005				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Improvement Location Source:		YPDT_Master_A.mdb from Conservation Authority Moraine Coalition			
Improvement Location Method:		Map			
Source Revision Comment:		Sourced from Hunter and Assoc. by CAMC. Source notes: HUNTER 2001 ORM AVI STUDY; OBM (UTM 1982)/Orthophoto (1999)/Parcels 2001; Original units in CAMC's source: UTM NAD83 UTMs and Gnd Elev updated by Hunter Brought into CAMC data on: 02/08/2002. Source ID: 4908578			
Supplier Comment:		Changed from lot/centroid coordinates.			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932064005			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		14			
Formation End Depth:		125			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932064004			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		1			
Formation End Depth:		14			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932064008			
Layer:		6			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		174			
Formation End Depth:		178			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932064007			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		5			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		136			
Formation End Depth:		174			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932064003			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		1			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932064006			
Layer:		4			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		125			
Formation End Depth:		136			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932064009			
Layer:		7			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		62			
Other Materials:		CLEAN			
Mat3:					
Other Materials:					
Formation Top Depth:		178			
Formation End Depth:		186			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933171199			
Layer:		1			
Plug From:		0			
Plug To:		170			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10871683			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930532773			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		178			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930532772			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		133			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933360653			
Layer:		1			
Slot:		008			
Screen Top Depth:		178			
Screen End Depth:		184			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994908578			
Pump Set At:					
Static Level:		126			
Final Level After Pumping:					
Recommended Pump Depth:		175			
Pumping Rate:		7			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		10			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933796684			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		178			
Water Found Depth UOM:		ft			
<hr/>					
34	1 of 1	ESE/220.2	240.9 / -2.00	lot 3 con 7 ON	WWIS
Well ID:	4904495			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Commerical			Date Received:	11/5/1974
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1556
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	003
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10319278			Elevation:	241.137756
DP2BR:	193			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	603804.6
Code OB Desc:	Bedrock			North83:	4857065
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	8/26/1974			UTMRC Desc:	margin of error : 30 m - 100 m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Location Method:	p4
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932045988			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		148			
Formation End Depth:		180			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932045989			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		13			
Other Materials:		BOULDERS			
Formation Top Depth:		180			
Formation End Depth:		193			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932045986			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		3			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932045987			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		3			
Formation End Depth:		148			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932045990			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		193			
Formation End Depth:		225			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10867848			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930527115			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		225			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930527114			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		193			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994904495			
Pump Set At:					
Static Level:		90			
Final Level After Pumping:		223			
Recommended Pump Depth:		224			
Pumping Rate:		3			
Flowing Rate:					
Recommended Pump Rate:		1			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		30			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934533668			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		180			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935043972			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		150			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934259137			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		195			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934787795			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		165			
Test Level UOM:		ft			
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID: 933792527 Layer: 2 Kind Code: 1 Kind: FRESH Water Found Depth: 223 Water Found Depth UOM: ft					
<u>Water Details</u>					
Water ID: 933792526 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 205 Water Found Depth UOM: ft					
<u>35</u>	1 of 1	WNW/220.9	244.9 / 2.00	Southwest corner of Highway 50 and McEwan, Bolton<UNOFFICIAL> Caledon ON	SPL
Ref No: 6076-7L9VUB Site No: Incident Dt: Year: Incident Cause: Other Transport Accident Incident Event: Contaminant Code: 15 Contaminant Name: MOTOR OIL Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Confirmed Nature of Impact: Soil Contamination Receiving Medium: Receiving Env: MOE Response: No Field Response Dt MOE Arvl on Scn: MOE Reported Dt: 11/10/2008 Dt Document Closed: 11/14/2008 Incident Reason: Site Name: Southwest corner of Highway 50 and McEwan, Bolton<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Highway 50: 15L of engine fluids to ground & ditch from MVA Contaminant Qty: 15 L					
Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Other Motor Vehicle Agency Involved: Nearest Watercourse: Site Address: Site District Office: Halton-Peel Site Postal Code: Site Region: Site Municipality: Caledon Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Land Spills Source Type:					
<u>36</u>	1 of 1	ESE/227.8	240.9 / -2.00	2 INDUSTRIAL RD, CALEDON<UNOFFICIAL> Caledon ON	SPL
Ref No: 4754-66DAXA Site No: Incident Dt: 11/2/2004 Year: Incident Cause: Overturn - Truck Or Trailer Incident Event: Contaminant Code: 13 Contaminant Name: DIESEL FUEL Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Confirmed Nature of Impact: Soil Contamination					
Discharger Report: Material Group: Oil Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Halton-Peel Site Postal Code: Site Region: Central Site Municipality: Caledon Site Lot:					

37

1 of 1

SE/230.1

240.9 / -2.00

BOLTON ON

WWIS

Well ID:

7196143

Construction Date:

Primary Water Use:

Sec. Water Use:

Final Well Status:

0

Water Type:

Casing Material:

Audit No:

Z165710

Tag:

A143768

Construction Method:

Elevation (m):

Elevation Reliability:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Flowing (Y/N):

Flow Rate:

Clear/Cloudy:

Data Entry Status:

Data Src:

Date Received:

1/28/2013

Selected Flag:

Yes

Abandonment Rec:

Contractor:

7241

Form Version:

7

Owner:

Street Name:

12525 HIGHWAY 50

County:

PEEL

Municipality:

CALEDON TOWN (ALBION)

Site Info:

Lot:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID:

1004244710

DP2BR:

Spatial Status:

Code OB:

Code OB Desc:

Open Hole:

Cluster Kind:

Date Completed:

1/17/2013

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source:

Improvement Location Method:

Source Revision Comment:

Supplier Comment:

Elevation:

240.883941

Elevrc:

Zone:

17

East83:

603797

North83:

4857038

Org CS:

UTM83

UTMRC:

4

UTMRC Desc:

margin of error : 30 m - 100 m

Location Method:

wwr

Overburden and Bedrock

Materials Interval

Formation ID:

1006139052

Layer:

3

Color:

2

General Color:

GREY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		9			
Formation End Depth:		19.5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006139051			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		2			
Formation End Depth:		9			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006139050			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139059			
Layer:		2			
Plug From:		0.5			
Plug To:		8.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139060			
Layer:		3			
Plug From:		8.5			
Plug To:		19.5			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139058			
Layer:		1			
Plug From:		0			
Plug To:		0.5			
Plug Depth UOM:		ft			
<u>Pipe Information</u>					
Pipe ID:		1006139049			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006139055			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		9.5			
Casing Diameter:		1.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006139056			
Layer:		1			
Slot:		10			
Screen Top Depth:		9.5			
Screen End Depth:		19.5			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.5			
<u>Hole Diameter</u>					
Hole ID:		1006139053			
Diameter:		2.25			
Depth From:		0			
Depth To:		19.5			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>38</u>	1 of 2	SE/238.0	240.7 / -2.20	12525 Highway 50 Bolton ON L7E 1M4	EHS
Order No:	20031111033			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Basic Report			Client Prov/State:	ON
Report Date:	11/20/03			Search Radius (km):	0.25
Date Received:	11/11/03			X:	-79.708877
Previous Site Name:				Y:	43.8588
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
38	2 of 2	SE/238.0	240.7 / -2.20	MapleCon Earthworks Ltd. 12525 Highway 50 Unit 2 Bolton ON	GEN
<div> <div> Generator No: ON4156921 Status: Approval Years: 2009 Contam. Facility: MHSW Facility: SIC Code: 236220 SIC Description: Commercial and Institutional Building Construction </div> <div> PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: </div> </div>					
<u>--Details--</u>					
Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS					
39	1 of 1	ESE/243.3	240.9 / -2.00	BOLTON ON	WWIS
<div> <div> Well ID: 7196141 Construction Date: Primary Water Use: Monitoring and Test Hole Sec. Water Use: 0 Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z165752 Tag: A143775 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 1/28/2013 Selected Flag: Yes Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 12525 HIGHWAY 50 County: PEEL Municipality: CALEDON TOWN (ALBION) Site Info: WKQ-005653 A0-A02 Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 1004244704 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 1/17/2013 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Elevation: 241.020675 Elevrc: Zone: 17 East83: 603831 North83: 4857064 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr </div> </div>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Formation ID:		1006139012			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006139014			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		10			
Formation End Depth:		19			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006139013			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		2			
Formation End Depth:		10			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1006139022			
Layer:		1			
Plug From:		0			
Plug To:		8			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1006139023			
Layer:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		8			
Plug To:		19			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006139011			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006139017			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		9			
Casing Diameter:		1.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006139018			
Layer:		1			
Slot:		10			
Screen Top Depth:		9			
Screen End Depth:		19			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.5			
<u>Hole Diameter</u>					
Hole ID:		1006139015			
Diameter:		2.25			
Depth From:		0			
Depth To:		19			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
40	1 of 1	NNW/245.6	244.0 / 1.16	lot 4 con 7 ON	WWIS
Well ID:	4900370			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:				Date Received:	9/29/1964
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Supply			Abandonment Rec:	
Water Type:				Contractor:	1714

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	004
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		10315218		Elevation:	244.58966
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:		o		East83:	603521.6
Code OB Desc:		Overburden		North83:	4857410
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		7/2/1964		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932029789			
Layer:		3			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		95			
Formation End Depth:		100			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932029787			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:		09			
Other Materials:		MEDIUM SAND			
Mat3:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:	0				
Formation End Depth:	2				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932029788				
Layer:	2				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	2				
Formation End Depth:	95				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932029790				
Layer:	4				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	09				
Other Materials:	MEDIUM SAND				
Mat3:					
Other Materials:					
Formation Top Depth:	100				
Formation End Depth:	136				
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	933169829				
Layer:	1				
Plug From:	0				
Plug To:	136				
Plug Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10863788				
Casing No:	1				
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930521308			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
41	1 of 2	W/249.3	244.9 / 2.00	STEELES-JANE PROPERTIES INC.-PT. LOT 4 3&5 MCEWAN DR. & 0.1 HWY. #50 CALEDON TOWN ON	CA
Certificate #:		3-0979-90-			
Application Year:		90			
Issue Date:		6/15/1990			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
41	2 of 2	W/249.3	244.9 / 2.00	STEELES-JANE PROERTIES INC.-PT. LOT 4 3 & 5 MCEWAN DR./0.1 HWY. #50 CALEDON TOWN ON	CA
Certificate #:		7-0808-90-			
Application Year:		90			
Issue Date:		6/15/1990			
Approval Type:		Municipal water			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					

Unplottable Summary

Total: **53** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Penretail Management Limited	Healey Road, McEwan Drive, Loring Drive, and Easements	Caledon ON	
CA	Loblaw Properties Limited	Part of West Half Lot 4, Concession 7	Caledon ON	
CA	Loblaw Properties Limited	Part of the West 1/2 of Lot 4, Con. 7	Caledon ON	
CA	Old Paisley Estates	Lot 4, Conc. 6, Part 1, RP 43R-22881	Caledon ON	
CA		Part of Lot 4, Concession 6	Caledon ON	
CA	ALBION FAIRWAYS DEVELOPMENTS LTD.	HWY. NO. 50 BOLTON GOLF CLUB	CALEDON TOWN ON	
CA	Bolton South Business Park	Lot 3, Concession 6	Caledon ON	
CA		Lot 4, Conc. 6, Part 1, Ref 43R-22881, (Old Paisley Estates)	Caledon ON	
CA	Bolton South Business Park	Lot 3, Concession 6	Caledon ON	
CA	Bolton South Industrial Lands	Lot 3, Conc. 6, George Bolton Parkway South	Caledon ON	
CA		Part of the East Half of Lot 4, Concession 6	Caledon ON	
CA	Old Paisley Estates	Lot 4, Conc. 6, Part 1, RP 43R-22881	Caledon ON	
EBR	Aspen Laminating Inc.	Block 1, Plan 43M-808, 19 McEwan Drive Caledon Ontario Caledon	ON	
EBR	Regional Municipality of Peel	Part of Lot 3, Concession 7 (formerly Twsp of Albion) Caledon	ON	
ECA	Loblaw Properties Limited	Part of West Half Lot 4, Concession 7	Caledon ON	M4T 2S5
ECA	Canadian Tire Corporation, Limited	Part 5, Plan 43R-25235; Lot 6(east half and Concession 5, Ref Plan 43R-24903 of Part 1	Caledon ON	M4P 2V8
ECA	Penretail Management Limited	Healey Road, McEwan Drive, Loring Drive, and Easements	Caledon ON	M5J 2H7
EHS		Highway 50 - no municipal address	Bolton ON	

GEN	Town of Caledon	Part Lot 4, Plan 43M	Caledon ON	
GEN	HARLIN PLATING INC.	17 MCEWAN UNIT 8	BOLTON ON	L72 1H5
GEN	HARLIN PLATING INC.	17 MCEWAN UNIT 8	BOLTON ON	L72 1H5
GEN	HARLIN PLATING INC.	17 MCEWAN UNIT 8	BOLTON ON	L72 1H5
GEN	HARLIN PLATING INC.	17 MCEWAN UNIT 8	BOLTON ON	L72 1H5
GEN	Brafasco	26 McEwan Drive Units 10 & 11	Bolton ON	L7E 1E6
GEN	Brafasco	26 McEwan Drive Units 10 & 11	Bolton ON	L7E 1E6
GEN	Brafasco	26 McEwan Drive Units 10 & 11	Bolton ON	L7E 1E6
GEN	Hydro One Networks Inc.	King's DS Lot 60 Plan 994, Highway 50	Twp. of Caledon ON	
SCT	James Dick Concrete Aggregates - Div. of James Dick Construction Ltd.	Hwy 50	Bolton ON	L7E 5T4
SCT	JAMES DICK CONCRETE AGGREGATES	HWY 50	BOLTON ON	L7E 5T4
SCT	Caledon Sand & Gravel Inc.	Hwy 50	Bolton ON	L7E 5Z7
SCT	CALEDON SAND & GRAVEL INC.	HIGHWAY 50 RR 1	BOLTON ON	L7E 5Z7
SPL	UNKNOWN	HWY 50,BOLTON	CALEDON TOWN ON	
SPL	PRIVATE OWNER	HWY 50 N OF BOLTON-TOP OF HILL ACROSS FROM PETRO CANADA STORAGE TANK/BARREL	PEEL R.M. ON	
SPL	LODWICK TRANSPORT	HWY 50 JUST SOUTH OF BOLTON TRANSPORT TRUCK (CARGO)	PEEL R.M. ON	
SPL	ONTARIO HYDRO	EAST 1/2 LOT 3, CONC. VI, ALBION TWP. MOTOR VEHICLE (OPERATING FLUID)	CALEDON TOWN ON	
WWIS		con 6	ON	
WWIS		lot 4	ON	
WWIS		con 6	ON	
WWIS		con 6	ON	
WWIS		con 6	ON	

WWIS		BOLTON ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	lot 4	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON

Unplottable Report

Site: *Penretail Management Limited*
Healey Road, McEwan Drive, Loring Drive, and Easements Caledon ON

Database:
CA

Certificate #: 2038-79UP4J
Application Year: 2007
Issue Date: 12/13/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Loblaw Properties Limited*
Part of West Half Lot 4, Concession 7 Caledon ON

Database:
CA

Certificate #: 9828-5RANSC
Application Year: 2003
Issue Date: 9/12/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Loblaw Properties Limited*
Part of the West 1/2 of Lot 4, Con. 7 Caledon ON

Database:
CA

Certificate #: 5438-5L8L8A
Application Year: 2003
Issue Date: 4/3/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Old Paisley Estates*
Lot 4, Conc. 6, Part 1, RP 43R-22881 Caledon ON

Database:
CA

Certificate #: 0807-4TYPBK
Application Year: 01

Issue Date: 3/1/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Old Paisley Estates Inc.
Client Address: 4100 Yonge Street, Suite 310
Client City: Toronto
Client Postal Code: M2P 2B5
Project Description: SWM Facility approx. 60 m E. from center of cul-de-sac of Filton Rd., and , N.E. Corner of Walker Rd. N. & Putney Rd., approx. 300 m W. from Intersection of Airport Rd. and Walker Rd. W.
Contaminants:
Emission Control:

Site: **Part of Lot 4, Concession 6 Caledon ON** **Database:** **CA**

Certificate #: 5356-4SZHVS
Application Year: 02
Issue Date: 2/18/02
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Di Gregorio Investments Ltd.
Client Address: 4 Holland Drive Units 8 & 9
Client City: Bolton
Client Postal Code: L7E 1G1
Project Description: This application is for a Stormwater Management Facility.
Contaminants:
Emission Control:

Site: **ALBION FAIRWAYS DEVELOPMENTS LTD.** **Database:** **CA**
HWY. NO. 50 BOLTON GOLF CLUB CALEDON TOWN ON

Certificate #: 7-1942-88-
Application Year: 88
Issue Date: 12/5/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Bolton South Business Park** **Database:** **CA**
Lot 3, Concession 6 Caledon ON

Certificate #: 8858-4VXNLG
Application Year: 01
Issue Date: 5/3/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Town of Caledon
Client Address: 6311 Old Church Road, Box 1000
Client City: Caledon
Client Postal Code: L0N 1E0
Project Description: Watermains to be constructed on George Bolton Parkway, Nixon Road and Access Road
Contaminants:
Emission Control:

Site: Lot 4, Conc. 6, Part 1, Ref 43R-22881, (Old Paisley Estates) Caledon ON **Database:** CA

Certificate #: 7351-4NGJPS
Application Year: 00
Issue Date: 8/24/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Old Paisley Estates Inc.
Client Address: 4100 Yonge Street, Suite 310
Client City: Toronto
Client Postal Code: M2P 2B5
Project Description: Construction of watermain on Filton Road and Putney Road.
Contaminants:
Emission Control:

Site: Bolton South Business Park **Database:** CA
Lot 3, Concession 6 Caledon ON

Certificate #: 7758-4VXP7Z
Application Year: 01
Issue Date: 5/3/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Town of Caledon
Client Address: 6311 Old Church Road, Box 1000
Client City: Caledon
Client Postal Code: L0N 1E0
Project Description: Sanitary and storm sewers to be constructed on George Bolton Parkway, Nixon Road and Access Road N/A
Contaminants:
Emission Control:

Site: Bolton South Industrial Lands **Database:** CA
Lot 3, Conc. 6, George Bolton Parkway South Caledon ON

Certificate #: 1184-4WTPFT
Application Year: 01
Issue Date: 10/31/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Town of Caledon
Client Address: 6311 Old Church Road, Box 1000
Client City: Caledon
Client Postal Code: L0N 1E0
Project Description: This application is for the construction of storm water management ponds A & B to serve Bolton South industrial lands immediately south of George Bolton Parkway.
Contaminants:
Emission Control:

Site: Part of the East Half of Lot 4, Concession 6 Caledon ON **Database:** CA

Certificate #: 1534-4HTSV5
Application Year: 00
Issue Date: 3/31/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Di Gregorio Investments Ltd.
Client Address: 4 Holland Drive Units 8 & 9
Client City: Bolton

Client Postal Code: L7E 1G1
Project Description: Storm sewers to be constructed in conjunction with project No. C-02.0.
Contaminants:
Emission Control:

Site: **Old Paisley Estates**
Lot 4, Conc. 6, Part 1, RP 43R-22881 Caledon ON

Database:
CA

Certificate #: 4432-4NGJFW
Application Year: 01
Issue Date: 2/20/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Old Paisley Estates Inc.
Client Address: 4100 Yonge Street, Suite 310
Client City: Toronto
Client Postal Code: M2P 2B5
Project Description: Construction of sanitary sewers on Filton Road, Putney Road and Airport Road. Construction of storm sewers on Filton Road and Putney Road.
Contaminants:
Emission Control:

Site: **Aspen Laminating Inc.**
Block 1, Plan 43M-808, 19 McEwan Drive Caledon Ontario Caledon ON

Database:
EBR

EBR Registry No: IA01E0351
Ministry Ref. No: 1243-4UTMEM
Notice Type: Instrument Decision
Company Name: Aspen Laminating Inc.
Proponent Name:
Proponent Address: 19 McEwan Drive, Units 3, 4 & 5, Bolton Ontario, L7E 1G2
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Location Other:
URL:

Proposal Date: March 14, 2001
Notice Pub Date: July 12, 2001
Year: 2001

Location:

Block 1, Plan 43M-808, 19 McEwan Drive Caledon Ontario Caledon

Site: **Regional Municipality of Peel**
Part of Lot 3, Concession 7 (formerly Twsp of Albion) Caledon ON

Database:
EBR

EBR Registry No: IA7E0405
Ministry Ref. No: A680247
Notice Type: Instrument Exception
Company Name: Regional Municipality of Peel
Proponent Name:
Proponent Address:
Instrument Type: (EPA s. 27) - Approval for a waste disposal site.
Location Other:
URL:

Proposal Date:
Notice Pub Date: April 20, 1998
Year:

Location:

Part of Lot 3, Concession 7 (formerly Twsp of Albion) Caledon

Site: **Loblaw Properties Limited**
Part of West Half Lot 4, Concession 7 Caledon ON M4T 2S5

Database:
ECA

Approval No: 9828-5RANSC
Approval Date: 2003-09-12
MOE District:
City: Caledon

Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Part of West Half Lot 4, Concession 7
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/3191-5KXRHP-14.pdf>

Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Canadian Tire Corporation, Limited**
Part 5, Plan 43R-25235; Lot 6(east half and Concession 5, Ref Plan 43R-24903 of Part 1 Caledon ON M4P 2V8)

Database:
ECA

Approval No: 0992-9GRLMB
Approval Date: 2014-03-03
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS
Project Type: INDUSTRIAL SEWAGE WORKS
Address: Part 5, Plan 43R-25235; Lot 6(east half and Concession 5, Ref Plan 43R-24903 of Part 1
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/8879-9EPJPK-14.pdf>

MOE District:
City: Caledon
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Penretail Management Limited**
Healey Road, McEwan Drive, Loring Drive, and Easements Caledon ON M5J 2H7

Database:
ECA

Approval No: 2038-79UP4J
Approval Date: 2007-12-13
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Healey Road, McEwan Drive, Loring Drive, and Easements
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9431-79RL25-14.pdf>

MOE District:
City: Caledon
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Highway 50 - no municipal address Bolton ON**

Database:
EHS

Order No: 20041222004
Status: C
Report Type: Complete Report
Report Date: 1/3/05
Date Received: 12/22/04
Previous Site Name:
Lot/Building Size:
Additional Info Ordered:

Nearest Intersection:
Municipality:
Client Prov/State: ON
Search Radius (km): 0.5
X: -79.723944
Y: 43.8557

Site: **Town of Caledon**
Part Lot 4, Plan 43M Caledon ON

Database:
GEN

Generator No: ON9296314
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 913910
SIC Description: Other Local Municipal and Regional Public Administration

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

--Details--

Waste Code: 221
Waste Description: LIGHT FUELS

Site: HARLIN PLATING INC.
17 MCEWAN UNIT 8 BOLTON ON L72 1H5

Database:
GEN

Generator No: ON1869700
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 332710
SIC Description: MACHINE SHOPS

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: BERNIE VAN GEREN
Phone No Admin: 9058579341 Ext.

--Details--

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Site: HARLIN PLATING INC.
17 MCEWAN UNIT 8 BOLTON ON L72 1H5

Database:
GEN

Generator No: ON1869700
Status: Registered
Approval Years: As of Dec 2018
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country: Canada
Choice of Contact:
Co Admin:
Phone No Admin:

--Details--

Waste Code: 112 C
Waste Description: Acid solutions - containing heavy metals

Waste Code: 213 I
Waste Description: Petroleum distillates

Site: HARLIN PLATING INC.
17 MCEWAN UNIT 8 BOLTON ON L72 1H5

Database:
GEN

Generator No: ON1869700
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 332710
SIC Description: MACHINE SHOPS

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: JASON COLIN
Phone No Admin: 9058579341 Ext.

--Details--

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 112
Waste Description: ACID WASTE - HEAVY METALS

Site: HARLIN PLATING INC.
17 MCEWAN UNIT 8 BOLTON ON L72 1H5

Database:
GEN

Generator No:	ON1869700	PO Box No:	
Status:		Country:	Canada
Approval Years:	2014	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	BERNIE VAN GEREN
MHSW Facility:	No	Phone No Admin:	9058579341 Ext.
SIC Code:	332710		
SIC Description:	MACHINE SHOPS		

--Details--

Waste Code:	213
Waste Description:	PETROLEUM DISTILLATES
Waste Code:	112
Waste Description:	ACID WASTE - HEAVY METALS

Site: **Brafasco**
26 McEwan Drive Units 10 & 11 Bolton ON L7E 1E6

Database:
GEN

Generator No:	ON4956420	PO Box No:	
Status:		Country:	Canada
Approval Years:	2016	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	Craig Hudak
MHSW Facility:	No	Phone No Admin:	905595544 Ext.
SIC Code:	452999		
SIC Description:	ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES		

--Details--

Waste Code:	146
Waste Description:	OTHER SPECIFIED INORGANICS
Waste Code:	252
Waste Description:	WASTE OILS & LUBRICANTS
Waste Code:	113
Waste Description:	ACID WASTE - OTHER METALS
Waste Code:	145
Waste Description:	PAINT/PIGMENT/COATING RESIDUES
Waste Code:	148
Waste Description:	INORGANIC LABORATORY CHEMICALS
Waste Code:	251
Waste Description:	OIL SKIMMINGS & SLUDGES
Waste Code:	263
Waste Description:	ORGANIC LABORATORY CHEMICALS
Waste Code:	331
Waste Description:	WASTE COMPRESSED GASES
Waste Code:	213
Waste Description:	PETROLEUM DISTILLATES
Waste Code:	242
Waste Description:	HALOGENATED PESTICIDES

Site: **Brafasco**
26 McEwan Drive Units 10 & 11 Bolton ON L7E 1E6

Database:
GEN

Generator No:	ON4956420	PO Box No:	
Status:		Country:	Canada
Approval Years:	2015	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	
MHSW Facility:	No	Phone No Admin:	

SIC Code: 452999
SIC Description: ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES

--Details--

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 242
Waste Description: HALOGENATED PESTICIDES

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 113
Waste Description: ACID WASTE - OTHER METALS

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Site: Brafasco
26 McEwan Drive Units 10 & 11 Bolton ON L7E 1E6

Database:
GEN

Generator No: ON4956420
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 452999
SIC Description: ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No Admin:

--Details--

Waste Code: 145
Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code: 213
Waste Description: PETROLEUM DISTILLATES

Waste Code: 242
Waste Description: HALOGENATED PESTICIDES

Waste Code: 113
Waste Description: ACID WASTE - OTHER METALS

Waste Code: 148
Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Waste Code: 263
Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Site: *Hydro One Networks Inc.
King's DS Lot 60 Plan 994, Highway 50 Twp. of Caledon ON*

Database:
GEN

Generator No: ON9318220
Status:
Approval Years: 06
Contam. Facility:
MHSW Facility:
SIC Code: 221122
SIC Description: Electric Power Distribution

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Site: *James Dick Concrete Aggregates - Div. of James Dick Construction Ltd.
Hwy 50 Bolton ON L7E 5T4*

Database:
SCT

Established: 1964
Plant Size (ft²): 10000
Employment: 250

--Details--

Description: All Other Non-Metallic Mineral Product Manufacturing
SIC/NAICS Code: 327990

Site: *JAMES DICK CONCRETE AGGREGATES
HWY 50 BOLTON ON L7E 5T4*

Database:
SCT

Established: 1964
Plant Size (ft²): 10000
Employment: 250

--Details--

Description: Ready-Mix Concrete Manufacturing
SIC/NAICS Code: 327320

Description: All Other Non-Metallic Mineral Product Manufacturing
SIC/NAICS Code: 327990

Site: *Caledon Sand & Gravel Inc.
Hwy 50 Bolton ON L7E 5Z7*

Database:
SCT

Established: 1966
Plant Size (ft²):
Employment: 47

--Details--

Description: All Other Non-Metallic Mineral Product Manufacturing
SIC/NAICS Code: 327990

Description: Other Specialty-Line Building Supplies Wholesaler-Distributors
SIC/NAICS Code: 416390

Site: CALEDON SAND & GRAVEL INC.
HIGHWAY 50 RR 1 BOLTON ON L7E 5Z7

Database:
SCT

Established: 1966
Plant Size (ft²): 0
Employment: 47

--Details--

Description: MINERALS AND EARTHS, GROUND OR OTHERWISE TREATED
SIC/NAICS Code: 3295

Site: UNKNOWN
HWY 50,BOLTON CALEDON TOWN ON

Database:
SPL

Ref No:	106027	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	10/6/1994	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	UNKNOWN	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	21401
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	FD
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	10/6/1994	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	SOURCE UNKNOWN-UKN QTY DIESEL TO HWY 50,POOLED AT BTM OF HILL,CLEANED.		
Contaminant Qty:			

Site: PRIVATE OWNER
HWY 50 N OF BOLTON-TOP OF HILL ACROSS FROM PETRO CANADA STORAGE TANK/BARREL PEEL R.M. ON

Database:
SPL

Ref No:	38095	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	7/23/1990	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	CONFIRMED	Site Municipality:	21000
Nature of Impact:	Soil contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	

MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 7/23/1990
Dt Document Closed:
Incident Reason: CORROSION
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: FURNACE OIL TO GROUND
Contaminant Qty:

Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: **LODWICK TRANSPORT**
HWY 50 JUST SOUTH OF BOLTON TRANSPORT TRUCK (CARGO) PEEL R.M. ON

Database:
SPL

Ref No: 39013
Site No:
Incident Dt: 8/9/1990
Year:
Incident Cause: OTHER TRANSPORTATION ACCIDENT
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 8/9/1990
Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: LODWICK TRANSPORT - 150 L CAR PAINT TO DITCH.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 21000
Site Lot:
Site Conc:
Northing:
Easting: OPP, FD, PEEL R.M.
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: **ONTARIO HYDRO**
EAST 1/2 LOT 3, CONC. VI, ALBION TWP. MOTOR VEHICLE (OPERATING FLUID) CALEDON TOWN ON

Database:
SPL

Ref No: 74240
Site No:
Incident Dt: 7/27/1992
Year:
Incident Cause: PIPE/HOSE LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: CONFIRMED
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 7/27/1992
Dt Document Closed:
Incident Reason: EQUIPMENT FAILURE
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ONTARIO HYDRO -45.5 L. HYDRAULIC OIL TO GRD. FROM BROKEN HOSE ON TRUCK

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 21401
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908768
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229070
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323302
DP2BR:
Spatial Status:
Code OB:
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Annular Space/Abandonment Sealing Record

Plug ID: 933171369
Layer: 3
Plug From: 4
Plug To: 11
Plug Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 933171367
Layer: 1
Plug From: 0
Plug To: 3
Plug Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 933171368
Layer: 2
Plug From: 3
Plug To: 4
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871872
Casing No: 1
Comment:
Alt Name:

Site: lot 4 ON

Database:
[WWIS](#)

Well ID: 4909093
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 245651
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 1/15/2003
Selected Flag: Yes
Abandonment Rec:
Contractor: 7143
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON EAST)
Site Info:
Lot: 004
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10540528
DP2BR: 45
Spatial Status:
Code OB: h
Code OB Desc: Mixed in a Layer
Open Hole:
Cluster Kind:
Date Completed: 11/26/2002
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock Materials Interval

Formation ID: 932915409
Layer: 7
Color: 7
General Color: RED
Mat1: 17
Most Common Material: SHALE
Mat2: 74
Other Materials: LAYERED
Mat3: 85
Other Materials: SOFT
Formation Top Depth: 60
Formation End Depth: 80
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932915408
Layer: 6
Color: 7
General Color: RED
Mat1: 17
Most Common Material: SHALE
Mat2: 85
Other Materials: SOFT
Mat3:
Other Materials:
Formation Top Depth: 50
Formation End Depth: 60
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932915406
Layer: 4
Color: 2
General Color: GREY
Mat1: 10
Most Common Material: COARSE SAND
Mat2: 11
Other Materials: GRAVEL
Mat3: 74
Other Materials: LAYERED
Formation Top Depth: 30
Formation End Depth: 45
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932915404
Layer: 2
Color: 6
General Color: BROWN
Mat1: 09
Most Common Material: MEDIUM SAND
Mat2: 05
Other Materials: CLAY
Mat3: 03
Other Materials: MUCK
Formation Top Depth: 1
Formation End Depth: 20
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932915407
Layer: 5
Color: 2
General Color: GREY
Mat1: 10
Most Common Material: COARSE SAND
Mat2: 17
Other Materials: SHALE
Mat3: 11
Other Materials: GRAVEL
Formation Top Depth: 45
Formation End Depth: 50
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932915405
Layer: 3
Color: 6
General Color: BROWN
Mat1: 10
Most Common Material: COARSE SAND
Mat2: 06
Other Materials: SILT
Mat3: 05
Other Materials: CLAY
Formation Top Depth: 20
Formation End Depth: 30
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932915403
Layer: 1
Color: 6
General Color: BROWN
Mat1: 02
Most Common Material: TOPSOIL
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 1
Formation End Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933238694
Layer: 1
Plug From: 0
Plug To: 14
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 11089098
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930533296
Layer: 1
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 14
Casing Diameter: 8
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930533297
Layer: 2
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 60
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930533298
Layer: 3
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 80
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 994909093
Pump Set At:
Static Level: 5
Final Level After Pumping: 30
Recommended Pump Depth: 78
Pumping Rate: 1
Flowing Rate:
Recommended Pump Rate: 1
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 3
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 935046283
Test Type: Draw Down
Test Duration: 60
Test Level: 30
Test Level UOM: ft

Water Details

Water ID: 934034301
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 30
Water Found Depth UOM: ft

Water Details

Water ID: 934034302
Layer: 2
Kind Code: 5
Kind: Not stated
Water Found Depth: 80
Water Found Depth UOM: ft

Site:
con 6 ON

Database:
WWIS

Well ID: 4908726
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 194175
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 4/6/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 3132
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323261
DP2BR: 139
Spatial Status:
Code OB: h
Code OB Desc: Mixed in a Layer
Open Hole:
Cluster Kind:
Date Completed: 10/6/2000
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 932064697
Layer: 2
Color: 3
General Color: BLUE
Mat1: 05
Most Common Material: CLAY
Mat2: 28
Other Materials: SAND
Mat3: 12
Other Materials: STONES
Formation Top Depth: 31
Formation End Depth: 126
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932064699
Layer: 4
Color: 3
General Color: BLUE
Mat1: 05
Most Common Material: CLAY
Mat2: 18
Other Materials: SANDSTONE
Mat3: 85
Other Materials: SOFT
Formation Top Depth: 139
Formation End Depth: 150
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932064696
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Other Materials: STONES
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 0
Formation End Depth: 31
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932064698
Layer: 3
Color: 3
General Color: BLUE
Mat1: 08
Most Common Material: FINE SAND
Mat2: 77
Other Materials: LOOSE
Mat3:
Other Materials:
Formation Top Depth: 126
Formation End Depth: 139
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171309
Layer: 1
Plug From: 0
Plug To: 16
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10871831
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930532977
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To:
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930532978
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To:
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933360735
Layer: 1
Slot: 008
Screen Top Depth: 132
Screen End Depth: 140
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 5

Results of Well Yield Testing

Pump Test ID: 994908726

Pump Set At:
Static Level: 24
Final Level After Pumping:
Recommended Pump Depth: 75
Pumping Rate: 15
Flowing Rate:
Recommended Pump Rate: 10
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 2
Pumping Duration HR: 1
Pumping Duration MIN: 30
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934526226
Test Type:
Test Duration: 30
Test Level: 52
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934779752
Test Type:
Test Duration: 45
Test Level: 65
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 935045715
Test Type:
Test Duration: 60
Test Level: 65
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934260338
Test Type:
Test Duration: 15
Test Level: 48
Test Level UOM: ft

Water Details

Water ID: 933796825
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 135
Water Found Depth UOM: ft

Site:
con 6 ON

Database:
WWIS

Well ID: 4908764
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:

Water Type:
Casing Material:
Audit No: 229053
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323298
DP2BR:
Spatial Status:
Code OB:
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Annular Space/Abandonment

Sealing Record

Plug ID: 933171355
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933171356
Layer: 2
Plug From: 1
Plug To: 2
Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933171357
Layer: 3
Plug From: 2
Plug To: 7
Plug Depth UOM: ft

Method of Construction & Well

Use

Method Construction ID:
Method Construction Code: 0

Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871868
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908765
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229054
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323299
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Annular Space/Abandonment
Sealing Record

Plug ID: 933171360
Layer: 3
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171358
Layer: 1

Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171359
Layer: 2
Plug From: 1
Plug To: 4
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871869
Casing No: 1
Comment:
Alt Name:

Site:
BOLTON ON

Database:
WWIS

Well ID: 4909998
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z41333
Tag: _NO_TAG
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 12/20/2005
Selected Flag: Yes
Abandonment Rec:
Contractor: 7201
Form Version: 3
Owner:
Street Name: HWY 50
County: PEEL
Municipality: CALEDON TOWN (BOLTON)
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 11323731
DP2BR:
Spatial Status:
Code OB: o
Code OB Desc: Overburden
Open Hole:
Cluster Kind:
Date Completed: 8/17/2005
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:

Elevation:
Elevrc:
Zone:
East83:
North83:
Org CS:
UTMRC:
UTMRC Desc:
Location Method: na

Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 933021963
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 06
Other Materials: SILT
Mat3:
Other Materials:
Formation Top Depth: 4.2
Formation End Depth: 8.2
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 933021961
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 28
Other Materials: SAND
Mat3: 69
Other Materials: FINE-GRAINED
Formation Top Depth: 0
Formation End Depth: 0.9
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 933021962
Layer: 2
Color: 6
General Color: BROWN
Mat1: 06
Most Common Material: SILT
Mat2: 01
Other Materials: FILL
Mat3:
Other Materials:
Formation Top Depth: 0.9
Formation End Depth: 4.2
Formation End Depth UOM: m

Annular Space/Abandonment
Sealing Record

Plug ID: 933283602
Layer: 1
Plug From: 0
Plug To: 0.8
Plug Depth UOM: m

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 11338586
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930866784
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To:
Casing Diameter: 3.2
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 933416141
Layer: 1
Slot: 10
Screen Top Depth:
Screen End Depth:
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 3.2

Hole Diameter

Hole ID: 11543600
Diameter: 20
Depth From: 0
Depth To: 8.2
Hole Depth UOM: m
Hole Diameter UOM: cm

Site:
con 6 ON

Database:
[WWIS](#)

Well ID: 4908769
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229052
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:

Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323303
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 1/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171372
Layer: 3
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171371
Layer: 2
Plug From: 1
Plug To: 4
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171370
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871873
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908770
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229073
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323304
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171373
Layer: 1
Plug From: 0
Plug To: 4
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171374
Layer: 2
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171375
Layer: 3
Plug From: 5
Plug To: 9

Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871874
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID:	4908771	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:		Date Received:	6/13/2001
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	
Water Type:		Contractor:	4011
Casing Material:		Form Version:	1
Audit No:	229055	Owner:	
Tag:		Street Name:	
Construction Method:		County:	PEEL
Elevation (m):		Municipality:	CALEDON TOWN (CALEDON TWP)
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	06
Overburden/Bedrock:		Concession Name:	HS E
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	10323305	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	—	East83:	
Code OB Desc:	No formation data	North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	4/24/2001	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 933171376
Layer: 1
Plug From: 0
Plug To: 1

Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171377
Layer: 2
Plug From: 1
Plug To: 4
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171378
Layer: 3
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871875
Casing No: 1
Comment:
Alt Name:

Site:
lot 4 ON

Database:
WWIS

Well ID: 6714583
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 257956
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 9/23/2003
Selected Flag: Yes
Abandonment Rec:
Contractor: 2663
Form Version: 1
Owner:
Street Name:
County: WELLINGTON
Municipality: PEEL TOWNSHIP
Site Info:
Lot: 004
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10548134
DP2BR:
Spatial Status:
Code OB: 0

Elevation:
Elevrc:
Zone: 17
East83:

Code OB Desc: Overburden
Open Hole:
Cluster Kind:
Date Completed: 8/20/2003
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 932940160
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 95
Formation End Depth: 104
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932940162
Layer: 4
Color:
General Color:
Mat1: 11
Most Common Material: GRAVEL
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 180
Formation End Depth: 182
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932940161
Layer: 3
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 104
Formation End Depth: 180
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932940159
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 95
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933244759
Layer: 1
Plug From: 0
Plug To: 20
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 4
Method Construction: Rotary (Air)
Other Method Construction:

Pipe Information

Pipe ID: 11096704
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930779333
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To:
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 996714583
Pump Set At:
Static Level: 20
Final Level After Pumping: 24
Recommended Pump Depth: 80
Pumping Rate: 30
Flowing Rate:
Recommended Pump Rate: 30
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1

Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934350160
Test Type: Draw Down
Test Duration: 15
Test Level: 24
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934614719
Test Type: Draw Down
Test Duration: 30
Test Level: 24
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934875729
Test Type: Draw Down
Test Duration: 45
Test Level: 24
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 935136788
Test Type: Draw Down
Test Duration: 60
Test Level: 24
Test Level UOM: ft

Water Details

Water ID: 934042072
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 182
Water Found Depth UOM: ft

Site:
con 6 ON

Database:
WWIS

Well ID: 4908780
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229041
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:

Flow Rate:
Clear/Cloudy:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323314
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171405
Layer: 3
Plug From: 3
Plug To: 4
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171403
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171404
Layer: 2
Plug From: 1
Plug To: 3
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871884
Casing No: 1
Comment:
Alt Name:

Site:

Database:
[WWIS](#)

con 6 ON

Well ID: 4908779
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229059
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323313
DP2BR:
Spatial Status:
Code OB: -
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171400
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171401
Layer: 2
Plug From: 1
Plug To: 6
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171402
Layer: 3
Plug From: 6
Plug To: 7
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871883
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
[WWIS](#)

Well ID: 4908778
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status:
Water Type:
Casing Material:
Audit No: 229046
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323312
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Annular Space/Abandonment Sealing Record

Plug ID: 933171398
Layer: 2
Plug From: 1
Plug To: 4
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171399
Layer: 3
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171397
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871882
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908776
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229049
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323310
DP2BR:
Spatial Status:
Code OB: -
Code OB Desc: No formation data

Elevation:
Elevrc:
Zone: 17
East83:
North83:

Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Org CS:
UTMRC:
UTMRC Desc:
Location Method: 9
unknown UTM
na

Annular Space/Abandonment
Sealing Record

Plug ID: 933171393
Layer: 3
Plug From: 1
Plug To: 1
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171392
Layer: 2
Plug From: 1
Plug To: 1
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171391
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871880
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
[WWIS](#)

Well ID: 4908775
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229050
Tag:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:

Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323309
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Annular Space/Abandonment
Sealing Record

Plug ID: 933171390
Layer: 3
Plug From: 6
Plug To: 7
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171388
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171389
Layer: 2
Plug From: 1
Plug To: 6
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871879
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908774
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229051
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323308
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 1/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Annular Space/Abandonment Sealing Record

Plug ID: 933171385
Layer: 1
Plug From: 0
Plug To: 2
Plug Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 933171387
Layer: 3
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171386
Layer: 2
Plug From: 2
Plug To: 4
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871878
Casing No: 1
Comment:
Alt Name:

Site: con 6 ON **Database:** [WWIS](#)

Well ID:	4908773	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:		Date Received:	6/13/2001
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	
Water Type:		Contractor:	4011
Casing Material:		Form Version:	1
Audit No:	229047	Owner:	
Tag:		Street Name:	
Construction Method:		County:	PEEL
Elevation (m):		Municipality:	CALEDON TOWN (CALEDON TWP)
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	06
Overburden/Bedrock:		Concession Name:	HS E
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	10323307	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	—	East83:	
Code OB Desc:	No formation data	North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	4/24/2001	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171384
Layer: 3
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171382
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171383
Layer: 2
Plug From: 1
Plug To: 4
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871877
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908772
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229042
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323306
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/26/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171379
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171380
Layer: 2
Plug From: 1
Plug To: 3
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171381
Layer: 3
Plug From: 3
Plug To: 4
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871876
Casing No: 1
Comment:
Alt Name:

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial

AGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2018

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Automobile Wrecking & Supplies:

Private

AUWR

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jan 31, 2019

Borehole:

Provincial

BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2014

Certificates of Approval:

Provincial

CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal

CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial

CFOT

List of commercial underground fuel oil tanks made available by the Fuels Safety Program of the Technical Standards & Safety Authority (TSSA). Ontario Regulation 213/01 of the Technical Standards and Safety Act (2000) requires that all underground tanks be registered with the TSSA. Note: the Fuels Safety Division does not register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of commercial fuel tanks in the province. The TSSA updates information in its system on an ongoing basis; this listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Chemical Register:

Private

CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2019

Compressed Natural Gas Stations:

Private

CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Mar 2019

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial

COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial

CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Mar 2019

Certificates of Property Use:

Provincial

CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Apr 30, 2019

Drill Hole Database:

Provincial

DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Oct 2018

Environmental Activity and Sector Registry:

Provincial

EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Apr 30, 2019

Environmental Registry:

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Apr 30, 2019

Environmental Compliance Approval:

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Apr 30, 2019

Environmental Effects Monitoring:

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Apr 30, 2019

Environmental Issues Inventory System:

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

[EMHE](#)

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial

[EPAR](#)

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2018

List of TSSA Expired Facilities:

Provincial

[EXP](#)

List of facilities and tanks - for which there was once a registration - no longer registered with the Fuels Safety Program of the Technical Standards and Safety Authority (TSSA). Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. Tanks which have been removed from the ground are included in the expired facilities inventory held by the TSSA. Notes: the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990, or furnace oil tanks prior to May 1, 2002; nor does the Division register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Federal Convictions:

Federal

FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

Government Publication Date: Jun 2000-Oct 2018

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2018

Fuel Storage Tank:

Provincial

FST

List of registered private and retail fuel storage tanks made available by the Fuels Safety Program of the Technical Standards & Safety Authority (TSSA). Ontario Regulation 213/01 of the Technical Standards and Safety Act (2000) requires that all underground tanks be registered with the TSSA. Notes: the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990, or furnace oil tanks prior to May 1, 2002; nor does the Division register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of fuel storage tanks/tank facilities in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Dec 31, 2018

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

TSSA Incidents:

Provincial

INC

List of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC) and made available by the Technical Standards and Safety Authority (TSSA). Under the Technical Standards & Safety Act (2000), the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors, and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2019

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2017

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Dec 31, 2018

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 28, 2019

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSRLibrary has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-May 2018

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Apr 30, 2019

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: 1988-Mar 2019

TSSA Pipeline Incidents:

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills) made available by the Technical Standards and Safety Authority (TSSA). Under the Technical Standards & Safety Act (2000), the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors, and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of pipeline incidents in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial

PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Apr 30, 2019

Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial

RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Mar 2019

Retail Fuel Storage Tanks:

Private

RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jan 31, 2019

Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial

SPL

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Feb 2019

Wastewater Discharger Registration Database:

Provincial

SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2016

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

TSSA Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

List of variances granted for abandoned tanks. Under the Technical Standards and Safety Authority (TSSA) Liquid Fuels Handling Code and Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of tank variances in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Apr 30, 2019

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Feb 28, 2019

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



DATABASE REPORT

Project Property: 20-0049.01
2 Industrial Road
Bolton ON L7E 1K6

Project No: 20-0049.01

Report Type: Standard Report

Order No: 20200429058

Requested by: Watters Environmental Group Inc.

Date Completed: May 4, 2020

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	21
Map.....	39
Aerial.....	40
Topographic Map.....	41
Detail Report.....	42
Unplottable Summary.....	170
Unplottable Report.....	172
Appendix: Database Descriptions.....	206
Definitions.....	215

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 20-0049.01
2 Industrial Road Bolton ON L7E 1K6

Project No: 20-0049.01

Coordinates:

Latitude: 43.8600719
Longitude: -79.7084569
UTM Northing: 4,857,142.16
UTM Easting: 603,791.73
UTM Zone: 17T

Elevation: 791 FT
241.01 M

Order Information:

Order No: 20200429058
Date Requested: April 29, 2020
Requested by: Watters Environmental Group Inc.
Report Type: Standard Report

Historical/Products:

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	1	1	2
CA	<i>Certificates of Approval</i>	Y	0	4	4
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	3	3
EBR	<i>Environmental Registry</i>	Y	0	3	3
ECA	<i>Environmental Compliance Approval</i>	Y	0	6	6
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	11	11
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	8	8
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FED TANKS	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	7	7
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	76	76
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	4	4
PINC	Pipeline Incidents	Y	0	2	2
PRT	Private and Retail Fuel Storage Tanks	Y	0	1	1
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	5	5
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	9	9
SCT	Scott's Manufacturing Directory	Y	0	4	4
SPL	Ontario Spills	Y	1	5	6
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	3	3
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	1	21	22
Total:			3	173	176

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
1	SPL		2 INDUSTRIAL RD, CALEDON<UNOFFICIAL> Caledon ON	SE/27.8	-0.15	42
1	BORE		ON	SE/27.8	-0.15	42
6	WWIS		lot 3 con 7 ON <i>Well ID:</i> 4904095	NE/74.4	-0.15	43

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>2</u>	CA		12543 Highway No. 50 Caledon ON	SW/41.7	0.01	<u>47</u>
<u>2</u>	EBR	Michael Mario Savo	12543 Highway No. 50 Caledon Ontario L7E 1M4 Caledon ON	SW/41.7	0.01	<u>47</u>
<u>2</u>	EHS		12543 Highway 50 Bolton ON L7E 1M4	SW/41.7	0.01	<u>48</u>
<u>2</u>	EHS		12543 Highway 50 Bolton ON L7E 1M4	SW/41.7	0.01	<u>48</u>
<u>2</u>	ECA	Michael Mario Savo	12543 Highway No. 50 Caledon ON L7E 1M4	SW/41.7	0.01	<u>48</u>
<u>3</u>	WWIS		BOLTON ON Well ID: 7196142	SSE/52.2	-0.15	<u>48</u>
<u>4</u>	EBR	Vincent Dimauro	12553 Highway 50 Caledon Ontario L7E 5T3 Caledon ON	WSW/61.4	0.44	<u>51</u>
<u>4</u>	CA	Vincent Dimauro	12553 Highway 50 Caledon ON	WSW/61.4	0.44	<u>52</u>
<u>4</u>	ECA	Vincent Dimauro	12553 Highway 50 Caledon ON L7E 5T3	WSW/61.4	0.44	<u>52</u>
<u>5</u>	WWIS		BOLTON ON Well ID: 7263862	N/63.8	0.12	<u>52</u>
<u>7</u>	WWIS		lot 3 con 7 ON Well ID: 4904495	SSE/78.2	-0.15	<u>55</u>
<u>8</u>	WWIS		BOLTON ON	WSW/80.4	0.85	<u>58</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7263877			
9	WWIS		BOLTON ON Well ID: 7196141	SSE/87.5	-0.15	61
10	GEN	Globetrotter Rv Rentals and Sale	12563 Hwy#50 Bolton ON L7E 1M4	WNW/93.3	0.85	63
10	GEN	Globetrotter Rv inc	12563 Hwy#50 Bolton ON L7E1M4	WNW/93.3	0.85	64
11	EHS		12563 50 Hwy Caledon ON L7E1M4	WNW/96.6	0.85	64
12	WWIS		BOLTON ON Well ID: 7196144	SSW/102.5	-0.15	64
13	WWIS		BOLTON ON Well ID: 7196143	S/104.3	-0.15	67
14	EASR	PICASO TRUCKLINES INC.	68 COMMERCIAL RD BOLTON ON L7E 1K4	ENE/105.0	-1.12	69
14	GEN	Hi Tek Engineered	68 Commerial Road Bolton ON L7E1K6	ENE/105.0	-1.12	70
14	EASR	9135626 CANADA INC.	68 COMMERCIAL RD BOLTON ON L7E 1K4	ENE/105.0	-1.12	70
14	ECA	9135626 Canada Inc.	68 Commercial Road Caledon ON L7E 1C2	ENE/105.0	-1.12	70
14	GEN	Hi Tek Engineered	68 Commerial Road Bolton ON L7E1K6	ENE/105.0	-1.12	71
15	PRT	REGIONAL MUNICIPALITY OF PEEL	7 INDUSTRIAL ST BOLTON ON L7E 1K5	SE/106.3	-0.15	71
15	GEN	PEEL, REGIONAL MUNICIPALITY OF	7 INDUSTRIAL RD.(BOLTON)CALEDON C/O 10 PEEL CENTRE DRIVE BRAMPTON ON L7E 1K5	SE/106.3	-0.15	71

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
15	GEN	PEEL, REGIONAL MUNICIPALITY OF 31-536	7 INDUSTRIAL RD.(BOLTON)CALEDON C/O 10 PEEL CENTRE DRIVE BRAMPTON ON L7E 1K5	SE/106.3	-0.15	71
15	EXP	REGIONAL MUNICIPALITY OF PEEL	7 INDUSTRIAL RD BOLTON ON	SE/106.3	-0.15	72
15	EXP	REGIONAL MUNICIPALITY OF PEEL	7 INDUSTRIAL RD BOLTON ON	SE/106.3	-0.15	72
16	WWIS		BOLTON ON Well ID: 7263876	NW/109.8	0.85	72
17	CA	HI-TEK ENGINEERED DESIGN TRANSPORTATION	4 INDUSTRIAL ROAD CALEDON TOWN ON	ENE/111.2	-1.15	74
17	GEN	ALL PURPOSE FLOAT SERVICES INC.	4 INDUSTRIAL ROAD BOLTON ON L7E 1K6	ENE/111.2	-1.15	75
17	GEN	HI-TEK ENGINEERED DESIGN TRANSPORTATION	4 INDUSTRIAL ROAD BOLTON ON L7E 1K6	ENE/111.2	-1.15	75
17	EHS		4 Industrial Road Bolton ON L7E 1K6	ENE/111.2	-1.15	75
17	CA	Genant Enterprises Inc.	4 Industrial Rd Vaughan ON	ENE/111.2	-1.15	76
17	GEN	Hi-Tek Engineered Design Transportation	4 Industrial Road Bolton ON L7E 1K6	ENE/111.2	-1.15	76
17	ECA	Genant Enterprises Inc.	4 Industrial Rd Vaughan ON L7E 1S1	ENE/111.2	-1.15	76
18	EHS		12525 Highway 50 Bolton ON L7E 1M4	S/122.5	-0.15	76
18	GEN	MapleCon Earthworks Ltd.	12525 Highway 50 Unit 2 Bolton ON	S/122.5	-0.15	77

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
19	WWIS		lot 3 con 7 ON Well ID: 4900365	SW/128.5	-0.15	77
20	SCT	HEADING SALES & CONSULTANTS	55 INDUSTRIAL RD BOLTON ON L7E 1K5	ESE/130.3	-1.15	82
20	GEN	HEADING SALES AND CONSULTANTS LTD.	INDUSTRIAL RD. P.O.BOX 382 BOLTON ON L0P 1A0	ESE/130.3	-1.15	82
20	GEN	HEADING SALES AND CONSULTANTS LTD	INDUSTRIAL ROAD, 200 YARDS FROM HWY 50 BOLTON ON L0P 1A0	ESE/130.3	-1.15	82
20	GEN	HEADING SALES AND CONSULTANTS LTD.20-190	INDUSTRIAL RD. P.O.BOX 382 BOLTON ON L0P 1A0	ESE/130.3	-1.15	83
20	GEN	HEADING SALES AND CONSULTANTS LIMITED	INDUSTRIAL ROAD 200 YARDS FROM HWY 50 BOLTON ON L0P 1A0	ESE/130.3	-1.15	83
20	GEN	ALFA CONSULTANTS	INDUSTRIAL RD. C/O P.O. BOX 382 BOLTON ON L0P 1A0	ESE/130.3	-1.15	83
20	GEN	ALFA CONSULTANTS	622180 ONTARIO LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 1K5	ESE/130.3	-1.15	83
20	GEN	ALFA (OUT OF BUS) 02-448	622180 ONTARIO LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 1K5	ESE/130.3	-1.15	84
20	SCT	Tru-Spark Tooling Ltd.	55 Industrial Rd Bolton ON L7E 1K5	ESE/130.3	-1.15	84
20	GEN	Heading Sales and Consultants Limited	55 Industrial Road Bolton ON L7E1K5	ESE/130.3	-1.15	84
20	GEN	Heading Sales and Consultants Limited	55 Industrial Road Bolton ON L7E1K5	ESE/130.3	-1.15	85

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>20</u>	GEN	Heading Sales and Consultants Limited	55 Industrial Road Bolton ON L7E1K5	ESE/130.3	-1.15	<u>85</u>
<u>20</u>	GEN	Heading Sales and Consultants Limited	55 Industrial Road Bolton ON L7E1K5	ESE/130.3	-1.15	<u>85</u>
<u>21</u>	WWIS		lot 3 con 7 ON Well ID: 4904849	W/131.5	0.85	<u>85</u>
<u>22</u>	WWIS		lot 3 con 7 BOLTON ON Well ID: 7263863	W/135.1	0.85	<u>89</u>
<u>23</u>	WWIS		lot 3 con 7 ON Well ID: 4905188	SSE/136.1	-0.15	<u>92</u>
<u>24</u>	ECA	Ross E. Goodfellow	Caledon ON L0G 1T0	ENE/160.4	-1.15	<u>96</u>
<u>25</u>	WWIS		BOLTON ON Well ID: 7263868	WNW/161.5	1.85	<u>96</u>
<u>26</u>	EHS		12550 Highway 50 (Queen Street S), Bolton Bolton ON	SW/166.3	-0.15	<u>99</u>
<u>27</u>	WWIS		CALEDON ON Well ID: 7149490	N/171.8	-0.15	<u>99</u>
<u>28</u>	WWIS		lot 3 con 7 ON Well ID: 4904191	SSE/176.6	-0.15	<u>102</u>
<u>29</u>	GEN	Northpoint Veterinary Hospital Professional Corp	12599 Hwy 50, Unit 4 Bolton ON L7E 1M4	W/177.1	1.85	<u>105</u>
<u>29</u>	GEN	Northpoint Veterinary Hospital Professional Corp	12599 Hwy 50, Unit 4 Bolton ON L7E 1M4	W/177.1	1.85	<u>105</u>
<u>30</u>	WWIS		Caledon ON Well ID: 7196588	SW/183.2	-0.15	<u>105</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>31</u>	SPL	ONTARIO HYDRO	IN BOLTON ON INDUSTRIAL RD., EAST OF HWY. 50 MOTOR VEHICLE (OPERATING FLUID) CALEDON TOWN ON	SSW/185.5	-1.17	<u>108</u>
<u>32</u>	GEN	PEEL, REGIONAL MUNICIPALITY OF	109 INDUSTRIAL ROAD BOLTON TOWN OF CALEDON ON L7E 1K5	ESE/185.7	-1.70	<u>108</u>
<u>32</u>	GEN	PEEL, REGIONAL MUNICIPALITY OF	109 INDUSTRIAL ROAD TOWN OF CALEDON BOLTON ON L7E 1K5	ESE/185.7	-1.70	<u>109</u>
<u>32</u>	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/185.7	-1.70	<u>110</u>
<u>32</u>	WDS	The Regional Municipality of Peel	109 Industrial Rd Caledon ON L6S 6G3	ESE/185.7	-1.70	<u>111</u>
<u>32</u>	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/185.7	-1.70	<u>112</u>
<u>32</u>	SPL		109 Industrial Rd Caledon ON	ESE/185.7	-1.70	<u>113</u>
<u>32</u>	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/185.7	-1.70	<u>113</u>
<u>32</u>	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/185.7	-1.70	<u>114</u>
<u>32</u>	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/185.7	-1.70	<u>115</u>
<u>32</u>	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON	ESE/185.7	-1.70	<u>116</u>
<u>32</u>	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/185.7	-1.70	<u>117</u>
<u>32</u>	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/185.7	-1.70	<u>118</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>32</u>	GEN	PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/185.7	-1.70	<u>119</u>
<u>32</u>	GEN	PEEL, REGION OF Waste Management	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/185.7	-1.70	<u>120</u>
<u>32</u>	GEN	PEEL, REGION OF Waste Management	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE/185.7	-1.70	<u>122</u>
<u>33</u>	EHS		12544 Highway 50 Caledon ON	SW/198.7	-0.15	<u>123</u>
<u>34</u>	PINC		12550 Highway 50, Vaughan ON	SW/201.5	-0.15	<u>123</u>
<u>34</u>	PINC		12550 Regional Road 50, Bolton ON	SW/201.5	-0.15	<u>123</u>
<u>35</u>	GEN	Hi Tek Engineered	68 Commercial Road Bolton ON L7E1K6	NE/204.8	-1.15	<u>124</u>
<u>36</u>	EHS		12621 50 Hwy Caledon ON L7E1M4	WNW/205.2	1.85	<u>124</u>
<u>37</u>	WWIS		lot 3 con 7 ON Well ID: 4904497	NE/206.7	-1.15	<u>124</u>
<u>38</u>	WWIS		lot 3 con 6 ON Well ID: 4905282	SW/211.6	-0.15	<u>128</u>
<u>39</u>	EHS		12596 50 Highway BOLTON ON	WSW/221.6	0.85	<u>131</u>
<u>40</u>	PES	CANADIAN TIRE STORE #197	99 MCEWAN DR E BOLTON ON L7E 2Z7	NW/224.2	1.85	<u>132</u>
<u>40</u>	GEN	Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NW/224.2	1.85	<u>132</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
40	RST	CANADIAN TIRE GAS BAR	99 MCEWAN DR E BOLTON ON L7E 2Z7	NW/224.2	1.85	132
40	EHS		99 McEwan Drive E Bolton ON L7E 2Z7	NW/224.2	1.85	133
40	GEN	Canadian Tire #197	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW/224.2	1.85	133
40	PES	HARTWIND SALES LIMITED O/A CANADIAN TIRE #197	99 MCEWAN DR. BOLTON ON L7E2Z7	NW/224.2	1.85	134
40	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW/224.2	1.85	134
40	GEN	Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NW/224.2	1.85	135
40	GEN	Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NW/224.2	1.85	135
40	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW/224.2	1.85	135
40	GEN	Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NW/224.2	1.85	136
40	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW/224.2	1.85	137
40	PES	HARTWIND SALES LIMITED O/A CANADIAN TIRE #197	99 MCEWAN DR. BOLTON ON L7E2Z7	NW/224.2	1.85	138
40	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW/224.2	1.85	138
40	RST	CANADIAN TIRE GAS BAR	99 MCEWAN DR E BOLTON ON L7E2Z7	NW/224.2	1.85	139

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
40	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON	NW/224.2	1.85	139
40	PES	A+J MARSHALL HOLDINGS LTD. O/A CANADIAN TIRE	99 MCEWAN DR E BOLTON ON L7E2Z7	NW/224.2	1.85	140
40	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW/224.2	1.85	140
40	GEN	A & J Marshall Holdings Ltd	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW/224.2	1.85	141
40	GEN	Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW/224.2	1.85	142
40	GEN	A & J Marshall Holdings Ltd	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW/224.2	1.85	143
40	GEN	A & J Marshall Holdings Ltd	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW/224.2	1.85	144
41	SPL		12596 Regional Road 50 Caledon ON	W/225.4	0.85	144
42	WWIS		lot 3 con 7 ON Well ID: 4900367	SE/228.7	-1.67	145
43	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/240.9	-3.28	147
43	RST	ARMSTRONG PETROLEUMS	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/240.9	-3.28	148
43	RST	ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/240.9	-3.28	148
43	ECA	Donald J. Armstrong	50 Commercial Rd Bolton Caledon ON L7E 1K4	E/240.9	-3.28	148

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
43	EXP	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON	E/240.9	-3.28	148
43	EXP	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON	E/240.9	-3.28	148
43	EXP	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON	E/240.9	-3.28	149
43	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/240.9	-3.28	149
43	EBR	Donald Armstrong	50 Commercial Road Caledon Regional Municipality of Peel TOWN OF CALEDON ON	E/240.9	-3.28	149
43	WDS	Donald J. Armstrong	50 Commercial Rd Bolton Caledon ON	E/240.9	-3.28	150
43	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/240.9	-3.28	150
43	GEN	Kardtech Inc.	50 COMMERCIAL ROAD BOLTON ON L7E 1K4	E/240.9	-3.28	151
43	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/240.9	-3.28	151
43	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON	E/240.9	-3.28	151
43	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/240.9	-3.28	152
43	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/240.9	-3.28	152
43	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/240.9	-3.28	152

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
43	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/240.9	-3.28	153
43	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/240.9	-3.28	153
43	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/240.9	-3.28	153
43	FST	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/240.9	-3.28	154
43	REC	DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON	E/240.9	-3.28	154
43	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/240.9	-3.28	154
43	RST	ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E1K4	E/240.9	-3.28	154
43	RST	ARMSTRONG PETROLEUMS	50 COMMERCIAL RD BOLTON ON L7E1K4	E/240.9	-3.28	155
43	REC	DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON	E/240.9	-3.28	155
43	EXP	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/240.9	-3.28	156
43	EXP	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/240.9	-3.28	156
43	EXP	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E/240.9	-3.28	156
43	RST	ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E1K4	E/240.9	-3.28	156

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
43	RST	ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E1K4	E/240.9	-3.28	157
43	WDS	Donald J. Armstrong	50 Commercial Rd Bolton Caledon ON L7E 1K4	E/240.9	-3.28	157
43	REC	DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON L7E 1K4	E/240.9	-3.28	157
43	REC	DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON L7E 1K4	E/240.9	-3.28	158
43	REC	DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON L7E 1K4	E/240.9	-3.28	159
43	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/240.9	-3.28	160
43	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/240.9	-3.28	160
43	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/240.9	-3.28	161
43	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/240.9	-3.28	161
43	RST	ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E1K4	E/240.9	-3.28	161
43	GEN	ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E/240.9	-3.28	161
44	SCT	Benson Steel Ltd.	72 Commercial Rd Bolton ON L7E 1K4	NNE/247.1	-0.15	162
44	SPL	BENSON STEEL LTD.	BOLTON, 72 COMMERCIAL ROAD BOLTON PLANT 72 COMMERCIAL ROAD CALEDON TOWN ON	NNE/247.1	-0.15	162

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
44	SCT	BENSON STEEL LIMITED	72 COMMERCIAL RD BOLTON ON L7E 1K4	NNE/247.1	-0.15	162
44	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE/247.1	-0.15	163
44	GEN	BENSON STEEL LIMITED 05-497	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE/247.1	-0.15	163
44	EHS		72 Commercial Road Bolton ON L7E 1K4	NNE/247.1	-0.15	163
44	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE/247.1	-0.15	164
44	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE/247.1	-0.15	164
44	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE/247.1	-0.15	164
44	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE/247.1	-0.15	165
44	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON	NNE/247.1	-0.15	165
44	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE/247.1	-0.15	165
44	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE/247.1	-0.15	166
44	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE/247.1	-0.15	166
44	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE/247.1	-0.15	166

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
44	EASR	BENSON STEEL LIMITED	72 COMMERCIAL RD BOLTON ON L7E 1K4	NNE/247.1	-0.15	167
44	GEN	BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE/247.1	-0.15	167
45	WWIS		BOLTON ON <i>Well ID:</i> 7051218	S/248.5	-1.66	168

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 1 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	SE	27.83	<u>1</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 4 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	12543 Highway No. 50 Caledon ON	SW	41.74	<u>2</u>

Vincent Dimauro	12553 Highway 50 Caledon ON	WSW	61.36	<u>4</u>
-----------------	--------------------------------	-----	-------	--------------------------

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
HI-TEK ENGINEERED DESIGN TRANSPORTATION	4 INDUSTRIAL ROAD CALEDON TOWN ON	ENE	111.15	<u>17</u>

Genant Enterprises Inc.	4 Industrial Rd Vaughan ON	ENE	111.15	<u>17</u>
-------------------------	-------------------------------	-----	--------	---------------------------

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011-Mar 31, 2020 has found that there are 3 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
PICASO TRUCKLINES INC.	68 COMMERCIAL RD BOLTON ON L7E 1K4	ENE	104.97	<u>14</u>

9135626 CANADA INC.	68 COMMERCIAL RD BOLTON ON L7E 1K4	ENE	104.97	14
BENSON STEEL LIMITED	72 COMMERCIAL RD BOLTON ON L7E 1K4	NNE	247.11	44

EBR - Environmental Registry

A search of the EBR database, dated 1994-Mar 31, 2020 has found that there are 3 EBR site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Michael Mario Savo	12543 Highway No. 50 Caledon Ontario L7E 1M4 Caledon ON	SW	41.74	2
Vincent Dimauro	12553 Highway 50 Caledon Ontario L7E 5T3 Caledon ON	WSW	61.36	4

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Donald Armstrong	50 Commercial Road Caledon Regional Municipality of Peel TOWN OF CALEDON ON	E	240.94	43

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Mar 31, 2020 has found that there are 6 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Michael Mario Savo	12543 Highway No. 50 Caledon ON L7E 1M4	SW	41.74	2
Vincent Dimauro	12553 Highway 50 Caledon ON L7E 5T3	WSW	61.36	4

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
9135626 Canada Inc.	68 Commercial Road Caledon ON L7E 1C2	ENE	104.97	<u>14</u>
Genant Enterprises Inc.	4 Industrial Rd Vaughan ON L7E 1S1	ENE	111.15	<u>17</u>
Ross E. Goodfellow	Caledon ON L0G 1T0	ENE	160.36	<u>24</u>
Donald J. Armstrong	50 Commercial Rd Bolton Caledon ON L7E 1K4	E	240.94	<u>43</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Jan 31, 2020 has found that there are 11 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	12543 Highway 50 Bolton ON L7E 1M4	SW	41.74	<u>2</u>
	12543 Highway 50 Bolton ON L7E 1M4	SW	41.74	<u>2</u>
	12563 50 Hwy Caledon ON L7E1M4	WNW	96.62	<u>11</u>
	12621 50 Hwy Caledon ON L7E1M4	WNW	205.17	<u>36</u>
	12596 50 Highway BOLTON ON	WSW	221.59	<u>39</u>
	99 McEwan Drive E Bolton ON L7E 2Z7	NW	224.21	<u>40</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	4 Industrial Road Bolton ON L7E 1K6	ENE	111.15	<u>17</u>
	12525 Highway 50 Bolton ON L7E 1M4	S	122.54	<u>18</u>
	12550 Highway 50 (Queen Street S), Bolton Bolton ON	SW	166.33	<u>26</u>
	12544 Highway 50 Caledon ON	SW	198.74	<u>33</u>
	72 Commercial Road Bolton ON L7E 1K4	NNE	247.11	<u>44</u>

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Feb 28, 2017 has found that there are 8 EXP site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
REGIONAL MUNICIPALITY OF PEEL	7 INDUSTRIAL RD BOLTON ON	SE	106.25	<u>15</u>
REGIONAL MUNICIPALITY OF PEEL	7 INDUSTRIAL RD BOLTON ON	SE	106.25	<u>15</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON	E	240.94	<u>43</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON	E	240.94	<u>43</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON	E	240.94	<u>43</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E	240.94	<u>43</u>

ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E	240.94	43
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E	240.94	43

FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2017 has found that there are 7 FST site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E	240.94	43
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E	240.94	43
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E	240.94	43
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E	240.94	43
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E	240.94	43
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E	240.94	43
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD BOLTON ON L7E 1K4	E	240.94	43

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jan 31, 2020 has found that there are 76 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Globetrotter Rv Rentals and Sale	12563 Hwy#50 Bolton ON L7E 1M4	WNW	93.28	<u>10</u>
Globetrotter Rv inc	12563 Hwy#50 Bolton ON L7E1M4	WNW	93.28	<u>10</u>
Northpoint Veterinary Hospital Professional Corp	12599 Hwy 50, Unit 4 Bolton ON L7E 1M4	W	177.06	<u>29</u>
Northpoint Veterinary Hospital Professional Corp	12599 Hwy 50, Unit 4 Bolton ON L7E 1M4	W	177.06	<u>29</u>
Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NW	224.21	<u>40</u>
Canadian Tire #197	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW	224.21	<u>40</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW	224.21	<u>40</u>
Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NW	224.21	<u>40</u>
Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NW	224.21	<u>40</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW	224.21	<u>40</u>
Canadian Tire	99 McEwan Dr. E Bolton ON L7E 2Z7	NW	224.21	<u>40</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW	224.21	<u>40</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW	224.21	<u>40</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON	NW	224.21	<u>40</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW	224.21	<u>40</u>
A & J Marshall Holdings Ltd	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW	224.21	<u>40</u>
Hartwind Sales Limited	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW	224.21	<u>40</u>
A & J Marshall Holdings Ltd	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW	224.21	<u>40</u>
A & J Marshall Holdings Ltd	99 McEwan Dr. E. Bolton ON L7E 2Z7	NW	224.21	<u>40</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Hi Tek Engineered	68 Commerial Road Bolton ON L7E1K6	ENE	104.97	<u>14</u>
Hi Tek Engineered	68 Commerial Road Bolton ON L7E1K6	ENE	104.97	<u>14</u>
PEEL, REGIONAL MUNICIPALITY OF	7 INDUSTRIAL RD.(BOLTON) CALEDON C/O 10 PEEL CENTRE DRIVE BRAMPTON ON L7E 1K5	SE	106.25	<u>15</u>
PEEL, REGIONAL MUNICIPALITY OF 31-536	7 INDUSTRIAL RD.(BOLTON) CALEDON C/O 10 PEEL CENTRE DRIVE	SE	106.25	<u>15</u>

BRAMPTON ON L7E 1K5

ALL PURPOSE FLOAT SERVICES INC.	4 INDUSTRIAL ROAD BOLTON ON L7E 1K6	ENE	111.15	<u>17</u>
HI-TEK ENGINEERED DESIGN TRANSPORTATION	4 INDUSTRIAL ROAD BOLTON ON L7E 1K6	ENE	111.15	<u>17</u>
HI-Tek Engineered Design Transportation	4 Industrial Road Bolton ON L7E 1K6	ENE	111.15	<u>17</u>
MapleCon Earthworks Ltd.	12525 Highway 50 Unit 2 Bolton ON	S	122.54	<u>18</u>
HEADING SALES AND CONSULTANTS LTD.	INDUSTRIAL RD. P.O.BOX 382 BOLTON ON L0P 1A0	ESE	130.34	<u>20</u>
HEADING SALES AND CONSULTANTS LTD	INDUSTRIAL ROAD, 200 YARDS FROM HWY 50 BOLTON ON L0P 1A0	ESE	130.34	<u>20</u>
HEADING SALES AND CONSULTANTS LTD.20-190	INDUSTRIAL RD. P.O.BOX 382 BOLTON ON L0P 1A0	ESE	130.34	<u>20</u>
HEADING SALES AND CONSULTANTS LIMITED	INDUSTRIAL ROAD 200 YARDS FROM HWY 50 BOLTON ON L0P 1A0	ESE	130.34	<u>20</u>
ALFA CONSULTANTS	INDUSTRIAL RD. C/O P.O. BOX 382 BOLTON ON L0P 1A0	ESE	130.34	<u>20</u>
ALFA CONSULTANTS	622180 ONTARIO LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 1K5	ESE	130.34	<u>20</u>
ALFA (OUT OF BUS) 02-448	622180 ONTARIO LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 1K5	ESE	130.34	<u>20</u>
Heading Sales and Consultants Limited	55 Industrial Road Bolton ON L7E1K5	ESE	130.34	<u>20</u>

Heading Sales and Consultants Limited	55 Industrial Road Bolton ON L7E1K5	ESE	130.34	20
Heading Sales and Consultants Limited	55 Industrial Road Bolton ON L7E1K5	ESE	130.34	20
Heading Sales and Consultants Limited	55 Industrial Road Bolton ON L7E1K5	ESE	130.34	20
PEEL, REGIONAL MUNICIPALITY OF	109 INDUSTRIAL ROAD BOLTON TOWN OF CALEDON ON L7E 1K5	ESE	185.73	32
PEEL, REGIONAL MUNICIPALITY OF	109 INDUSTRIAL ROAD TOWN OF CALEDON BOLTON ON L7E 1K5	ESE	185.73	32
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE	185.73	32
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE	185.73	32
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE	185.73	32
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE	185.73	32
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE	185.73	32
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE	185.73	32
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON	ESE	185.73	32
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE	185.73	32

PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE	185.73	<u>32</u>
PEEL, REGION OF	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE	185.73	<u>32</u>
PEEL, REGION OF Waste Management	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE	185.73	<u>32</u>
PEEL, REGION OF Waste Management	109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	ESE	185.73	<u>32</u>
Hi Tek Engineered	68 Commerial Road Bolton ON L7E1K6	NE	204.83	<u>35</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E	240.94	<u>43</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E	240.94	<u>43</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E	240.94	<u>43</u>
Kardtech Inc.	50 COMMERCIAL ROAD BOLTON ON L7E 1K4	E	240.94	<u>43</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E	240.94	<u>43</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON	E	240.94	<u>43</u>
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E	240.94	<u>43</u>

ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E	240.94	43
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E	240.94	43
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E	240.94	43
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E	240.94	43
ARMSTRONG PETROLEUMS LIMITED	50 COMMERCIAL RD. BOLTON ON L7E 1K4	E	240.94	43
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE	247.11	44
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE	247.11	44
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE	247.11	44
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE	247.11	44
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE	247.11	44
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE	247.11	44
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON	NNE	247.11	44
BENSON STEEL LIMITED 05-497	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE	247.11	44
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE	247.11	44

BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE	247.11	44
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE	247.11	44
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE	247.11	44
BENSON STEEL LIMITED	72 COMMERCIAL ROAD BOLTON ON L7E 1K4	NNE	247.11	44

PES - Pesticide Register

A search of the PES database, dated 1988 - Mar 2020 has found that there are 4 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN TIRE STORE #197	99 MCEWAN DR E BOLTON ON L7E 2Z7	NW	224.21	40
HARTWIND SALES LIMITED O/A CANADIAN TIRE #197	99 MCEWAN DR. BOLTON ON L7E2Z7	NW	224.21	40
HARTWIND SALES LIMITED O/A CANADIAN TIRE #197	99 MCEWAN DR. BOLTON ON L7E2Z7	NW	224.21	40
A+J MARSHALL HOLDINGS LTD. O/A CANADIAN TIRE	99 MCEWAN DR E BOLTON ON L7E2Z7	NW	224.21	40

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2017 has found that there are 2 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	12550 Regional Road 50, Bolton ON	SW	201.49	34

12550 Highway 50, Vaughan
ON

SW

201.49

[34](#)

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 1 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
REGIONAL MUNICIPALITY OF PEEL	7 INDUSTRIAL ST BOLTON ON L7E 1K5	SE	106.25	15

REC - Ontario Regulation 347 Waste Receivers Summary

A search of the REC database, dated 1986-2016 has found that there are 5 REC site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON	E	240.94	43
DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON L7E 1K4	E	240.94	43
DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON L7E 1K4	E	240.94	43
DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON L7E 1K4	E	240.94	43
DONALD J. ARMSTRONG	50 COMMERCIAL ROAD CALEDON ON	E	240.94	43

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Jan 31, 2020 has found that there are 9 RST site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN TIRE GAS BAR	99 MCEWAN DR E BOLTON ON L7E2Z7	NW	224.21	<u>40</u>
CANADIAN TIRE GAS BAR	99 MCEWAN DR E BOLTON ON L7E 2Z7	NW	224.21	<u>40</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E 1K4	E	240.94	<u>43</u>
ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E1K4	E	240.94	<u>43</u>
ARMSTRONG PETROLEUMS	50 COMMERCIAL RD BOLTON ON L7E1K4	E	240.94	<u>43</u>
ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E1K4	E	240.94	<u>43</u>
ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E1K4	E	240.94	<u>43</u>
ARMSTRONG PETROLEUM	50 COMMERCIAL RD BOLTON ON L7E1K4	E	240.94	<u>43</u>
ARMSTRONG PETROLEUMS	50 COMMERCIAL RD BOLTON ON L7E 1K4	E	240.94	<u>43</u>

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 4 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Tru-Spark Tooling Ltd.	55 Industrial Rd Bolton ON L7E 1K5	ESE	130.34	<u>20</u>

HEADING SALES & CONSULTANTS	55 INDUSTRIAL RD BOLTON ON L7E 1K5	ESE	130.34	20
BENSON STEEL LIMITED	72 COMMERCIAL RD BOLTON ON L7E 1K4	NNE	247.11	44
Benson Steel Ltd.	72 Commercial Rd Bolton ON L7E 1K4	NNE	247.11	44

SPL - Ontario Spills

A search of the SPL database, dated 1988-Aug 2019 has found that there are 5 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	12596 Regional Road 50 Caledon ON	W	225.43	41

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	2 INDUSTRIAL RD, CALEDON<UNOFFICIAL> Caledon ON	SE	27.83	1

ONTARIO HYDRO	IN BOLTON ON INDUSTRIAL RD., EAST OF HWY. 50 MOTOR VEHICLE (OPERATING FLUID) CALEDON TOWN ON	SSW	185.46	31
---------------	---	-----	--------	--------------------

	109 Industrial Rd Caledon ON	ESE	185.73	32
--	---------------------------------	-----	--------	--------------------

BENSON STEEL LTD.	BOLTON, 72 COMMERCIAL ROAD BOLTON PLANT 72 COMMERCIAL ROAD CALEDON TOWN ON	NNE	247.11	44
-------------------	---	-----	--------	--------------------

WDS - Waste Disposal Sites - MOE CA Inventory

A search of the WDS database, dated Oct 2011-Mar 31, 2020 has found that there are 3 WDS site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
The Regional Municipality of Peel	109 Industrial Rd Caledon ON L6S 6G3	ESE	185.73	<u>32</u>
Donald J. Armstrong	50 Commercial Rd Bolton Caledon ON L7E 1K4	E	240.94	<u>43</u>
Donald J. Armstrong	50 Commercial Rd Bolton Caledon ON	E	240.94	<u>43</u>

WWIS - Water Well Information System

A search of the WWIS database, dated Feb 28, 2019 has found that there are 21 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	BOLTON ON <i>Well ID: 7263862</i>	N	63.84	<u>5</u>
	BOLTON ON <i>Well ID: 7263877</i>	WSW	80.36	<u>8</u>
	BOLTON ON <i>Well ID: 7263876</i>	NW	109.75	<u>16</u>
	lot 3 con 7 ON <i>Well ID: 4904849</i>	W	131.45	<u>21</u>
	lot 3 con 7 BOLTON ON <i>Well ID: 7263863</i>	W	135.05	<u>22</u>
	BOLTON ON <i>Well ID: 7263868</i>	WNW	161.53	<u>25</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	BOLTON ON	SSE	52.18	<u>3</u>

Well ID: 7196142

lot 3 con 7 ON	NE	74.42	<u>6</u>
-------------------	----	-------	--------------------------

Well ID: 4904095

lot 3 con 7 ON	SSE	78.23	<u>7</u>
-------------------	-----	-------	--------------------------

Well ID: 4904495

BOLTON ON	SSE	87.47	<u>9</u>
-----------	-----	-------	--------------------------

Well ID: 7196141

BOLTON ON	SSW	102.54	<u>12</u>
-----------	-----	--------	---------------------------

Well ID: 7196144

BOLTON ON	S	104.30	<u>13</u>
-----------	---	--------	---------------------------

Well ID: 7196143

lot 3 con 7 ON	SW	128.49	<u>19</u>
-------------------	----	--------	---------------------------

Well ID: 4900365

lot 3 con 7 ON	SSE	136.09	<u>23</u>
-------------------	-----	--------	---------------------------

Well ID: 4905188

CALEDON ON	N	171.84	<u>27</u>
------------	---	--------	---------------------------

Well ID: 7149490

lot 3 con 7 ON	SSE	176.57	<u>28</u>
-------------------	-----	--------	---------------------------

Well ID: 4904191

Caledon ON	SW	183.21	<u>30</u>
------------	----	--------	---------------------------

Well ID: 7196588


lot 3 con 7 ON	NE	206.69	<u>37</u>
-------------------	----	--------	---------------------------

Well ID: 4904497

lot 3 con 6 ON	SW	211.61	<u>38</u>
-------------------	----	--------	---------------------------

Well ID: 4905282

lot 3 con 7 ON	SE	228.65	42
Well ID: 4900367			
BOLTON ON	S	248.54	45
Well ID: 7051218			



Map : 0.25 Kilometer Radius

Order Number: 20200429058

Address: 2 Industrial Road, Bolton, ON



★ Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
△ Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
□ Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
▽ Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
○ Eris Sites with Unknown Elevation	Trail		Other Recreation Area
	Proposed Road		
	Ferry Route/Ice Road		



Aerial Year: 2018

Address: 2 Industrial Road, Bolton, ON

Source: ESRI World Imagery

Order Number: 20200429058



© ERIS Information Limited Partnership

79°43'30"W


79°42'W

43°52'30"N

43°52'30"N

43°51'N

43°51'N



Topographic Map

Address: 2 Industrial Road, ON

Source: ESRI World Topographic Map

Order Number: 20200429058



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 2	SE/27.8	240.9 / -0.15	2 INDUSTRIAL RD, CALEDON<UNOFFICIAL> Caledon ON	SPL
<div> <div> Ref No: 4754-66DAXA Site No: Incident Dt: 11/2/2004 Year: Incident Cause: Overturn - Truck Or Trailer Incident Event: Contaminant Code: 13 Contaminant Name: DIESEL FUEL Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Confirmed Nature of Impact: Soil Contamination Receiving Medium: Land Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 11/3/2004 Dt Document Closed: Incident Reason: Other - Reason not otherwise defined Site Name: 2 INDUSTRIAL RD, CALEDON<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: MVA caused 530 L diesel to rd. Cleaned 530 L Contaminant Qty: </div> <div> Discharger Report: Material Group: Oil Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Halton-Peel Site Postal Code: Site Region: Central Site Municipality: Caledon Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Spill to Land Source Type: </div> </div>					
1	2 of 2	SE/27.8	240.9 / -0.15	ON	BORE
<div> <div> Borehole ID: 590486 OGF ID: 215501081 Status: Unknown Type: Outcrop Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 1.2 Depth Ref: Ground Surface Depth Elev: Drill Method: Orig Ground Elev m: 240 Elev Reliabil Note: DEM Ground Elev m: 241 Concession: Location D: Survey D: Comments: </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: OGS-OLW-62-581 Municipality: Lot: Township: Latitude DD: 43.859897 Longitude DD: -79.708209 UTM Zone: 17 Easting: 603812 Northing: 4857123 Location Accuracy: Accuracy: Not Applicable </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218340007			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:	diamicton: cl to cl/si matrix				
Stratum Description:	Di si cl **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Ontario Geological Survey			Source Iden:	6
Source Date:	Varies to 2004			Scale or Res:	1:50,000
Confidence:	H			Horizontal:	NAD83
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Ontario Geological Survey Fieldwork Mapping				
Source Details:	YPDT Master Database A: 210335794				
Confiden 1:	Location taken from OGS 1:50,000 maps by CAMC staff or consultants.				
<u>Source List</u>					
Source Identifier:	6			Horizontal Datum:	NAD83
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	Varies to 2004			Projection Name:	Universal Transvers Mercator
Scale or Resolution:	1:50,000				
Source Name:	Ontario Geological Survey Fieldwork Mapping				
Source Originators:	Ontario Geological Survey				
6	1 of 1	NE/74.4	240.9 / -0.15	lot 3 con 7 ON	WWIS
Well ID:	4904095			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Industrial			Date Received:	7/3/1973
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4610
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction				County:	PEEL
Method:					
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	003
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10318883			Elevation:	240.987411

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:	0			East83:	603834.6
Code OB Desc:	Overburden			North83:	4857203
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	3/15/1973			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932044246			
Layer:		5			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		98			
Formation End Depth:		149			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932044244			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		45			
Formation End Depth:		85			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932044243			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		18			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		45			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932044245			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		85			
Formation End Depth:		98			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932044242			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		18			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932044247			
Layer:		6			
Color:		3			
General Color:		BLUE			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		149			
Formation End Depth:		162			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		10867453			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930526588			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		158			
Casing Diameter:		7			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933359477			
Layer:		1			
Slot:		025			
Screen Top Depth:		159			
Screen End Depth:		162			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994904095			
Pump Set At:					
Static Level:		127			
Final Level After Pumping:		154			
Recommended Pump Depth:		154			
Pumping Rate:		5			
Flowing Rate:					
Recommended Pump Rate:		5			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934532526			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		154			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935042820			
Test Type:		Draw Down			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Test Duration:		60			
Test Level:		154			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934786660			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		154			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934257994			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		146			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933792130			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		149			
Water Found Depth UOM:		ft			
<hr/>					
2	1 of 5	SW/41.7	241.0 / 0.01	12543 Highway No. 50 Caledon ON	CA
Certificate #:		2150-4UBQXB			
Application Year:		01			
Issue Date:		2/26/01			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:		New Certificate of Approval			
Client Name:		Michael Mario Savo			
Client Address:		12543 Highway No. 50			
Client City:		Caledon			
Client Postal Code:		L7E 1M4			
Project Description:		This application is for one automotive paint spray booth, equipped with dry type paint arrestors for overspray control, for the application of solvent based refinish coatings to repaired auto body components and complete vehicles, discharging solvent based vapours to the atmosphere through one roof mounted stack.			
Contaminants:					
Emission Control:					
<hr/>					
2	2 of 5	SW/41.7	241.0 / 0.01	Michael Mario Savo 12543 Highway No. 50 Caledon Ontario L7E 1M4 Caledon ON	EBR
EBR Registry No:		IA00E1826		Decision Posted:	
Ministry Ref No:		8572-4RJQA6		Exception Posted:	
Notice Type:		Instrument Decision		Section:	
Notice Stage:		800478261		Act 1:	
Notice Date:		March 02, 2001		Act 2:	
Proposal Date:		November 29, 2000		Site Location Map:	
Year:		2000			
Instrument Type:		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Off Instrument Name: Posted By: Company Name: Michael Mario Savo Site Address: Location Other: Proponent Name: Proponent Address: 12543 Highway No. 50, Caledon Ontario, L7E 1M4 Comment Period: URL: Site Location Details: 12543 Highway No. 50 Caledon Ontario L7E 1M4 Caledon					
2	3 of 5	SW/41.7	241.0 / 0.01	12543 Highway 50 Bolton ON L7E 1M4	EHS
Order No: 20050517022 Status: C Report Type: Report Date: 5/19/2005 Date Received: 5/17/2005 Previous Site Name: Lot/Building Size: Additional Info Ordered: Title Search Nearest Intersection: Municipality: Regional Municipality of York Client Prov/State: ON Search Radius (km): 0.25 X: -79.709197 Y: 43.859034					
2	4 of 5	SW/41.7	241.0 / 0.01	12543 Highway 50 Bolton ON L7E 1M4	EHS
Order No: 20080903011 Status: C Report Type: Standard Report Report Date: 9/5/2008 Date Received: 9/3/2008 Previous Site Name: Lot/Building Size: Additional Info Ordered: Title Search Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -79.709035 Y: 43.859224					
2	5 of 5	SW/41.7	241.0 / 0.01	Michael Mario Savo 12543 Highway No. 50 Caledon ON L7E 1M4	ECA
Approval No: 2150-4UBQXB Approval Date: 2001-02-26 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-AIR Project Type: AIR Address: 12543 Highway No. 50 Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8572-4RJQA6-14.pdf MOE District: Halton-Peel City: Longitude: -79.70975 Latitude: 43.859158 Geometry X: Geometry Y:					
3	1 of 1	SSE/52.2	240.9 / -0.15	BOLTON ON	WWIS
Well ID: 7196142 Data Entry Status:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	1/28/2013
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z165751			Owner:	
Tag:	A143690			Street Name:	12525 HIGHWAY 50
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	WKQ-005653 A0-A02
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1004244707			Elevation:	241.351852
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603802
Code OB Desc:				North83:	4857091
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	1/17/2013			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006139026				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	06				
Most Common Material:	SILT				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	2				
Formation End Depth:	10				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006139025				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	01				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006139027			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		10			
Formation End Depth:		20			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139036			
Layer:		2			
Plug From:		0.5			
Plug To:		8			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139037			
Layer:		3			
Plug From:		9			
Plug To:		19			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139035			
Layer:		1			
Plug From:		0			
Plug To:		0.5			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1006139024			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006139030			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		9			
Casing Diameter:		1.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006139031			
Layer:		1			
Slot:		10			
Screen Top Depth:		9			
Screen End Depth:		19			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.5			
<u>Hole Diameter</u>					
Hole ID:		1006139028			
Diameter:		2.25			
Depth From:		0			
Depth To:		19			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
<u>4</u>	1 of 3	WSW/61.4	241.5 / 0.44	Vincent Dimauro 12553 Highway 50 Caledon Ontario L7E 5T3 Caledon ON	EBR
EBR Registry No:	IA04E0613			Decision Posted:	
Ministry Ref No:	8248-5X4SMQ			Exception Posted:	
Notice Type:	Instrument Decision			Section:	
Notice Stage:	803008662			Act 1:	
Notice Date:	July 26, 2004			Act 2:	
Proposal Date:	April 07, 2004			Site Location Map:	
Year:	2004				
Instrument Type:	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
Off Instrument Name:					
Posted By:					
Company Name:	Vincent Dimauro				
Site Address:					
Location Other:					
Proponent Name:					
Proponent Address:	12553 Highway 50, Caledon Ontario, L7E 5T3				
Comment Period:					
URL:					

52 erisinfo.com | Environmental Risk Information Services Order No: 20200429058

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy:				Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	1006023443			Elevation:	241.504974
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603791
Code OB Desc:				North83:	4857206
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	5/10/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006079500				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:	28				
Other Materials:	SAND				
Mat3:	85				
Other Materials:	SOFT				
Formation Top Depth:	0				
Formation End Depth:	1.2				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006079501				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Other Materials:	SILT				
Mat3:	66				
Other Materials:	DENSE				
Formation Top Depth:	1.2				
Formation End Depth:	6				
Formation End Depth UOM:	m				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006079509				
Layer:	2				
Plug From:	0.3				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		2.7			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006079508			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006079499			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006079504			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.7			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006079505			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.7			
Screen End Depth:		6			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Hole Diameter</u>					
Hole ID:		1006079502			
Diameter:		2			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
7	1 of 1	SSE/78.2	240.9 / -0.15	lot 3 con 7 ON	WWIS
<div> <div> Well ID: 4904495 Construction Date: Primary Water Use: Commerical Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: 1 Date Received: 11/5/1974 Selected Flag: Yes Abandonment Rec: Contractor: 1556 Form Version: 1 Owner: Street Name: County: PEEL Municipality: CALEDON TOWN (ALBION) Site Info: Lot: 003 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 10319278 DP2BR: 193 Spatial Status: Code OB: r Code OB Desc: Bedrock Open Hole: Cluster Kind: Date Completed: 8/26/1974 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Elevation: 241.137756 Elevrc: Zone: 17 East83: 603804.6 North83: 4857065 Org CS: UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: p4 </div> </div>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<div> <div> Formation ID: 932045988 Layer: 3 Color: 3 General Color: BLUE Mat1: 05 Most Common Material: CLAY Mat2: 12 Other Materials: STONES Mat3: Other Materials: Formation Top Depth: 148 Formation End Depth: 180 Formation End Depth UOM: ft </div> </div>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<div> <div> Formation ID: 932045989 </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		13			
Other Materials:		BOULDERS			
Formation Top Depth:		180			
Formation End Depth:		193			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932045986			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		3			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932045987			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		3			
Formation End Depth:		148			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932045990			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		193			
Formation End Depth:		225			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10867848				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930527115				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	225				
Casing Diameter:	6				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	930527114				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	193				
Casing Diameter:	6				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	994904495				
Pump Set At:					
Static Level:	90				
Final Level After Pumping:	223				
Recommended Pump Depth:	224				
Pumping Rate:	3				
Flowing Rate:					
Recommended Pump Rate:	1				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	2				
Pumping Duration HR:	2				
Pumping Duration MIN:	30				
Flowing:	N				
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Pump Test Detail ID:		934533668			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		180			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935043972			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		150			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934259137			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		195			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934787795			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		165			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		933792527			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		223			
Water Found Depth UOM:		ft			
 <u>Water Details</u>					
Water ID:		933792526			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		205			
Water Found Depth UOM:		ft			
<hr/>					
8	1 of 1	WSW/80.4	241.9 / 0.85	BOLTON ON	WWIS
Well ID:	7263877			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	5/27/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	7
Audit No:	Z170061			Owner:	
Tag:	A196699			Street Name:	12563 HWY 50
Construction Method:				County:	PEEL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div>Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:</div>				<div>Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:</div>	CALEDON TOWN (ALBION)
<div>Bore Hole Information</div>					
<div>Bore Hole ID: 1006023696 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 5/11/2016 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:</div>				<div>Elevation: 241.982894 Elevrc: Zone: 17 East83: 603719 North83: 4857108 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr</div>	
<div>Overburden and Bedrock</div>					
<div>Materials Interval</div>					
<div>Formation ID: 1006079707 Layer: 1 Color: 6 General Color: BROWN Mat1: 28 Most Common Material: SAND Mat2: 11 Other Materials: GRAVEL Mat3: 77 Other Materials: LOOSE Formation Top Depth: 0 Formation End Depth: 0.6 Formation End Depth UOM: m</div>					
<div>Overburden and Bedrock</div>					
<div>Materials Interval</div>					
<div>Formation ID: 1006079709 Layer: 3 Color: 2 General Color: GREY Mat1: 05 Most Common Material: CLAY Mat2: Other Materials: Mat3: 66 Other Materials: DENSE Formation Top Depth: 4.5 Formation End Depth: 6 Formation End Depth UOM: m</div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006079708			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0.6			
Formation End Depth:		4.5			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006079716			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006079717			
Layer:		2			
Plug From:		0.3			
Plug To:		2.7			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006079706			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006079712			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.1			
Depth To:		3			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		1006079713			
Layer:		1			
Slot:		10			
Screen Top Depth:		3			
Screen End Depth:		6			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Hole Diameter</u>					
Hole ID:		1006079710			
Diameter:		21			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>9</u>	1 of 1	SSE/87.5	240.9 / -0.15	BOLTON ON	WWIS
Well ID:	7196141			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	1/28/2013
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z165752			Owner:	
Tag:	A143775			Street Name:	12525 HIGHWAY 50
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	WKQ-005653 A0-A02
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

<u>Bore Hole Information</u>					
Bore Hole ID:	1004244704			Elevation:	241.020675
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603831
Code OB Desc:				North83:	4857064
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	1/17/2013			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006139012			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006139014			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		10			
Formation End Depth:		19			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006139013			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		2			
Formation End Depth:		10			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139022			
Layer:		1			
Plug From:		0			
Plug To:		8			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139023			
Layer:		2			
Plug From:		8			
Plug To:		19			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006139011			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006139017			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		9			
Casing Diameter:		1.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006139018			
Layer:		1			
Slot:		10			
Screen Top Depth:		9			
Screen End Depth:		19			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.5			
<u>Hole Diameter</u>					
Hole ID:		1006139015			
Diameter:		2.25			
Depth From:		0			
Depth To:		19			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
10	1 of 2	WNW/93.3	241.9 / 0.85	Globetrotter Rv Rentals and Sale 12563 Hwy#50 Bolton ON L7E 1M4	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON5808793 Status: Approval Years: 02,03,04,06 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
10	2 of 2	WNW/93.3	241.9 / 0.85	Globetrotter Rv inc 12563 Hwy#50 Bolton ON L7E1M4	GEN
Generator No: ON7669488 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
11	1 of 1	WNW/96.6	241.9 / 0.85	12563 50 Hwy Caledon ON L7E1M4	EHS
Order No: 20160920097 Status: C Report Type: Custom Report Report Date: 27-SEP-16 Date Received: 20-SEP-16 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.709579 Y: 43.860384					
12	1 of 1	SSW/102.5	240.9 / -0.15	BOLTON ON	WWIS
Well ID: 7196144 Construction Date: Primary Water Use: Monitoring and Test Hole Sec. Water Use: 0 Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z165753 Tag: A143774 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate:					
Data Entry Status: Data Src: Date Received: 1/28/2013 Selected Flag: Yes Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 12525 HIGHWAY 50 County: PEEL Municipality: CALEDON TOWN (ALBION) Site Info: WKQ-005653 A0-A02 Lot: Concession: Concession Name: Easting NAD83:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	1004244713			Elevation:	241.015182
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603775
Code OB Desc:				North83:	4857041
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	1/17/2013			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006139094				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	01				
Most Common Material:	FILL				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	2				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006139095				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	06				
Most Common Material:	SILT				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	2				
Formation End Depth:	2				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006139096				
Laver:	3				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	2				
Formation End Depth:					
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139107			
Layer:		2			
Plug From:		8.5			
Plug To:		19.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139102			
Layer:		1			
Plug From:		0			
Plug To:		8.5			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006139093			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006139099			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		9.5			
Casing Diameter:		1.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006139100			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:		10			
Screen Top Depth:		9.5			
Screen End Depth:		19.5			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.5			
<u>Hole Diameter</u>					
Hole ID:		1006139097			
Diameter:		2.25			
Depth From:		0			
Depth To:		19.5			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

13	1 of 1	S/104.3	240.9 / -0.15	BOLTON ON	WWIS
Well ID:	7196143			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	1/28/2013
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	0			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z165710			Owner:	
Tag:	A143768			Street Name:	12525 HIGHWAY 50
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1004244710	Elevation:	240.883941
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	603797
Code OB Desc:		North83:	4857038
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	1/17/2013	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1006139052			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		9			
Formation End Depth:		19.5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006139051			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		2			
Formation End Depth:		9			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006139050			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139059			
Layer:		2			
Plug From:		0.5			
Plug To:		8.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139060			
Layer:		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Plug From:		8.5			
Plug To:		19.5			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006139058			
Layer:		1			
Plug From:		0			
Plug To:		0.5			
Plug Depth UOM:		ft			
 <u>Pipe Information</u>					
Pipe ID:		1006139049			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1006139055			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		9.5			
Casing Diameter:		1.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1006139056			
Layer:		1			
Slot:		10			
Screen Top Depth:		9.5			
Screen End Depth:		19.5			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.5			
 <u>Hole Diameter</u>					
Hole ID:		1006139053			
Diameter:		2.25			
Depth From:		0			
Depth To:		19.5			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

14	1 of 5	ENE/105.0	239.9 / -1.12	PICASO TRUCKLINES INC. 68 COMMERCIAL RD BOLTON ON L7E 1K4	EASR
Approval No:	R-004-7678746502			SWP Area Name:	Toronto
Status:	REGISTERED			MOE District:	Halton-Peel
Date:	2016-11-16			Municipality:	BOLTON
Record Type:	EASR			Latitude:	43.879166670000004

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Link Source: Project Type: Full Address: Approval Type: Full PDF Link:	MOFA Waste Management System EASR-Waste Management System http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2027119			Longitude: -79.73805556 Geometry X: Geometry Y:	
14	2 of 5	ENE/105.0	239.9 / -1.12	Hi Tek Engineered 68 Commercial Road Bolton ON L7E1K6	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON9330733 Registered As of Dec 2018			PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)					
Waste Class: Waste Class Desc:	212 L Aliphatic solvents and residues				
Waste Class: Waste Class Desc:	221 I Light fuels				
Waste Class: Waste Class Desc:	252 L Waste crankcase oils and lubricants				
14	3 of 5	ENE/105.0	239.9 / -1.12	9135626 CANADA INC. 68 COMMERCIAL RD BOLTON ON L7E 1K4	EASR
Approval No: Status: Date: Record Type: Link Source: Project Type: Full Address: Approval Type: Full PDF Link:	R-004-1110237880 REGISTERED 2017-09-19 EASR MOFA Waste Management System EASR-Waste Management System http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2043259			SWP Area Name: Toronto MOE District: Halton-Peel Municipality: BOLTON Latitude: 43.86055556 Longitude: -79.70750000000001 Geometry X: Geometry Y:	
14	4 of 5	ENE/105.0	239.9 / -1.12	9135626 Canada Inc. 68 Commercial Road Caledon ON L7E 1C2	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:	6871-BAVJQV 2019-04-15 Approved ECA IDS ECA-WASTE MANAGEMENT SYSTEMS WASTE MANAGEMENT SYSTEMS 68 Commercial Road https://www.accessenvironment.ene.gov.on.ca/instruments/8450-B9UKSM-14.pdf			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
14	5 of 5	ENE/105.0	239.9 / -1.12	Hi Tek Engineered 68 Commerial Road Bolton ON L7E1K6	GEN
Generator No:		ON9330733	PO Box No:		
Status:		Registered	Country: Canada		
Approval Years:		As of Oct 2019	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
15	1 of 5	SE/106.3	240.9 / -0.15	REGIONAL MUNICIPALITY OF PEEL 7 INDUSTRIAL ST BOLTON ON L7E 1K5	PRT
Location ID:		19183			
Type:		retail			
Expiry Date:		1993-01-31			
Capacity (L):		2000			
Licence #:		0076350081			
15	2 of 5	SE/106.3	240.9 / -0.15	PEEL, REGIONAL MUNICIPALITY OF 7 INDUSTRIAL RD.(BOLTON)CALEDON C/O 10 PEEL CENTRE DRIVE BRAMPTON ON L7E 1K5	GEN
Generator No:		ON0148314	PO Box No:		
Status:			Country:		
Approval Years:		89,90	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		8373			
SIC Description:		ENVIRON. ADMIN.			
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
15	3 of 5	SE/106.3	240.9 / -0.15	PEEL, REGIONAL MUNICIPALITY OF 31-536 7 INDUSTRIAL RD.(BOLTON)CALEDON C/O 10 PEEL CENTRE DRIVE BRAMPTON ON L7E 1K5	GEN
Generator No:		ON0148314	PO Box No:		
Status:			Country:		
Approval Years:		94,95,96	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code:	8373				
SIC Description:		ENVIRON. ADMIN.			
<u>Detail(s)</u>					
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
15	4 of 5	SE/106.3	240.9 / -0.15	REGIONAL MUNICIPALITY OF PEEL 7 INDUSTRIAL RD BOLTON ON	EXP
Instance No:	9900580				
Instance ID:	398448				
Instance Type:	FS Facility				
Description:	FS Propane Refill Cntr - Cylr Fill				
Status:	EXPIRED				
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
15	5 of 5	SE/106.3	240.9 / -0.15	REGIONAL MUNICIPALITY OF PEEL 7 INDUSTRIAL RD BOLTON ON	EXP
Instance No:	11099216				
Instance ID:	68303				
Instance Type:	FS Propane Tank				
Description:	FS Propane Tank				
Status:	EXPIRED				
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
16	1 of 1	NW/109.8	241.9 / 0.85	BOLTON ON	WWIS
Well ID:	7263876				
Construction Date:				Data Entry Status:	
Primary Water Use:	Monitoring			Data Src:	
Sec. Water Use:				Date Received:	5/27/2016
Final Well Status:	Observation Wells			Selected Flag:	Yes
Water Type:				Abandonment Rec:	
Casing Material:				Contractor:	6607
Audit No:	Z169992			Form Version:	7
Tag:	A196672			Owner:	
Construction Method:				Street Name:	12653 HWY 50
Elevation (m):				County:	PEEL
Elevation Reliability:				Municipality:	CALEDON TOWN (ALBION)
Depth to Bedrock:				Site Info:	
Well Depth:				Lot:	
Overburden/Bedrock:				Concession:	
Pump Rate:				Concession Name:	
Static Water Level:				Easting NAD83:	
Flowing (Y/N):				Northing NAD83:	
Flow Rate:				Zone:	
				UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006023693			Elevation:	241.995666
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603742
Code OB Desc:				North83:	4857240
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	5/10/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006079694				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Other Materials:	SILT				
Mat3:	66				
Other Materials:	DENSE				
Formation Top Depth:	1.2				
Formation End Depth:	6				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006079693				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	01				
Most Common Material:	FILL				
Mat2:	11				
Other Materials:	GRAVEL				
Mat3:	85				
Other Materials:	SOFT				
Formation Top Depth:	0				
Formation End Depth:	1.2				
Formation End Depth UOM:	m				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006079701				
Layer:	1				
Plug From:	0				
Plug To:	0.3				
Plug Depth UOM:	m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006079702			
Layer:		2			
Plug From:		0.3			
Plug To:		2.7			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006079692			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006079697			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.7			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006079698			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.7			
Screen End Depth:		6			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Hole Diameter</u>					
Hole ID:		1006079695			
Diameter:		21			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
17	1 of 7	ENE/111.2	239.9 / -1.15	HI-TEK ENGINEERED DESIGN TRANSPORTATION	CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
				4 INDUSTRIAL ROAD CALEDON TOWN ON	
Certificate #:		8-3065-95-			
Application Year:		95			
Issue Date:		3/9/1995			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:		WASTE OIL FURNACE MODEL CB-2800			
Contaminants:		Suspended Particulate Matter, Nitrogen Oxides, Sulphur Dioxide, Zinc			
Emission Control:		No Controls			
<hr/>					
17	2 of 7	ENE/111.2	239.9 / -1.15	ALL PURPOSE FLOAT SERVICES INC. 4 INDUSTRIAL ROAD BOLTON ON L7E 1K6	GEN
Generator No:	ON1864700			PO Box No:	
Status:				Country:	
Approval Years:	94,95,96,97,98,99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4569				
SIC Description:	OTHER TRUCK./TRANS.				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
<hr/>					
17	3 of 7	ENE/111.2	239.9 / -1.15	HI-TEK ENGINEERED DESIGN TRANSPORTATION 4 INDUSTRIAL ROAD BOLTON ON L7E 1K6	GEN
Generator No:	ON2010200			PO Box No:	
Status:				Country:	
Approval Years:	95,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4561				
SIC Description:	GEN. FREIGHT TRUCK.				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
<hr/>					
17	4 of 7	ENE/111.2	239.9 / -1.15	4 Industrial Road Bolton ON L7E 1K6	EHS
Order No:	20071002010			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	CAN - Complete Report			Client Prov/State:	
Report Date:	10/9/2007			Search Radius (km):	0.25
Date Received:	10/2/2007			X:	-79.707586
Previous Site Name:				Y:	43.860846

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot/Building Size: Additional Info Ordered: Fire Insur. Maps And /or Site Plans; City Directory					
17	5 of 7	ENE/111.2	239.9 / -1.15	Genant Enterprises Inc. 4 Industrial Rd Vaughan ON	CA
Certificate #: 1608-7E7Q7V Application Year: 2008 Issue Date: 5/15/2008 Approval Type: Waste Management Systems Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
17	6 of 7	ENE/111.2	239.9 / -1.15	HI-Tek Engineered Design Transportation 4 Industrial Road Bolton ON L7E 1K6	GEN
Generator No: ON5024327 Status: Approval Years: 2009 Contam. Facility: MHSW Facility: SIC Code: 484229 SIC Description: Other Specialized Freight (except Used Goods) Trucking Local PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 212 Waste Class Desc: ALIPHATIC SOLVENTS Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
17	7 of 7	ENE/111.2	239.9 / -1.15	Genant Enterprises Inc. 4 Industrial Rd Vaughan ON L7E 1S1	ECA
Approval No: 1608-7E7Q7V Approval Date: 2008-05-15 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-WASTE MANAGEMENT SYSTEMS Project Type: WASTE MANAGEMENT SYSTEMS Address: 4 Industrial Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7513-7E2P8T-14.pdf MOE District: Halton-Peel City: Longitude: -79.70712999999999 Latitude: 43.860237 Geometry X: Geometry Y:					
18	1 of 2	S/122.5	240.9 / -0.15	12525 Highway 50 Bolton ON L7E 1M4	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No: 20031111033 Status: C Report Type: Basic Report Report Date: 11/20/03 Date Received: 11/11/03 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -79.708877 Y: 43.8588					
18	2 of 2	S/122.5	240.9 / -0.15	MapleCon Earthworks Ltd. 12525 Highway 50 Unit 2 Bolton ON	GEN
Generator No: ON4156921 Status: Approval Years: 2009 Contam. Facility: MHSW Facility: SIC Code: 236220 SIC Description: Commercial and Institutional Building Construction					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
19	1 of 1	SW/128.5	240.9 / -0.15	lot 3 con 7 ON	WWIS
Well ID: 4900365 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: 1 Date Received: 12/24/1963 Selected Flag: Yes Abandonment Rec: Contractor: 2613 Form Version: 1 Owner: Street Name: County: PEEL Municipality: CALEDON TOWN (ALBION) Site Info: Lot: 003 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
Bore Hole Information					
Bore Hole ID: 10315213 DP2BR: 194 Spatial Status: Code OB: r Code OB Desc: Bedrock Open Hole: Cluster Kind: Date Completed: 12/11/1963 Remarks:					
Elevation: 241.222427 Elevrc: Zone: 17 East83: 603725.6 North83: 4857032 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029752			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		23			
Formation End Depth:		66			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029756			
Layer:		6			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		176			
Formation End Depth:		179			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029755			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		154			
Formation End Depth:		176			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029753			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		66			
Formation End Depth:		146			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932029757			
Layer:		7			
Color:					
General Color:					
Mat1:		14			
Most Common Material:		HARDPAN			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		179			
Formation End Depth:		188			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932029759			
Layer:		9			
Color:					
General Color:					
Mat1:		14			
Most Common Material:		HARDPAN			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		189			
Formation End Depth:		194			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932029758			
Layer:		8			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		188			
Formation End Depth:		189			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029751			
Layer:		1			
Color:		5			
General Color:		YELLOW			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		23			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029754			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		146			
Formation End Depth:		154			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029760			
Layer:		10			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		194			
Formation End Depth:		195			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		10863783			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930521302			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		147			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933358957			
Layer:		1			
Slot:		025			
Screen Top Depth:		147			
Screen End Depth:		151			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994900365			
Pump Set At:					
Static Level:		122			
Final Level After Pumping:		135			
Recommended Pump Depth:		142			
Pumping Rate:		7			
Flowing Rate:					
Recommended Pump Rate:		5			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		12			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933788319			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		176			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933788320			
Layer:		3			
Kind Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind: FRESH Water Found Depth: 188 Water Found Depth UOM: ft					
<u>Water Details</u>					
Water ID: 933788318 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 146 Water Found Depth UOM: ft					
20	1 of 13	ESE/130.3	239.9 / -1.15	HEADING SALES & CONSULTANTS 55 INDUSTRIAL RD BOLTON ON L7E 1K5	SCT
Established: 1970 Plant Size (ft²): 0 Employment: 16					
<u>--Details--</u>					
Description: CUTTING TOOLS, MACHINE TOOL ACCESSORIES, AND MACHINISTS' PRECISION MEASURING DEVICES SIC/NAICS Code: 3545					
Description: SPECIAL DIES AND TOOLS, DIE SETS, JIGS AND FIXTURES, AND INDUSTRIAL MOLDS SIC/NAICS Code: 3544					
20	2 of 13	ESE/130.3	239.9 / -1.15	HEADING SALES AND CONSULTANTS LTD. INDUSTRIAL RD. P.O.BOX 382 BOLTON ON L0P 1A0	GEN
Generator No: ON0733900 Status: Approval Years: 86,87,88,89,90 Contam. Facility: MHSW Facility: SIC Code: 3053 SIC Description: INDUSTRIAL FASTENER					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES					
20	3 of 13	ESE/130.3	239.9 / -1.15	HEADING SALES AND CONSULTANTS LTD INDUSTRIAL ROAD, 200 YARDS FROM HWY 50 BOLTON ON L0P 1A0	GEN
Generator No: ON0733900 Status: Approval Years: 92,93,97,98 Contam. Facility: MHSW Facility: SIC Code: 3053 SIC Description: INDUSTRIAL FASTENER					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		213 PETROLEUM DISTILLATES			
20	4 of 13	ESE/130.3	239.9 / -1.15	HEADING SALES AND CONSULTANTS LTD.20-190 INDUSTRIAL RD. P.O.BOX 382 BOLTON ON L0P 1A0	GEN
Generator No:		ON0733900		PO Box No:	
Status:				Country:	
Approval Years:		94,95,96		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3053			
SIC Description:		INDUSTRIAL FASTENER			
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
20	5 of 13	ESE/130.3	239.9 / -1.15	HEADING SALES AND CONSULTANTS LIMITED INDUSTRIAL ROAD 200 YARDS FROM HWY 50 BOLTON ON L0P 1A0	GEN
Generator No:		ON0733900		PO Box No:	
Status:				Country:	
Approval Years:		99,00,01		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3053			
SIC Description:		INDUSTRIAL FASTENER			
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
20	6 of 13	ESE/130.3	239.9 / -1.15	ALFA CONSULTANTS INDUSTRIAL RD. C/O P.O. BOX 382 BOLTON ON L0P 1A0	GEN
Generator No:		ON0733901		PO Box No:	
Status:				Country:	
Approval Years:		88,89		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		0000			
SIC Description:		*** NOT DEFINED ***			
20	7 of 13	ESE/130.3	239.9 / -1.15	ALFA CONSULTANTS 622180 ONTARIO LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 1K5	GEN
Generator No:		ON0733901		PO Box No:	
Status:				Country:	
Approval Years:		90		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3999			
SIC Description:		OTHER MANU. PROD.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
20	8 of 13	ESE/130.3	239.9 / -1.15	ALFA (OUT OF BUS) 02-448 622180 ONTARIO LTD. 55 INDUSTRIAL ROAD BOLTON ON L7E 1K5	GEN
Generator No:		ON0733901		PO Box No:	
Status:				Country:	
Approval Years:		92,93,94,95,96,97,98		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3999			
SIC Description:		OTHER MANU. PROD.			
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
20	9 of 13	ESE/130.3	239.9 / -1.15	Tru-Spark Tooling Ltd. 55 Industrial Rd Bolton ON L7E 1K5	SCT
Established:		01-AUG-90			
Plant Size (ft²):					
Employment:					
<u>--Details--</u>					
Description:		Cutlery and Hand Tool Manufacturing			
SIC/NAICS Code:		332210			
Description:		Cutlery and Hand Tool Manufacturing			
SIC/NAICS Code:		332210			
Description:		Other Metalworking Machinery Manufacturing			
SIC/NAICS Code:		333519			
20	10 of 13	ESE/130.3	239.9 / -1.15	Heading Sales and Consultants Limited 55 Industrial Road Bolton ON L7E1K5	GEN
Generator No:		ON4882883		PO Box No:	
Status:				Country:	
Approval Years:		2016		Canada	
Contam. Facility:		No		Choice of Contact:	
MHSW Facility:		No		CO_OFFICIAL	
SIC Code:		332710		SIMON WRIGHT	
SIC Description:		MACHINE SHOPS		Phone No Admin:	
				9058570822 Ext.227	
<u>Detail(s)</u>					
Waste Class:		253			
Waste Class Desc:		EMULSIFIED OILS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
20	11 of 13	ESE/130.3	239.9 / -1.15	Heading Sales and Consultants Limited 55 Industrial Road Bolton ON L7E1K5	GEN
Generator No: ON4882883				PO Box No:	
Status:				Country:	Canada
Approval Years: 2015				Choice of Contact:	CO_OFFICIAL
Contam. Facility: No				Co Admin:	SIMON WRIGHT
MHSW Facility: No				Phone No Admin:	9058570822 Ext.227
SIC Code: 332710					
SIC Description: MACHINE SHOPS					
<u>Detail(s)</u>					
Waste Class: 253					
Waste Class Desc: EMULSIFIED OILS					
20	12 of 13	ESE/130.3	239.9 / -1.15	Heading Sales and Consultants Limited 55 Industrial Road Bolton ON L7E1K5	GEN
Generator No: ON4882883				PO Box No:	
Status: Registered				Country:	Canada
Approval Years: As of Dec 2018				Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class: 253 L					
Waste Class Desc: Emulsified oils					
20	13 of 13	ESE/130.3	239.9 / -1.15	Heading Sales and Consultants Limited 55 Industrial Road Bolton ON L7E1K5	GEN
Generator No: ON4882883				PO Box No:	
Status: Registered				Country:	Canada
Approval Years: As of Oct 2019				Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class: 253 L					
Waste Class Desc: Emulsified oils					
21	1 of 1	W/131.5	241.9 / 0.85	lot 3 con 7 ON	WWIS
Well ID: 4904849				Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use: Industrial				Date Received:	3/9/1976
Sec. Water Use: Domestic				Selected Flag:	Yes
Final Well Status: Water Supply				Abandonment Rec:	
Water Type:				Contractor:	5206
Casing Material:				Form Version:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Owner: Street Name: County: PEEL Municipality: CALEDON TOWN (ALBION) Site Info: Lot: 003 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: 10319618 DP2BR: Spatial Status: Code OB: o Code OB Desc: Overburden Open Hole: Cluster Kind: Date Completed: 1/15/1976 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Elevation: 242.449066 Elevrc: Zone: 17 East83: 603660.6 North83: 4857133 Org CS: UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: p4	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 932047432 Layer: 2 Color: 3 General Color: BLUE Mat1: 05 Most Common Material: CLAY Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 18 Formation End Depth: 45 Formation End Depth UOM: ft					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 932047431 Layer: 1 Color: 6 General Color: BROWN Mat1: 05 Most Common Material: CLAY Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 0					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		18			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932047433			
Layer:		3			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		45			
Formation End Depth:		68			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932047435			
Layer:		5			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		140			
Formation End Depth:		145			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932047434			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		68			
Formation End Depth:		140			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932047436			
Layer:		6			
Color:					
General Color:					
Mat1:		06			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		145			
Formation End Depth:		150			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10868188			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930527552			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		141			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933359651			
Layer:		1			
Slot:		012			
Screen Top Depth:		141			
Screen End Depth:		144			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		994904849			
Pump Set At:					
Static Level:		130			
Final Level After Pumping:		140			
Recommended Pump Depth:		145			
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:		8			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Pumping Test Method:	2				
Pumping Duration HR:	6				
Pumping Duration MIN:	0				
Flowing:	N				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934779638				
Test Type:	Recovery				
Test Duration:	45				
Test Level:	130				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934525521				
Test Type:	Recovery				
Test Duration:	30				
Test Level:	130				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934260182				
Test Type:	Recovery				
Test Duration:	15				
Test Level:	130				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	935045008				
Test Type:	Recovery				
Test Duration:	60				
Test Level:	130				
Test Level UOM:	ft				
 <u>Water Details</u>					
Water ID:	933792880				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	140				
Water Found Depth UOM:	ft				
<hr/>					
22	1 of 1	W/135.1	241.9 / 0.85	lot 3 con 7 BOLTON ON	WWIS
Well ID:	7263863			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	5/27/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	7
Audit No:	Z162536			Owner:	
Tag:	A201541			Street Name:	12585 HWY 50
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock:				Lot:	003
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006023446			Elevation:	242.694656
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603658
Code OB Desc:				North83:	4857161
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	5/11/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1006079514				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Other Materials:					
Mat3:	77				
Other Materials:	LOOSE				
Formation Top Depth:	0				
Formation End Depth:	0.7				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1006079516				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Other Materials:					
Mat3:	66				
Other Materials:	DENSE				
Formation Top Depth:	4.5				
Formation End Depth:	6				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1006079515			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0.7			
Formation End Depth:		4.5			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006079524			
Layer:		2			
Plug From:		0.3			
Plug To:		2.7			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006079523			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006079513			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006079519			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.1			
Depth To:		3			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		1006079520			
Layer:		1			
Slot:		10			
Screen Top Depth:		3			
Screen End Depth:		6			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Hole Diameter</u>					
Hole ID:		1006079517			
Diameter:		21			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
23	1 of 1	SSE/136.1	240.9 / -0.15	lot 3 con 7 ON	WWIS
Well ID:	4905188			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	8/22/1977
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3108
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	003
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10319943			Elevation:	240.57225
DP2BR:	188			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	603834.6
Code OB Desc:	Bedrock			North83:	4857013
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	6/2/1977			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932048959			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		3			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932048960			
Layer:		2			
Color:		5			
General Color:		YELLOW			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Other Materials:		SANDY			
Mat3:					
Other Materials:					
Formation Top Depth:		3			
Formation End Depth:		31			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932048966			
Layer:		8			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		158			
Formation End Depth:		165			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932048968			
Layer:		10			
Color:		3			
General Color:		BLUE			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Other Materials:					
Formation Top Depth:		188			
Formation End Depth:		210			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932048967			
Layer:		9			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		85			
Other Materials:		SOFT			
Mat3:					
Other Materials:					
Formation Top Depth:		165			
Formation End Depth:		188			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932048962			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		72			
Other Materials:		GRAVELLY			
Mat3:					
Other Materials:					
Formation Top Depth:		51			
Formation End Depth:		67			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932048963			
Layer:		5			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		72			
Other Materials:		GRAVELLY			
Mat3:					
Other Materials:					
Formation Top Depth:		67			
Formation End Depth:		92			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932048964			
Layer:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		92			
Formation End Depth:		101			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932048961			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Other Materials:		SANDY			
Mat3:					
Other Materials:					
Formation Top Depth:		31			
Formation End Depth:		51			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932048965			
Layer:		7			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		85			
Other Materials:		SOFT			
Mat3:					
Other Materials:					
Formation Top Depth:		101			
Formation End Depth:		158			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10868513			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930527979					
Layer: 1					
Material: 1					
Open Hole or Material: STEEL					
Depth From:					
Depth To: 188					
Casing Diameter: 6					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
Results of Well Yield Testing					
Pump Test ID: 994905188					
Pump Set At:					
Static Level: 133					
Final Level After Pumping: 209					
Recommended Pump Depth: 209					
Pumping Rate: 3					
Flowing Rate:					
Recommended Pump Rate: 3					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 2					
Water State After Test: CLOUDY					
Pumping Test Method: 2					
Pumping Duration HR: 3					
Pumping Duration MIN: 0					
Flowing: N					
Water Details					
Water ID: 933793229					
Layer: 1					
Kind Code: 5					
Kind: Not stated					
Water Found Depth: 207					
Water Found Depth UOM: ft					
24	1 of 1	ENE/160.4	239.9 / -1.15	Ross E. Goodfellow	ECA
Caledon ON LOG 1T0					
Approval No: 3791-6CQJYS					
Approval Date: 2005-07-22					
Status: Approved					
Record Type: ECA					
Link Source: IDS					
SWP Area Name: Toronto					
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS					
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS					
Address:					
Full Address:					
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2726-6CGP2E-14.pdf					
25	1 of 1	WNW/161.5	242.9 / 1.85	BOLTON ON	WWIS
Well ID: 7263868					
Construction Date:					
Primary Water Use: Monitoring					
Sec. Water Use:					
Data Entry Status:					
Data Src:					
Date Received: 5/27/2016					
Selected Flag: Yes					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	7
Audit No:	Z223889			Owner:	
Tag:	A201539			Street Name:	12585 HWY 50
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1006023545	Elevation:	242.776123
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	603668
Code OB Desc:		North83:	4857246
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	5/11/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006079581
Layer:	3
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	06
Other Materials:	SILT
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	3.7
Formation End Depth:	6
Formation End Depth UOM:	m

Overburden and Bedrock Materials Interval

Formation ID:	1006079580
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Other Materials:	CLAY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0.3			
Formation End Depth:		3.7			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006079579			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Other Materials:					
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		0			
Formation End Depth:		0.3			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006079588			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006079589			
Layer:		2			
Plug From:		0.3			
Plug To:		2.7			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006079578			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006079584			
Layer:		1			
Material:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Open Hole or Material:		PLASTIC			
Depth From:		0.1			
Depth To:		3			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 Construction Record - Screen					
Screen ID:		1006079585			
Layer:		1			
Slot:		10			
Screen Top Depth:		3			
Screen End Depth:		6			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
 Hole Diameter					
Hole ID:		1006079582			
Diameter:		21			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
26	1 of 1	SW/166.3	240.9 / -0.15	12550 Highway 50 (Queen Street S), Bolton Bolton ON	EHS
Order No:	20111020051			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	10/26/2011			Search Radius (km):	0.25
Date Received:	10/20/2011 4:56:41 PM			X:	-79.709846
Previous Site Name:				Y:	43.858962
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
27	1 of 1	N/171.8	240.9 / -0.15	CALEDON ON	WWIS
Well ID:	7149490			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	8/5/2010
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z118956			Owner:	
Tag:	A102978			Street Name:	12621 HWY 50
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003269399			Elevation:	241.099288
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603792
Code OB Desc:				North83:	4857314
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	6
Date Completed:	7/15/2010			UTMRC Desc:	margin of error : 300 m - 1 km
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003312967				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Other Materials:	SILT				
Mat3:	85				
Other Materials:	SOFT				
Formation Top Depth:	3.49				
Formation End Depth:	7.62				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003312966				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	05				
Other Materials:	CLAY				
Mat3:	66				
Other Materials:	DENSE				
Formation Top Depth:	2.13				
Formation End Depth:	3.49				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003312965				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	11				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:					
Mat2:		GRAVEL	28		
Other Materials:		SAND			
Mat3:		01			
Other Materials:		FILL			
Formation Top Depth:		0			
Formation End Depth:		2.13			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003312969			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003312970			
Layer:		2			
Plug From:		0.31			
Plug To:		3.1			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003312971			
Layer:		3			
Plug From:		3.1			
Plug To:		7.62			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1003312964			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003312973			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3.1			
Casing Diameter:		4.03			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1003312974			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.1			
Screen End Depth:		7.62			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.82			
<u>Hole Diameter</u>					
Hole ID:		1003312968			
Diameter:		8.25			
Depth From:		0			
Depth To:		7.62			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
28	1 of 1	SSE/176.6	240.9 / -0.15	lot 3 con 7 ON	WWIS
Well ID:	4904191			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	10/3/1973
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4406
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	CALEDON TOWN (ALBION)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	003
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10318979			Elevation:	240.416763
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:	o			East83:	603848.6
Code OB Desc:	Overburden			North83:	4856975
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	9/10/1973			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932044662			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		171			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932044663			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		171			
Formation End Depth:		177			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10867549			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930526713			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		177			
Casing Diameter:		6			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994904191			
Pump Set At:					
Static Level:		70			
Final Level After Pumping:		170			
Recommended Pump Depth:		176			
Pumping Rate:		2			
Flowing Rate:					
Recommended Pump Rate:		2			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		12			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934258071			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		95			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934532602			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		115			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934786736			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		140			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935042899			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		165			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933792223			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		177			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
29	1 of 2	W/177.1	242.9 / 1.85	Northpoint Veterinary Hospital Professional Corp 12599 Hwy 50, Unit 4 Bolton ON L7E 1M4	GEN
Generator No: ON4797449 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
29	2 of 2	W/177.1	242.9 / 1.85	Northpoint Veterinary Hospital Professional Corp 12599 Hwy 50, Unit 4 Bolton ON L7E 1M4	GEN
Generator No: ON4797449 Status: Registered Approval Years: As of Oct 2019 Contam. Facility: MHSW Facility: SIC Code: SIC Description:				PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
30	1 of 1	SW/183.2	240.9 / -0.15	Caledon ON	WWIS
Well ID: 7196588 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z147641 Tag: A139186 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Data Entry Status: Data Src: Date Received: 2/4/2013 Selected Flag: Yes Abandonment Rec: Contractor: 7324 Form Version: 7 Owner: Street Name: 12544 HIGHWAY 50 County: PEEL Municipality: CALEDON TOWN (ALBION) Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1004248890			Elevation:	240.855041
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603701
Code OB Desc:				North83:	4856983
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/13/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004751221				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Other Materials:	SILT				
Mat3:	73				
Other Materials:	HARD				
Formation Top Depth:	1.83				
Formation End Depth:	4.88				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004751220				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	05				
Other Materials:	CLAY				
Mat3:	85				
Other Materials:	SOFT				
Formation Top Depth:	0.3				
Formation End Depth:	1.83				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004751219				
Layer:	1				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	11				
Other Materials:	GRAVEL				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:		68			
Other Materials:		DRY			
Formation Top Depth:		0			
Formation End Depth:		0.3			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004751228			
Layer:		1			
Plug From:		0			
Plug To:		2.95			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004751229			
Layer:		2			
Plug From:		2.95			
Plug To:		4.88			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004751218			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004751224			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3.26			
Casing Diameter:		0.05			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004751225			
Layer:		1			
Slot:		40			
Screen Top Depth:		3.26			
Screen End Depth:		4.79			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:		3.06			
<u>Water Details</u>					
Water ID:		1004751223			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		0.65			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004751222			
Diameter:		10			
Depth From:		0			
Depth To:		4.88			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

31	1 of 1	SSW/185.5	239.8 / -1.17	ONTARIO HYDRO IN BOLTON ON INDUSTRIAL RD., EAST OF HWY. 50 MOTOR VEHICLE (OPERATING FLUID) CALEDON TOWN ON	SPL
Ref No:		131599		Discharger Report:	
Site No:				Material Group:	
Incident Dt:		9/9/1996		Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:		PIPE/HOSE LEAK		Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:		NOT ANTICIPATED		Site Municipality:	21401
Nature of Impact:				Site Lot:	
Receiving Medium:		LAND		Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:		9/9/1996		Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:		EQUIPMENT FAILURE		Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:		ONTARIO HYDRO-15 L HYDRO-LIC OIL TO ASPHALT FROM TRUCK SYSTEM			
Contaminant Qty:					

32	1 of 15	ESE/185.7	239.3 / -1.70	PEEL, REGIONAL MUNICIPALITY OF 109 INDUSTRIAL ROAD BOLTON TOWN OF CALEDON ON L7E 1K5	GEN
Generator No:		ON0148314		PO Box No:	
Status:				Country:	
Approval Years:		97		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		8373			
SIC Description:		ENVIRON. ADMIN.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
<u>32</u>	2 of 15	ESE/185.7	239.3 / -1.70	PEEL, REGIONAL MUNICIPALITY OF 109 INDUSTRIAL ROAD TOWN OF CALEDON BOLTON ON L7E 1K5	GEN
Generator No:	ON0148314			PO Box No:	
Status:				Country:	
Approval Years:	98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8373				
SIC Description:	ENVIRON. ADMIN.				
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		148			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
32	3 of 15	ESE/185.7	239.3 / -1.70	PEEL, REGION OF 109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	GEN
Generator No:		ON0148314		PO Box No:	
Status:				Country:	
Approval Years:		99,00,01,02,03,04,05,06,07,08		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		8373			
SIC Description:		ENVIRON. ADMIN.			
<u>Detail(s)</u>					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		231			
Waste Class Desc:		LATEX WASTES			
Waste Class:		243			
Waste Class Desc:		PCB'S			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL:					
		https://www.accessenvironment.ene.gov.on.ca/instruments/1903-6SQJQL-14.pdf			

32	5 of 15	ESE/185.7	239.3 / -1.70	PEEL, REGION OF 109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	GEN
Generator No: ON0148314 Status: Approval Years: 2009 Contam. Facility: MHSW Facility: SIC Code: 562112 SIC Description:					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		231			
Waste Class Desc:		LATEX WASTES			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		243			
Waste Class Desc:		PCBS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		263			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
32	6 of 15	ESE/185.7	239.3 / -1.70	109 Industrial Rd Caledon ON	SPL
Ref No:		2364-8SBMQZ		Discharger Report:	
Site No:				Material Group:	
Incident Dt:		12-MAR-12		Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:		Other Discharges		Sector Type:	
Incident Event:				Other	
Contaminant Code:		28		Agency Involved:	
Contaminant Name:		POWDER (N.O.S.)		Nearest Watercourse:	
Contaminant Limit 1:				Site Address:	
Contam Limit Freq 1:				109 Industrial Rd	
Contaminant UN No 1:				Site District Office:	
Environment Impact:		Not Anticipated		Site Postal Code:	
Nature of Impact:		Other Impact(s)		Site Region:	
Receiving Medium:		Sewage - Municipal/Private and Commercial		Site Municipality:	
Receiving Env:				Caledon	
MOE Response:		No Field Response		Site Lot:	
Dt MOE Arvl on Scn:				Site Conc:	
MOE Reported Dt:		12-MAR-12		Nothing:	
Dt Document Closed:		29-MAY-12		Easting:	
Incident Reason:		Other - Reason not otherwise defined		NA	
Site Name:		Bolton Community Recycling Centre		NA	
Site County/District:				Site Geo Ref Accu:	
Site Geo Ref Meth:				Site Map Datum:	
Incident Summary:		Bolton Community Recycl.: orange powder on driveway		SAC Action Class:	
Contaminant Qty:				Land Spills	
Source Type:					
32	7 of 15	ESE/185.7	239.3 / -1.70	PEEL, REGION OF 109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	GEN
Generator No:		ON0148314		PO Box No:	
Status:				Country:	
Approval Years:		2010		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		562112			
SIC Description:					
Detail(s)					
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		231			
Waste Class Desc:		LATEX WASTES			
Waste Class:		243			
Waste Class Desc:		PCBS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		147			
Waste Class Desc:		CHEMICAL FERTILIZER WASTES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			

[32](#)

8 of 15

ESE/185.7

239.3 / -1.70

PEEL, REGION OF
109 INDUSTRIAL ROAD BOLTON CRC
BOLTON ON L7E 1K5

GEN

Generator No: ON0148314
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 562112
SIC Description:

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 243

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Waste Class Desc:		PCBS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		147			
Waste Class Desc:		CHEMICAL FERTILIZER WASTES			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		231			
Waste Class Desc:		LATEX WASTES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			

[32](#)

9 of 15

ESE/185.7

239.3 / -1.70

PEEL, REGION OF
109 INDUSTRIAL ROAD BOLTON CRC
BOLTON ON L7E 1K5

GEN

Generator No: ON0148314
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 562112
SIC Description:

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 147
Waste Class Desc: CHEMICAL FERTILIZER WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		231			
Waste Class Desc:		LATEX WASTES			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		243			
Waste Class Desc:		PCBS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			

32	10 of 15	ESE/185.7	239.3 / -1.70	PEEL, REGION OF 109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON	GEN
Generator No:	ON0148314			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	562112				
SIC Description:					

Detail(s)

Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	147
Waste Class Desc:	CHEMICAL FERTILIZER WASTES
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		243			
Waste Class Desc:		PCBS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		231			
Waste Class Desc:		LATEX WASTES			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			

[32](#)

11 of 15

ESE/185.7

239.3 / -1.70

PEEL, REGION OF
109 INDUSTRIAL ROAD BOLTON CRC
BOLTON ON L7E 1K5

GEN

Generator No: ON0148314

Status:

Approval Years: 2016

Contam. Facility: No

MHSW Facility: Yes

SIC Code: 562112

SIC Description: 562112

PO Box No:

Country:

Choice of Contact:

Co Admin:

Phone No Admin:

Canada

CO_OFFICIAL

Grace McKenzie

905-791-7800 Ext.3966

Detail(s)

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 261

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		231			
Waste Class Desc:		LATEX WASTES			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		243			
Waste Class Desc:		PCBS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		147			
Waste Class Desc:		CHEMICAL FERTILIZER WASTES			

[32](#)

12 of 15

ESE/185.7

239.3 / -1.70

PEEL, REGION OF
109 INDUSTRIAL ROAD BOLTON CRC
BOLTON ON L7E 1K5

GEN

Generator No: ON0148314

Status:

Approval Years: 2015

Contam. Facility: No

MHSW Facility: Yes

SIC Code: 562112

SIC Description: 562112

PO Box No:

Country:

Choice of Contact:

Co Admin:

Phone No Admin:

Canada

CO_OFFICIAL

Grace McKenzie

905-791-7800 Ext.3966

Detail(s)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:		251 OIL SKIMMINGS & SLUDGES			
Waste Class: Waste Class Desc:		221 LIGHT FUELS			
Waste Class: Waste Class Desc:		263 ORGANIC LABORATORY CHEMICALS			
Waste Class: Waste Class Desc:		243 PCBS			
Waste Class: Waste Class Desc:		147 CHEMICAL FERTILIZER WASTES			
Waste Class: Waste Class Desc:		242 HALOGENATED PESTICIDES			
Waste Class: Waste Class Desc:		331 WASTE COMPRESSED GASES			
Waste Class: Waste Class Desc:		121 ALKALINE WASTES - HEAVY METALS			
Waste Class: Waste Class Desc:		146 OTHER SPECIFIED INORGANICS			
Waste Class: Waste Class Desc:		213 PETROLEUM DISTILLATES			
Waste Class: Waste Class Desc:		112 ACID WASTE - HEAVY METALS			
Waste Class: Waste Class Desc:		212 ALIPHATIC SOLVENTS			
Waste Class: Waste Class Desc:		148 INORGANIC LABORATORY CHEMICALS			
Waste Class: Waste Class Desc:		145 PAINT/PIGMENT/COATING RESIDUES			
Waste Class: Waste Class Desc:		261 PHARMACEUTICALS			
Waste Class: Waste Class Desc:		312 PATHOLOGICAL WASTES			
Waste Class: Waste Class Desc:		231 LATEX WASTES			

[32](#)

13 of 15

ESE/185.7

239.3 / -1.70

PEEL, REGION OF
109 INDUSTRIAL ROAD BOLTON CRC
BOLTON ON L7E 1K5

GEN

Generator No: ON0148314
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: Yes
SIC Code: 562112
SIC Description: 562112

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Grace McKenzie
Phone No Admin: 905-791-7800 Ext.3966

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		243			
Waste Class Desc:		PCBS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		147			
Waste Class Desc:		CHEMICAL FERTILIZER WASTES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		231			
Waste Class Desc:		LATEX WASTES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			

[32](#)

14 of 15

ESE/185.7

239.3 / -1.70

PEEL, REGION OF Waste Management
109 INDUSTRIAL ROAD BOLTON CRC
BOLTON ON L7E 1K5

GEN

Generator No: ON0148314
Status: Registered
Approval Years: As of Dec 2018

PO Box No:
Country: Canada
Choice of Contact:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: SIC Description:				Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		112 C			
Waste Class Desc:		Acid solutions - containing heavy metals			
Waste Class:		121 C			
Waste Class Desc:		Alkaline slutions - containing heavy metals			
Waste Class:		145 B			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		145 L			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		146 T			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
Waste Class:		147 T			
Waste Class Desc:		Chemical fertilizer wastes			
Waste Class:		148 C			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		148 T			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		213 I			
Waste Class Desc:		Petroleum distillates			
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
Waste Class:		231 L			
Waste Class Desc:		Latex wastes			
Waste Class:		242 A			
Waste Class Desc:		Halogenated pesticides and herbicides			
Waste Class:		243 D			
Waste Class Desc:		PCB			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		263 A			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
Waste Class:		331 I			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		Waste compressed gases including cylinders			
32	15 of 15	ESE/185.7	239.3 / -1.70	PEEL, REGION OF Waste Management 109 INDUSTRIAL ROAD BOLTON CRC BOLTON ON L7E 1K5	GEN
Generator No:		ON0148314		PO Box No:	
Status:		Registered		Country:	Canada
Approval Years:		As of Oct 2019		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		242 A			
Waste Class Desc:		Halogenated pesticides and herbicides			
Waste Class:		146 T			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
Waste Class:		112 C			
Waste Class Desc:		Acid solutions - containing heavy metals			
Waste Class:		148 C			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		263 A			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
Waste Class:		231 L			
Waste Class Desc:		Latex wastes			
Waste Class:		145 L			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		243 D			
Waste Class Desc:		PCB			
Waste Class:		148 T			
Waste Class Desc:		Misc. wastes and inorganic chemicals			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Class:		121 C			
Waste Class Desc:		Alkaline slutions - containing heavy metals			
Waste Class:		147 T			
Waste Class Desc:		Chemical fertilizer wastes			
Waste Class:		145 B			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		213 I			
Waste Class Desc:		Petroleum distillates			
<hr/>					
33	1 of 1	SW/198.7	240.9 / -0.15	12544 Highway 50 Caledon ON	EHS
Order No:	20121205007			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Select Report			Client Prov/State:	ON
Report Date:	13-DEC-12			Search Radius (km):	.25
Date Received:	05-DEC-12			X:	-79.709981
Previous Site Name:				Y:	43.858663
Lot/Building Size:					
Additional Info Ordered:	City Directory; Aerial Photos				
<hr/>					
34	1 of 2	SW/201.5	240.9 / -0.15	12550 Highway 50, Vaughan ON	PINC
Incident ID:				Health Impact:	
Incident No:	859806			Environment Impact:	
Type:	FS-Pipeline Incident			Property Damage:	No
Status Code:	Pipeline Damage Reason Est			Service Interrupt:	
Fuel Occurrence Tp:				Enforce Policy:	Yes
Fuel Type:				Public Relation:	
Tank Status:	RC Established			Pipeline System:	
Task No:	3943929			Depth:	
Spills Action Centre:				Pipe Material:	
Method Details:	E-mail			PSIG:	
Fuel Category:	Natural Gas			Attribute Category:	FS-Perform P-line Inc Invest
Date of Occurrence:				Regulator Location:	
Occurrence Start Date:	2012/08/20				
Operation Type:					
Pipeline Type:					
Regulator Type:					
Summary:	12550 Highway 50, Vaughan - Pipeline Hit				
Reported By:	John Todorovski				
Affiliation:					
Occurrence Desc:					
Damage Reason:	Notification to one call center made but not sufficient				
Notes:					
<hr/>					
34	2 of 2	SW/201.5	240.9 / -0.15	12550 Regional Road 50, Bolton ON	PINC
Incident ID:				Health Impact:	
Incident No:	835966			Environment Impact:	
Type:	FS-Pipeline Incident			Property Damage:	Yes
Status Code:	Pipeline Damage Reason Est			Service Interrupt:	
Fuel Occurrence Tp:				Enforce Policy:	Yes
Fuel Type:				Public Relation:	
Tank Status:	RC Established			Pipeline System:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Task No: 3887169 Spills Action Centre: Method Details: E-mail Fuel Category: Natural Gas Date of Occurrence: Occurrence Start Date: 2012/07/05 Operation Type: Pipeline Type: Regulator Type: Summary: 12550 Regional Road 50, Bolton - 1" Pipeline Hit Reported By: Bill Reid - Enbridge Affiliation: Occurrence Desc: Damage Reason: Excavation practices not sufficient Notes: </div> <div> Depth: Pipe Material: PSIG: Attribute Category: FS-Perform P-line Inc Invest Regulator Location: </div> </div>					
35	1 of 1	NE/204.8	239.9 / -1.15	Hi Tek Engineered 68 Commercial Road Bolton ON L7E1K6	GEN
<div> <div> Generator No: ON9330733 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 484229 SIC Description: OTHER SPECIALIZED FREIGHT (EXCEPT USED GOODS) TRUCKING, LOCAL </div> <div> PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Brian Parks Phone No Admin: 9058573922 Ext. </div> </div>					
<u>Detail(s)</u>					
<div> Waste Class: 212 Waste Class Desc: ALIPHATIC SOLVENTS </div>					
<div> Waste Class: 221 Waste Class Desc: LIGHT FUELS </div>					
<div> Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS </div>					
36	1 of 1	WNW/205.2	242.9 / 1.85	12621 50 Hwy Caledon ON L7E1M4	EHS
<div> <div> Order No: 20170717036 Status: C Report Type: Custom Report Report Date: 21-JUL-17 Date Received: 17-JUL-17 Previous Site Name: Lot/Building Size: Additional Info Ordered: </div> <div> Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .2 X: -79.710854 Y: 43.860707 </div> </div>					
37	1 of 1	NE/206.7	239.9 / -1.15	lot 3 con 7 ON	WWIS
<div> <div> Well ID: 4904497 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: </div> <div> Data Entry Status: Data Src: 1 Date Received: 11/5/1974 Selected Flag: Yes Abandonment Rec: Contractor: 1556 </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Form Version: 1 Owner: Street Name: County: PEEL Municipality: CALEDON TOWN (ALBION) Site Info: Lot: 003 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: 10319280 DP2BR: 148 Spatial Status: Code OB: r Code OB Desc: Bedrock Open Hole: Cluster Kind: Date Completed: 8/13/1974 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Elevation: 240.224685 Elevrc: Zone: 17 East83: 603906.6 North83: 4857314 Org CS: UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: p4	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 932046001 Layer: 3 Color: 3 General Color: BLUE Mat1: 11 Most Common Material: GRAVEL Mat2: 05 Other Materials: CLAY Mat3: Other Materials: Formation Top Depth: 147 Formation End Depth: 148 Formation End Depth UOM: ft					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 932045999 Layer: 1 Color: 6 General Color: BROWN Mat1: 02 Most Common Material: TOPSOIL Mat2: 12 Other Materials: STONES Mat3: Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		0			
Formation End Depth:		5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932046002			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		148			
Formation End Depth:		248			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932046000			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:		14			
Other Materials:		HARDPAN			
Formation Top Depth:		5			
Formation End Depth:		147			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10867850			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930527118			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		248			
Casing Diameter:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930527117			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		148			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994904497			
Pump Set At:					
Static Level:		158			
Final Level After Pumping:		248			
Recommended Pump Depth:		247			
Pumping Rate:		1			
Flowing Rate:					
Recommended Pump Rate:		1			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		3			
Pumping Duration MIN:		30			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934533670			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		233			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934259139			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		241			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934787797			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		226			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935043974			

128 erisinfo.com | Environmental Risk Information Services Order No: 20200429058

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		2			
Formation End Depth:		6			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932049419			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		132			
Formation End Depth:		143			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932049420			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		143			
Formation End Depth:		165			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932049416			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932049418			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		6			
Formation End Depth:		132			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10868607			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930528114			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		152			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933359750			
Layer:		1			
Slot:		006			
Screen Top Depth:		152			
Screen End Depth:		160			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994905282			
Pump Set At:					
Static Level:		94			
Final Level After Pumping:		130			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth:					
Pumping Rate:		160			
Flowing Rate:		6			
Recommended Pump Rate:		5			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935045665			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		94			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934780695			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		94			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934526582			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		94			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934260834			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		104			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933793319			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		143			
Water Found Depth UOM:		ft			

[39](#)

1 of 1

WSW/221.6

241.9 / 0.85

12596 50 Highway
BOLTON ON

EHS

Order No: 20061011007w
Status: C
Report Type: Online Mapless
Report Date: 10/11/2006

Nearest Intersection:
Municipality:
Client Prov/State: ON
Search Radius (km): 0.25

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Received: 10/11/2006 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
				X: 0 Y: 0	
40	1 of 22	NW/224.2	242.9 / 1.85	CANADIAN TIRE STORE #197 99 MCEWAN DR E BOLTON ON L7E 2Z7	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
40	2 of 22	NW/224.2	242.9 / 1.85	Canadian Tire 99 McEwan Dr. E Bolton ON L7E 2Z7	GEN
Generator No: ON9680138 Status: Approval Years: 05,06,07,08 Contam. Facility: MHSW Facility: SIC Code: 441310 SIC Description: Automotive Parts and Accessories Stores					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 112 Waste Class Desc: ACID WASTE - HEAVY METALS					
Waste Class: 121 Waste Class Desc: ALKALINE WASTES - HEAVY METALS					
Waste Class: 146 Waste Class Desc: OTHER SPECIFIED INORGANICS					
40	3 of 22	NW/224.2	242.9 / 1.85	CANADIAN TIRE GAS BAR 99 MCEWAN DR E BOLTON ON L7E 2Z7	RST
Headcode: 01186800 Headcode Desc: SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS Phone: List Name: Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	4 of 22	NW/224.2	242.9 / 1.85	99 McEwan Drive E Bolton ON L7E 2Z7	EHS
Order No:		20080415019		Nearest Intersection:	Hwy #50
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State:	ON
Report Date:		4/23/2008		Search Radius (km):	0.25
Date Received:		4/15/2008		X:	-79.710723
Previous Site Name:				Y:	43.862185
Lot/Building Size:					
Additional Info Ordered:					
40	5 of 22	NW/224.2	242.9 / 1.85	Canadian Tire #197 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:		ON3707185		PO Box No:	
Status:				Country:	
Approval Years:		07,08		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		452991 452999			
SIC Description:		Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores			
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		222			
Waste Class Desc:		HEAVY FUELS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		147			
Waste Class Desc:		CHEMICAL FERTILIZER WASTES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	6 of 22	NW/224.2	242.9 / 1.85	HARTWIND SALES LIMITED O/A CANADIAN TIRE #197 99 MCEWAN DR. BOLTON ON L7E2Z7	PES
Detail Licence No:				Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:		Vendor		Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
40	7 of 22	NW/224.2	242.9 / 1.85	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:		ON3707185		PO Box No:	
Status:				Country:	
Approval Years:		2009		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		452991, 452999			
SIC Description:		Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores			
Detail(s)					
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		222			
Waste Class Desc:		HEAVY FUELS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div>Waste Class:</div> <div>Waste Class Desc:</div> <div>145</div> <div>PAINT/PIGMENT/COATING RESIDUES</div> </div> <div> <div>Waste Class:</div> <div>Waste Class Desc:</div> <div>147</div> <div>CHEMICAL FERTILIZER WASTES</div> </div> <div> <div>Waste Class:</div> <div>Waste Class Desc:</div> <div>148</div> <div>INORGANIC LABORATORY CHEMICALS</div> </div> <div> <div>Waste Class:</div> <div>Waste Class Desc:</div> <div>213</div> <div>PETROLEUM DISTILLATES</div> </div>					
40	8 of 22	NW/224.2	242.9 / 1.85	Canadian Tire 99 McEwan Dr. E Bolton ON L7E 2Z7	GEN
<div> <div>Generator No:</div> <div>Status:</div> <div>Approval Years:</div> <div>Contam. Facility:</div> <div>MHSW Facility:</div> <div>SIC Code:</div> <div>SIC Description:</div> <div>ON9680138</div> <div>2009</div> <div>441310</div> <div>Automotive Parts and Accessories Stores</div> </div> <div> <div>PO Box No:</div> <div>Country:</div> <div>Choice of Contact:</div> <div>Co Admin:</div> <div>Phone No Admin:</div> </div>					
<u>Detail(s)</u>					
<div> <div>Waste Class:</div> <div>Waste Class Desc:</div> <div>112</div> <div>ACID WASTE - HEAVY METALS</div> </div> <div> <div>Waste Class:</div> <div>Waste Class Desc:</div> <div>121</div> <div>ALKALINE WASTES - HEAVY METALS</div> </div> <div> <div>Waste Class:</div> <div>Waste Class Desc:</div> <div>146</div> <div>OTHER SPECIFIED INORGANICS</div> </div>					
40	9 of 22	NW/224.2	242.9 / 1.85	Canadian Tire 99 McEwan Dr. E Bolton ON L7E 2Z7	GEN
<div> <div>Generator No:</div> <div>Status:</div> <div>Approval Years:</div> <div>Contam. Facility:</div> <div>MHSW Facility:</div> <div>SIC Code:</div> <div>SIC Description:</div> <div>ON9680138</div> <div>2010</div> <div>441310</div> <div>Automotive Parts and Accessories Stores</div> </div> <div> <div>PO Box No:</div> <div>Country:</div> <div>Choice of Contact:</div> <div>Co Admin:</div> <div>Phone No Admin:</div> </div>					
<u>Detail(s)</u>					
<div> <div>Waste Class:</div> <div>Waste Class Desc:</div> <div>112</div> <div>ACID WASTE - HEAVY METALS</div> </div> <div> <div>Waste Class:</div> <div>Waste Class Desc:</div> <div>121</div> <div>ALKALINE WASTES - HEAVY METALS</div> </div> <div> <div>Waste Class:</div> <div>Waste Class Desc:</div> <div>146</div> <div>OTHER SPECIFIED INORGANICS</div> </div>					
40	10 of 22	NW/224.2	242.9 / 1.85	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Generator No:	ON3707185			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	452991, 452999				
SIC Description:	Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores				
 <u>Detail(s)</u>					
Waste Class:	222				
Waste Class Desc:	HEAVY FUELS				
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	147				
Waste Class Desc:	CHEMICAL FERTILIZER WASTES				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
Waste Class:	262				
Waste Class Desc:	DETERGENTS/SOAPS				
Waste Class:	242				
Waste Class Desc:	HALOGENATED PESTICIDES				
Waste Class:	122				
Waste Class Desc:	ALKALINE WASTES - OTHER METALS				
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	331				
Waste Class Desc:	WASTE COMPRESSED GASES				
<hr/>					
40	11 of 22	NW/224.2	242.9 / 1.85	Canadian Tire 99 McEwan Dr. E Bolton ON L7E 2Z7	GEN
<hr/>					
Generator No:	ON9680138			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	441310				
SIC Description:	Automotive Parts and Accessories Stores				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
40	12 of 22	NW/224.2	242.9 / 1.85	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:	ON3707185			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	452991, 452999				
SIC Description:	Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores				
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		147			
Waste Class Desc:		CHEMICAL FERTILIZER WASTES			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		222 HEAVY FUELS			
40	13 of 22	NW/224.2	242.9 / 1.85	HARTWIND SALES LIMITED O/A CANADIAN TIRE #197 99 MCEWAN DR. BOLTON ON L7E2Z7	PES
Detail Licence No: Licence No: 14689 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:			Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 905 Oper Phone No: 8570505 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:		
40	14 of 22	NW/224.2	242.9 / 1.85	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No: ON3707185 Status: Approval Years: 2012 Contam. Facility: MHSW Facility: SIC Code: 452991, 452999 SIC Description: Home and Auto Supplies Stores, All Other Miscellaneous General Merchandise Stores			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:		
Detail(s)					
Waste Class: 112 Waste Class Desc: ACID WASTE - HEAVY METALS					
Waste Class: 147 Waste Class Desc: CHEMICAL FERTILIZER WASTES					
Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES					
Waste Class: 262 Waste Class Desc: DETERGENTS/SOAPS					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
Waste Class: 221 Waste Class Desc: LIGHT FUELS					
Waste Class: 222 Waste Class Desc: HEAVY FUELS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
40	15 of 22	NW/224.2	242.9 / 1.85	CANADIAN TIRE GAS BAR 99 MCEWAN DR E BOLTON ON L7E2Z7	RST
Headcode:		01186800			
Headcode Desc:		SERVICE STATIONS GASOLINE OIL & NATURAL GAS			
Phone:		9058573229			
List Name:		INFO-DIRECT(TM) BUSINESS FILE			
Description:					
40	16 of 22	NW/224.2	242.9 / 1.85	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON	GEN
Generator No:	ON3707185			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	452991, 452999				
SIC Description:		HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES			
<u>Detail(s)</u>					
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		147			
Waste Class Desc:		CHEMICAL FERTILIZER WASTES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		221			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		LIGHT FUELS			
Waste Class:		222			
Waste Class Desc:		HEAVY FUELS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
40	17 of 22	NW/224.2	242.9 / 1.85	A+J MARSHALL HOLDINGS LTD. O/A CANADIAN TIRE 99 MCEWAN DR E BOLTON ON L7E2Z7	PES
Detail Licence No:					
Licence No:		18043			
Status:					
Approval Date:					
Report Source:		Legacy Licenses (Excluding TS)			
Licence Type:		Limited Vendor			
Licence Type Code:		23			
Licence Class:		01			
Licence Control:					
Latitude:					
Longitude:					
Lot:					
Concession:					
Region:					
District:					
County:					
Trade Name:					
PDF Link:					
40	18 of 22	NW/224.2	242.9 / 1.85	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:		ON3707185			
Status:					
Approval Years:		2015			
Contam. Facility:		No			
MHSW Facility:		No			
SIC Code:		452991, 452999			
SIC Description:		HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		147			
Waste Class Desc:		CHEMICAL FERTILIZER WASTES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		222			
Waste Class Desc:		HEAVY FUELS			

<u>40</u>	19 of 22	NW/224.2	242.9 / 1.85	A & J Marshall Holdings Ltd 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:	ON3707185			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Matt Gunness
MHSW Facility:	No			Phone No Admin:	905-795-3352 Ext.
SIC Code:	452991, 452999				
SIC Description:	HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES				

<u>Detail(s)</u>					
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		222 HEAVY FUELS			
Waste Class: Waste Class Desc:		221 LIGHT FUELS			
Waste Class: Waste Class Desc:		145 PAINT/PIGMENT/COATING RESIDUES			
Waste Class: Waste Class Desc:		213 PETROLEUM DISTILLATES			
Waste Class: Waste Class Desc:		122 ALKALINE WASTES - OTHER METALS			
Waste Class: Waste Class Desc:		212 ALIPHATIC SOLVENTS			
Waste Class: Waste Class Desc:		148 INORGANIC LABORATORY CHEMICALS			
Waste Class: Waste Class Desc:		262 DETERGENTS/SOAPS			
Waste Class: Waste Class Desc:		147 CHEMICAL FERTILIZER WASTES			
Waste Class: Waste Class Desc:		331 WASTE COMPRESSED GASES			
Waste Class: Waste Class Desc:		242 HALOGENATED PESTICIDES			
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			

<u>40</u>	20 of 22	NW/224.2	242.9 / 1.85	Hartwind Sales Limited 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:	ON3707185			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Matt Gunness
MHSW Facility:	No			Phone No Admin:	905-795-3352 Ext.
SIC Code:	452991, 452999				
SIC Description:	HOME AND AUTO SUPPLIES STORES, ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES				

Detail(s)

Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS
Waste Class: Waste Class Desc:	263 ORGANIC LABORATORY CHEMICALS
Waste Class: Waste Class Desc:	242 HALOGENATED PESTICIDES
Waste Class: Waste Class Desc:	222 HEAVY FUELS
Waste Class: Waste Class Desc:	145 PAINT/PIGMENT/COATING RESIDUES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		147			
Waste Class Desc:		CHEMICAL FERTILIZER WASTES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			

40	21 of 22	NW/224.2	242.9 / 1.85	A & J Marshall Holdings Ltd 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:	ON3707185			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	145 I				
Waste Class Desc:	Wastes from the use of pigments, coatings and paints				
Waste Class:	148 C				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	148 I				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	242 A				
Waste Class Desc:	Halogenated pesticides and herbicides				
Waste Class:	263 I				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	331 I				
Waste Class Desc:	Waste compressed gases including cylinders				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	22 of 22	NW/224.2	242.9 / 1.85	A & J Marshall Holdings Ltd 99 McEwan Dr. E. Bolton ON L7E 2Z7	GEN
Generator No:		ON3707185	PO Box No:		
Status:		Registered	Country:		Canada
Approval Years:		As of Oct 2019	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		148 C			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		242 A			
Waste Class Desc:		Halogenated pesticides and herbicides			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		148 I			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
41	1 of 1	W/225.4	241.9 / 0.85	12596 Regional Road 50 Caledon ON	SPL
Ref No:		7378-ASC26M	Discharger Report:		
Site No:		NA	Material Group:		
Incident Dt:		2017/10/20	Health/Env Conseq:		2 - Minor Environment
Year:			Client Type:		
Incident Cause:			Sector Type:		Municipal Sewage
Incident Event:		Overflow/Surcharge	Agency Involved:		
Contaminant Code:		44	Nearest Watercourse:		
Contaminant Name:		SEWAGE,RAW UNCHLORINATED	Site Address:		12596 Regional Road 50
Contaminant Limit 1:			Site District Office:		Halton-Peel
Contam Limit Freq 1:		any	Site Postal Code:		
Contaminant UN No 1:		n/a	Site Region:		Central
Environment Impact:			Site Municipality:		Caledon
Nature of Impact:			Site Lot:		
Receiving Medium:			Site Conc:		
Receiving Env:		Land	Northing:		4857055.85
MOE Response:		No	Easting:		603561.73
Dt MOE Arvl on Scn:			Site Geo Ref Accu:		
MOE Reported Dt:		2017/10/20	Site Map Datum:		
Dt Document Closed:			SAC Action Class:		Primary Assessment of Spills
Incident Reason:		Blockage	Source Type:		Sewer (Private or Municipal)
Site Name:		Plaza<UNOFFICIAL>			
Site County/District:		Regional Municipality of Peel			
Site Geo Ref Meth:					
Incident Summary:		ROP sani blockage, relieved			
Contaminant Qty:		0 other - see incident description			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
42	1 of 1	SE/228.7	239.3 / -1.67	lot 3 con 7 ON	WWIS
<div> <div> Well ID: 4900367 Construction Date: Primary Water Use: Livestock Sec. Water Use: Domestic Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: 1 Date Received: 2/7/1968 Selected Flag: Yes Abandonment Rec: Contractor: 3316 Form Version: 1 Owner: Street Name: County: PEEL Municipality: CALEDON TOWN (ALBION) Site Info: Lot: 003 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 10315215 DP2BR: Spatial Status: Code OB: o Code OB Desc: Overburden Open Hole: Cluster Kind: Date Completed: 10/13/1967 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Elevation: 240.137435 Elevrc: Zone: 17 East83: 603928.6 North83: 4856959 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5 </div> </div>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<div> <div> Formation ID: 932029767 Layer: 3 Color: General Color: Mat1: 08 Most Common Material: FINE SAND Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 138 Formation End Depth: 148 Formation End Depth UOM: ft </div> </div>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932029766			
Layer:		2			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		90			
Formation End Depth:		138			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932029765			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		90			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10863785			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930521304			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		137			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933358959			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Layer:		1			
Slot:		010			
Screen Top Depth:		137			
Screen End Depth:		145			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		994900367			
Pump Set At:					
Static Level:		112			
Final Level After Pumping:		126			
Recommended Pump Depth:		135			
Pumping Rate:		2			
Flowing Rate:					
Recommended Pump Rate:		2			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		6			
Pumping Duration MIN:		0			
Flowing:		N			
 <u>Water Details</u>					
Water ID:		933788322			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		138			
Water Found Depth UOM:		ft			
 <u>Water Details</u>					
Water ID:		933788323			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		140			
Water Found Depth UOM:		ft			
<hr/>					
43	1 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
Generator No:	ON3829576			PO Box No:	
Status:				Country:	
Approval Years:	03,04,05,06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	454310				
SIC Description:	Fuel Dealers				
 <u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
43	2 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS 50 COMMERCIAL RD BOLTON ON L7E 1K4	RST
Headcode: Headcode Desc: Phone: List Name: Description:		00426100 DIESEL FUEL			
43	3 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUM 50 COMMERCIAL RD BOLTON ON L7E 1K4	RST
Headcode: Headcode Desc: Phone: List Name: Description:		00924800 OILS-FUEL			
43	4 of 41	E/240.9	237.7 / -3.28	Donald J. Armstrong 50 Commercial Rd Bolton Caledon ON L7E 1K4	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:		4877-8MZPZX 2011-11-18 Revoked and/or Replaced ECA IDS Toronto ECA-WASTE MANAGEMENT SYSTEMS WASTE MANAGEMENT SYSTEMS 50 Commercial Rd Bolton https://www.accessenvironment.ene.gov.on.ca/instruments/1295-8LGMRJ-14.pdf	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Halton-Peel -79.70604 43.860332	
43	5 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		64510013 64510013 FS Liquid Fuel Tank FS Liquid Fuel Tank EXPIRED			
43	6 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON	EXP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Instance No: 64510014 Instance ID: 64510014 Instance Type: FS Liquid Fuel Tank Description: FS Liquid Fuel Tank Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
43	7 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON	EXP
Instance No: 64510015 Instance ID: 64510015 Instance Type: FS Liquid Fuel Tank Description: FS Liquid Fuel Tank Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
43	8 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
Generator No: ON3829576 Status: Approval Years: 2009 Contam. Facility: MHSW Facility: SIC Code: 454310 SIC Description: Fuel Dealers PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 221 Waste Class Desc: LIGHT FUELS Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
43	9 of 41	E/240.9	237.7 / -3.28	Donald Armstrong 50 Commercial Road Caledon Regional Municipality of Peel TOWN OF CALEDON ON	EBR
EBR Registry No: 011-7864 Ministry Ref No: 6748-8YSN KU Notice Type: Instrument Decision Notice Stage: 804319506 Notice Date: May 23, 2013 Proposal Date: December 28, 2012 Year: 2012 Instrument Type: (EPA Part II.1-waste) - Environmental Compliance Approval (project type: waste) Off Instrument Name: Posted By: Company Name: Donald Armstrong Site Address:					
Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Location Other:

Proponent Name:

Proponent Address: 50 Commercial Road, Bolton Ontario, Canada L7E 1K4

Comment Period:

URL:

Site Location Details:

50 Commercial Road Caledon Regional Municipality of Peel TOWN OF CALEDON

43	10 of 41	E/240.9	237.7 / -3.28	Donald J. Armstrong 50 Commercial Rd Bolton Caledon ON	WDS
<div> <div> Approval No: Mob Unit Cert No: EBR Registry No: Status: Facility Type: Record Type: Link Source: Project Type: Application Status: Issue Date: Input Date: Date Received: Est Closure Date: Mobile Capacity: Mobile Units: Mobile Description: Prop City: Prop Postal: Prop Phone: Serial Link: Approval Type: Proponent: Prop Address: Proponent County/District: Full Address: Site Lot: Waste Class Code: Waste Class: Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL: </div> <div> Total Area (ha): Landfill Cap (m³): Transfer Area (ha): Transfer Cap (m³): Transfer Cert No: Inciner. Area (ha): Inciner. Cap (t): Process Area (m³): Process Cap (m³/d): Process Vol (m³): Process Feed (m³): Site Concession: Site Region/County: SWP Area Name: MOE District: District Office: Latitude: Longitude: Geometry X: Geometry Y: </div> </div>					
		6003-95YKUP			
		Approved			
		5/15/13			
				Caledon	

43	11 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
<div> <div> Generator No: Status: Approval Years: </div> <div> PO Box No: Country: Choice of Contact: </div> </div>					
		ON3829576			
		2010			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: SIC Description:	454310	Fuel Dealers		Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	252	WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:	251	OIL SKIMMINGS & SLUDGES			
Waste Class: Waste Class Desc:	221	LIGHT FUELS			
<u>43</u>	12 of 41	E/240.9	237.7 / -3.28	Kardtech Inc. 50 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON3556841 2010 238990	All Other Specialty Trade Contractors		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	251	OIL SKIMMINGS & SLUDGES			
<u>43</u>	13 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON3829576 2011 454310	Fuel Dealers		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	252	WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:	221	LIGHT FUELS			
Waste Class: Waste Class Desc:	251	OIL SKIMMINGS & SLUDGES			
<u>43</u>	14 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON	GEN
Generator No:	ON3829576			PO Box No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Status: Approval Years: 2013 Contam. Facility: MHSW Facility: SIC Code: 454310 SIC Description: </div> <div> Country: Choice of Contact: Co Admin: Phone No Admin: </div> </div>					
<u>Detail(s)</u>					
<div> <div> Waste Class: 251 Waste Class Desc: OIL SKIMMINGS & SLUDGES </div> <div> Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS </div> <div> Waste Class: 221 Waste Class Desc: LIGHT FUELS </div> </div>					
43	15 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
<div> <div> Instance No: 11599726 Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Diesel Status: Active Capacity: 45000 Tank Material: Steel Corrosion Protection: Painted Tank Type: Single Wall Vertical AST + dike Install Year: 2003 Parent Facility Type: FS Bulk Plant (Small) Facility Type: FS Liquid Fuel Tank </div> </div>					
43	16 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
<div> <div> Instance No: 64510010 Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Gasoline Status: Active Capacity: 45000 Tank Material: Steel Corrosion Protection: Painted Tank Type: Single Wall Vertical AST + dike Install Year: 2003 Parent Facility Type: FS Bulk Plant (Small) Facility Type: FS Liquid Fuel Tank </div> </div>					
43	17 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
<div> <div> Instance No: 64510011 Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Diesel Status: Active </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		45000 Steel Painted Single Wall Horizontal AST + dike 2003 FS Bulk Plant (Small) FS Liquid Fuel Tank			
43	18 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		64510012 FS Liquid Fuel Tank Fuel Oil Active 45000 Steel Painted Single Wall Horizontal AST + dike 2003 FS Bulk Plant (Small) FS Liquid Fuel Tank			
43	19 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		11599701 FS Liquid Fuel Tank Diesel Active 45000 Steel Painted Single Wall Vertical AST + dike 2003 FS Bulk Plant (Small) FS Liquid Fuel Tank			
43	20 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		11599715 FS Liquid Fuel Tank Diesel Active 45000 Steel Painted Single Wall Vertical AST + dike 2003 FS Bulk Plant (Small) FS Liquid Fuel Tank			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
43	21 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	FST
Instance No:		11599706			
Cont Name:					
Instance Type:		FS Liquid Fuel Tank			
Fuel Type:		Diesel			
Status:		Active			
Capacity:		45000			
Tank Material:		Steel			
Corrosion Protection:		Painted			
Tank Type:		Single Wall Vertical AST + dike			
Install Year:		2003			
Parent Facility Type:		FS Bulk Plant (Small)			
Facility Type:		FS Liquid Fuel Tank			
43	22 of 41	E/240.9	237.7 / -3.28	DONALD J. ARMSTRONG 50 COMMERCIAL ROAD CALEDON ON	REC
Rec Op Div:					
Co Admin:					
Phone No Admin:					
Rec Div:					
Rec Op Name:					
Choice of Contact:					
Site Bldg:					
Site PO Box:					
Receiver #:		6003-95YKUP			
Facility Type:		TRANSFER STN - PROCESSING			
Approval Yrs:		2012			
43	23 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
Generator No:		ON3829576		PO Box No:	
Status:				Country:	
Approval Years:		2012		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		454310			
SIC Description:		Fuel Dealers			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
43	24 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUM 50 COMMERCIAL RD BOLTON ON L7E1K4	RST
Headcode:		00426100			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Headcode Desc: Phone: List Name: Description:		DIESEL FUEL 9059512003			
43	25 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS 50 COMMERCIAL RD BOLTON ON L7E1K4	RST
Headcode: Headcode Desc: Phone: List Name: Description:		00426100 DIESEL FUEL 9059512003			
43	26 of 41	E/240.9	237.7 / -3.28	DONALD J. ARMSTRONG 50 COMMERCIAL ROAD CALEDON ON	REC
Rec Op Div: Co Admin: Phone No Admin: Rec Div: Rec Op Name: Choice of Contact: Site Bldg: Site PO Box: Receiver #: Facility Type: Approval Yrs:		6003-95YKUP TRANSFER STN - PROCESSING 2013			
--Details--					
Waste Code:		150			
Waste Description:		INERT INORGANIC WASTES			
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
Waste Code:		221			
Waste Description:		LIGHT FUELS			
Waste Code:		222			
Waste Description:		HEAVY FUELS			
Waste Code:		241			
Waste Description:		HALOGENATED SOLVENTS			
Waste Code:		251			
Waste Description:		OIL SKIMMINGS & SLUDGES			
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
Waste Code:		253			
Waste Description:		EMULSIFIED OILS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Code: Waste Description:		254 TRANSFER STATION OILS WASTES			
43	27 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		64510013 FS Liquid Fuel Tank FS Bulk Plant (Small) EXPIRED FS Liquid Fuel Tank 7/19/2011 9:39:52 AM			
43	28 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		64510014 FS Liquid Fuel Tank FS Bulk Plant (Small) EXPIRED FS Liquid Fuel Tank 7/19/2011 9:40:59 AM			
43	29 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD BOLTON ON L7E 1K4	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		64510015 FS Liquid Fuel Tank FS Bulk Plant (Small) EXPIRED FS Liquid Fuel Tank 7/19/2011 9:41:48 AM			
43	30 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUM 50 COMMERCIAL RD BOLTON ON L7E1K4	RST
Headcode: Headcode Desc: Phone: List Name: Description:		01070510 PROPANE GAS SALES & SERVICE 9059512003 INFO-DIRECT(TM) BUSINESS FILE			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
43	31 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUM 50 COMMERCIAL RD BOLTON ON L7E1K4	RST
Headcode: 00924800 Headcode Desc: OILS FUEL Phone: 9059512003 List Name: INFO-DIRECT(TM) BUSINESS FILE Description:					
43	32 of 41	E/240.9	237.7 / -3.28	Donald J. Armstrong 50 Commercial Rd Bolton Caledon ON L7E 1K4	WDS
Approval No: 6003-95YKUP Mob Unit Cert No: EBR Registry No: Status: Revoked and/or Replaced Facility Type: Record Type: ECA Link Source: IDS Project Type: WASTE DISPOSAL SITES Application Status: Issue Date: 2013-05-15 Input Date: Date Received: Est Closure Date: Mobile Capacity: Mobile Units: Mobile Description: Prop City: Prop Postal: Prop Phone: Serial Link: Approval Type: ECA-WASTE DISPOSAL SITES Proponent: Prop Address: Proponent County/District: Full Address: 50 Commercial Rd Bolton Site Lot: Waste Class Code: Waste Class: Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL: https://www.accessenvironment.ene.gov.on.ca/instruments/6748-8YSNKU-14.pdf					
43	33 of 41	E/240.9	237.7 / -3.28	DONALD J. ARMSTRONG 50 COMMERCIAL ROAD CALEDON ON L7E 1K4	REC
Rec Op Div: Co Admin: Phone No Admin: Rec Div: O/A ARMSTRONG INDUSTRIAL SERVICES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rec Op Name:		ARMSTRONG INDUSTRIAL SERVICES			
Choice of Contact:		CO_ADMIN			
Site Bldg:					
Site PO Box:					
Receiver #:		6003-95YKUP			
Facility Type:		TRANSFER STN - PROCESSING			
Approval Yrs:		2016			
--Details--					
Waste Code:		241			
Waste Description:		HALOGENATED SOLVENTS			
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
Waste Code:		222			
Waste Description:		HEAVY FUELS			
Waste Code:		211			
Waste Description:		AROMATIC SOLVENTS			
Waste Code:		221			
Waste Description:		LIGHT FUELS			
Waste Code:		251			
Waste Description:		OIL SKIMMINGS & SLUDGES			
Waste Code:		254			
Waste Description:		TRANSFER STATION OILS WASTES			
Waste Code:		253			
Waste Description:		EMULSIFIED OILS			
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
Waste Code:		150			
Waste Description:		INERT INORGANIC WASTES			
43	34 of 41	E/240.9	237.7 / -3.28	DONALD J. ARMSTRONG 50 COMMERCIAL ROAD CALEDON ON L7E 1K4	REC
Rec Op Div:					
Co Admin:					
Phone No Admin:					
Rec Div:		O/A ARMSTRONG INDUSTRIAL SERVICES			
Rec Op Name:		ARMSTRONG INDUSTRIAL SERVICES			
Choice of Contact:		CO_ADMIN			
Site Bldg:					
Site PO Box:					
Receiver #:		6003-95YKUP			
Facility Type:		TRANSFER STN - PROCESSING			
Approval Yrs:		2014			
--Details--					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Code:</i>		222			
<i>Waste Description:</i>		HEAVY FUELS			
<i>Waste Code:</i>		254			
<i>Waste Description:</i>		TRANSFER STATION OILS WASTES			
<i>Waste Code:</i>		241			
<i>Waste Description:</i>		HALOGENATED SOLVENTS			
<i>Waste Code:</i>		221			
<i>Waste Description:</i>		LIGHT FUELS			
<i>Waste Code:</i>		150			
<i>Waste Description:</i>		INERT INORGANIC WASTES			
<i>Waste Code:</i>		212			
<i>Waste Description:</i>		ALIPHATIC SOLVENTS			
<i>Waste Code:</i>		252			
<i>Waste Description:</i>		WASTE OILS & LUBRICANTS			
<i>Waste Code:</i>		251			
<i>Waste Description:</i>		OIL SKIMMINGS & SLUDGES			
<i>Waste Code:</i>		211			
<i>Waste Description:</i>		AROMATIC SOLVENTS			
<i>Waste Code:</i>		253			
<i>Waste Description:</i>		EMULSIFIED OILS			

[43](#)

35 of 41

E/240.9

237.7 / -3.28

DONALD J. ARMSTRONG
50 COMMERCIAL ROAD
CALEDON ON L7E 1K4

REC

Rec Op Div:

Co Admin:

Phone No Admin:

Rec Div:

Rec Op Name:

Choice of Contact:

Site Bldg:

Site PO Box:

Receiver #:

Facility Type:

Approval Yrs:

O/A ARMSTRONG INDUSTRIAL SERVICES
ARMSTRONG INDUSTRIAL SERVICES
CO_ADMIN

6003-95YKUP
TRANSFER STN - PROCESSING
2015

--Details--

Waste Code:

Waste Description:

252
WASTE OILS & LUBRICANTS

Waste Code:

Waste Description:

251
OIL SKIMMINGS & SLUDGES

Waste Code:

Waste Description:

211
AROMATIC SOLVENTS

Waste Code:

Waste Description:

213
PETROLEUM DISTILLATES

Waste Code:

Waste Description:

241
HALOGENATED SOLVENTS

Waste Code:

212

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Description:		ALIPHATIC SOLVENTS			
Waste Code:		254			
Waste Description:		TRANSFER STATION OILS WASTES			
Waste Code:		222			
Waste Description:		HEAVY FUELS			
Waste Code:		221			
Waste Description:		LIGHT FUELS			
Waste Code:		150			
Waste Description:		INERT INORGANIC WASTES			
Waste Code:		253			
Waste Description:		EMULSIFIED OILS			
43	36 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
Generator No:		ON3829576		PO Box No:	
Status:				Country: Canada	
Approval Years:		2016		Choice of Contact: CO_ADMIN	
Contam. Facility:		No		Co Admin: Krystine Aguiar	
MHSW Facility:		No		Phone No Admin: 905-951-2003 Ext.	
SIC Code:		454310			
SIC Description:		454310			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
43	37 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
Generator No:		ON3829576		PO Box No:	
Status:				Country: Canada	
Approval Years:		2015		Choice of Contact: CO_ADMIN	
Contam. Facility:		No		Co Admin: Krystine Aguiar	
MHSW Facility:		No		Phone No Admin: 905-951-2003 Ext.	
SIC Code:		454310			
SIC Description:		454310			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
43	38 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
Generator No: ON3829576				PO Box No:	
Status:				Country:	Canada
Approval Years: 2014				Choice of Contact:	CO_OFFICIAL
Contam. Facility: No				Co Admin:	
MHSW Facility: No				Phone No Admin:	
SIC Code: 454310					
SIC Description: 454310					
<u>Detail(s)</u>					
Waste Class: 252					
Waste Class Desc: WASTE OILS & LUBRICANTS					
Waste Class: 221					
Waste Class Desc: LIGHT FUELS					
Waste Class: 251					
Waste Class Desc: OIL SKIMMINGS & SLUDGES					
43	39 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
Generator No: ON3829576				PO Box No:	
Status: Registered				Country:	Canada
Approval Years: As of Dec 2018				Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class: 252 L					
Waste Class Desc: Waste crankcase oils and lubricants					
43	40 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUM 50 COMMERCIAL RD BOLTON ON L7E1K4	RST
Headcode: 00426100					
Headcode Desc: DIESEL FUEL					
Phone: 9059512003					
List Name: INFO-DIRECT(TM) BUSINESS FILE					
Description:					
43	41 of 41	E/240.9	237.7 / -3.28	ARMSTRONG PETROLEUMS LIMITED 50 COMMERCIAL RD. BOLTON ON L7E 1K4	GEN
Generator No: ON3829576				PO Box No:	
Status: Registered				Country:	Canada
Approval Years: As of Oct 2019				Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
44	1 of 17	NNE/247.1	240.9 / -0.15	Benson Steel Ltd. 72 Commercial Rd Bolton ON L7E 1K4	SCT
Established:		01-JUL-80			
Plant Size (ft²):		34000			
Employment:					
--Details--					
Description:		Other Plate Work and Fabricated Structural Product Manufacturing			
SIC/NAICS Code:		332319			
Description:		Steel Foundries			
SIC/NAICS Code:		331514			
Description:		Other Plate Work and Fabricated Structural Product Manufacturing			
SIC/NAICS Code:		332319			
44	2 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LTD. BOLTON, 72 COMMERCIAL ROAD BOLTON PLANT 72 COMMERCIAL ROAD CALEDON TOWN ON	SPL
Ref No:		24901		Discharger Report:	
Site No:				Material Group:	
Incident Dt:		9/7/1989		Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:		OTHER CAUSE (N.O.S.)		Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality: 21401	
Nature of Impact:				Site Lot:	
Receiving Medium:		LAND / WATER		Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:		9/7/1989		Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:		INTENTIONAL/PLANNED		Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:		BENSON'S STEELS- OILING OF PROPERTY CAUSED RUNOFFINTO STORM DITCH			
Contaminant Qty:					
44	3 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL RD BOLTON ON L7E 1K4	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Established:		1980			
Plant Size (ft²):		0			
Employment:		19			
--Details--					
Description:		General-Line Building Supplies Wholesaler-Distributors			
SIC/NAICS Code:		416310			
Description:		FABRICATED STRUCTURAL METAL			
SIC/NAICS Code:		3441			
Description:		MISCELLANEOUS STRUCTURAL METAL WORK			
SIC/NAICS Code:		3449			
44	4 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator No:		ON1351600		PO Box No:	
Status:				Country:	
Approval Years:		90,99,00,01,03,04,05,06,07,08		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3029			
SIC Description:		OTHER FAB. STRUCTURE			
Detail(s)					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
44	5 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 05-497 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator No:		ON1351600		PO Box No:	
Status:				Country:	
Approval Years:		92,93,94,95,96,97,98		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		3029			
SIC Description:		OTHER FAB. STRUCTURE			
Detail(s)					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
44	6 of 17	NNE/247.1	240.9 / -0.15	72 Commercial Road Bolton ON L7E 1K4	EHS
Order No:		20050713002		Nearest Intersection:	
Status:		C		Municipality:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type: Complete Report Report Date: 7/21/2005 Date Received: 7/13/2005 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Client Prov/State: ON Search Radius (km): 0.25 X: -79.706782 Y: 43.861815					
44	7 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator No: ON1351600 Status: Approval Years: 2009 Contam. Facility: MHSW Facility: SIC Code: 332319 SIC Description: Other Plate Work and Fabricated Structural Product Manufacturing					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
44	8 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator No: ON1351600 Status: Approval Years: 2010 Contam. Facility: MHSW Facility: SIC Code: 332319 SIC Description: Other Plate Work and Fabricated Structural Product Manufacturing					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
44	9 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator No: ON1351600 Status: Approval Years: 2011 Contam. Facility: MHSW Facility: SIC Code: 332319 SIC Description: Other Plate Work and Fabricated Structural Product Manufacturing					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES					
44	10 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator No: ON1351600 Status: Approval Years: 2012 Contam. Facility: MHSW Facility: SIC Code: 332319 SIC Description: Other Plate Work and Fabricated Structural Product Manufacturing PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES					
44	11 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON	GEN
Generator No: ON1351600 Status: Approval Years: 2013 Contam. Facility: MHSW Facility: SIC Code: 332319 SIC Description: OTHER PLATE WORK AND FABRICATED STRUCTURAL PRODUCT MANUFACTURING PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS					
44	12 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator No: ON1351600 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 332319 SIC Description: OTHER PLATE WORK AND FABRICATED STRUCTURAL PRODUCT MANUFACTURING PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Robert J Benson Phone No Admin: 905-857-0684 Ext.224					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
44	13 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator No:	ON1351600			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Robert J Benson
MHSW Facility:	No			Phone No Admin:	905-857-0684 Ext.224
SIC Code:	332319				
SIC Description:	OTHER PLATE WORK AND FABRICATED STRUCTURAL PRODUCT MANUFACTURING				
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
44	14 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator No:	ON1351600			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Robert J Benson
MHSW Facility:	No			Phone No Admin:	905-857-0684 Ext.224
SIC Code:	332319				
SIC Description:	OTHER PLATE WORK AND FABRICATED STRUCTURAL PRODUCT MANUFACTURING				
<u>Detail(s)</u>					
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
44	15 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON1351600 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: 252 L Waste Class Desc: Waste crankcase oils and lubricants					
Waste Class: 145 H Waste Class Desc: Wastes from the use of pigments, coatings and paints					
Waste Class: 252 H Waste Class Desc: Waste crankcase oils and lubricants					
Waste Class: 252 I Waste Class Desc: Waste crankcase oils and lubricants					
44	16 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL RD BOLTON ON L7E 1K4	EASR
Approval No: R-010-3110166735 Status: REGISTERED Date: 2017-06-21 Record Type: EASR Link Source: MOFA Project Type: Air Emissions Full Address: Approval Type: EASR-Air Emissions Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2037743					
SWP Area Name: Toronto MOE District: Halton-Peel Municipality: BOLTON Latitude: 43.86222222 Longitude: -79.70750000000001 Geometry X: Geometry Y:					
44	17 of 17	NNE/247.1	240.9 / -0.15	BENSON STEEL LIMITED 72 COMMERCIAL ROAD BOLTON ON L7E 1K4	GEN
Generator No: ON1351600 Status: Registered Approval Years: As of Oct 2019 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: 145 H Waste Class Desc: Wastes from the use of pigments, coatings and paints					
Waste Class: 252 L Waste Class Desc: Waste crankcase oils and lubricants					
Waste Class: 252 H Waste Class Desc: Waste crankcase oils and lubricants					
Waste Class: 252 I Waste Class Desc: Waste crankcase oils and lubricants					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
45	1 of 1	S/248.5	239.3 / -1.66	BOLTON ON	WWIS
<div> <div> Well ID: 7051218 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z63615 Tag: A054666 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 10/22/2007 Selected Flag: Yes Abandonment Rec: Contractor: 7241 Form Version: 4 Owner: Street Name: 12476 REGIONAL RD 50 County: PEEL Municipality: CALEDON TOWN (BOLTON) Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 23051218 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 8/31/2007 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Elevation: 237.679626 Elevrc: Zone: 17 East83: 603826 North83: 4856896 Org CS: UTM83 UTMRC: 3 UTMRC Desc: margin of error : 10 - 30 m Location Method: wwr </div> </div>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<div> <div> Formation ID: 1000006226 Layer: 1 Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 0 Formation End Depth: Formation End Depth UOM: m </div> </div>					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Plug ID:		1000006228			
Layer:		1			
Plug From:		0			
Plug To:		0.61			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1000006229			
Layer:		2			
Plug From:		0.61			
Plug To:		14.33			
Plug Depth UOM:		m			
<u>Pipe Information</u>					
Pipe ID:		1000006224			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1000006232			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1000006225			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Unplottable Summary

Total: **34** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Bolton South Business Park	Lot 3, Concession 6	Caledon ON	
CA	Bolton South Business Park	Lot 3, Concession 6	Caledon ON	
CA		Part of Lot 4, Concession 6	Caledon ON	
CA		Part of the East Half of Lot 4, Concession 6	Caledon ON	
CA	Old Paisley Estates	Lot 4, Conc. 6, Part 1, RP 43R-22881	Caledon ON	
CA	Old Paisley Estates	Lot 4, Conc. 6, Part 1, RP 43R-22881	Caledon ON	
CA		Lot 4, Conc. 6, Part 1, Ref 43R-22881, (Old Paisley Estates)	Caledon ON	
CA	Ross E. Goodfellow		Caledon ON	
CA	BOLTON BUILDERS SUPPLY	INDUSTRIAL RD.	CALEDON TOWN ON	
CA	R.M. OF PEEL - LOT 3, CONC. 7	INDUSTRIAL ROAD	CALEDON TOWN ON	
CA	Loblaw Properties Limited	Part of the West 1/2 of Lot 4, Con. 7	Caledon ON	
CA	Loblaw Properties Limited	Part of West Half Lot 4, Concession 7	Caledon ON	
CA	Bolton South Industrial Lands	Lot 3, Conc. 6, George Bolton Parkway South	Caledon ON	
CA	D. DENOFRIO	COMMERCIAL RD. EXT.	CALEDON TOWN ON	
CONV	Maratek Environmental Inc.		Caledon ON	
EBR	Regional Municipality of Peel	Part of Lot 3, Concession 7 (formerly Twsp of Albion) Caledon	ON	
ECA	Loblaw Properties Limited	Part of West Half Lot 4, Concession 7	Caledon ON	M4T 2S5
WWIS		con 6	ON	

WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	lot 4	ON
WWIS	lot 4	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON
WWIS	con 6	ON

Unplottable Report

Site: *Bolton South Business Park*
Lot 3, Concession 6 Caledon ON

Database:
CA

Certificate #: 7758-4VXP7Z
Application Year: 01
Issue Date: 5/3/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Town of Caledon
Client Address: 6311 Old Church Road, Box 1000
Client City: Caledon
Client Postal Code: L0N 1E0
Project Description: Sanitary and storm sewers to be constructed on George Bolton Parkway, Nixon Road and Access RoadN/A
Contaminants:
Emission Control:

Site: *Bolton South Business Park*
Lot 3, Concession 6 Caledon ON

Database:
CA

Certificate #: 8858-4VXNLG
Application Year: 01
Issue Date: 5/3/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Town of Caledon
Client Address: 6311 Old Church Road, Box 1000
Client City: Caledon
Client Postal Code: L0N 1E0
Project Description: Watermains to be constructed on George Bolton Parkway, Nixon Road and Access Road
Contaminants:
Emission Control:

Site: *Part of Lot 4, Concession 6 Caledon ON*

Database:
CA

Certificate #: 5356-4SZHVS
Application Year: 02
Issue Date: 2/18/02
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Di Gregorio Investments Ltd.
Client Address: 4 Holland Drive Units 8 & 9
Client City: Bolton
Client Postal Code: L7E 1G1
Project Description: This application is for a Stormwater Management Facility.
Contaminants:
Emission Control:

Site: *Part of the East Half of Lot 4, Concession 6 Caledon ON*

Database:
CA

Certificate #: 1534-4HTSV5
Application Year: 00

Issue Date: 3/31/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Di Gregorio Investments Ltd.
Client Address: 4 Holland Drive Units 8 & 9
Client City: Bolton
Client Postal Code: L7E 1G1
Project Description: Storm sewers to be constructed in conjunction with project No. C-02.0.
Contaminants:
Emission Control:

Site: **Old Paisley Estates**
Lot 4, Conc. 6, Part 1, RP 43R-22881 Caledon ON

Database:
CA

Certificate #: 4432-4NGJFW
Application Year: 01
Issue Date: 2/20/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Old Paisley Estates Inc.
Client Address: 4100 Yonge Street, Suite 310
Client City: Toronto
Client Postal Code: M2P 2B5
Project Description: Construction of sanitary sewers on Filton Road, Putney Road and Airport Road. Construction of storm sewers on Filton Road and Putney Road.
Contaminants:
Emission Control:

Site: **Old Paisley Estates**
Lot 4, Conc. 6, Part 1, RP 43R-22881 Caledon ON

Database:
CA

Certificate #: 0807-4TYPBK
Application Year: 01
Issue Date: 3/1/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Old Paisley Estates Inc.
Client Address: 4100 Yonge Street, Suite 310
Client City: Toronto
Client Postal Code: M2P 2B5
Project Description: SWM Facility approx. 60 m E. from center of cul-de-sac of Filton Rd., and , N.E. Corner of Walker Rd. N. & Putney Rd., approx. 300 m W. from Intersection of Airport Rd. and Walker Rd. W.
Contaminants:
Emission Control:

Site: **Lot 4, Conc. 6, Part 1, Ref 43R-22881, (Old Paisley Estates) Caledon ON**

Database:
CA

Certificate #: 7351-4NGJPS
Application Year: 00
Issue Date: 8/24/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Old Paisley Estates Inc.
Client Address: 4100 Yonge Street, Suite 310
Client City: Toronto
Client Postal Code: M2P 2B5
Project Description: Construction of watermain on Filton Road and Putney Road.
Contaminants:
Emission Control:

Site: Ross E. Goodfellow
Caledon ON

Database:
CA

Certificate #: 3791-6CQJYS
Application Year: 2005
Issue Date: 7/22/2005
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: BOLTON BUILDERS SUPPLY
INDUSTRIAL RD. CALEDON TOWN ON

Database:
CA

Certificate #: 3-2205-87-
Application Year: 87
Issue Date: 12/18/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF PEEL - LOT 3, CONC. 7
INDUSTRIAL ROAD CALEDON TOWN ON

Database:
CA

Certificate #: 3-2085-90-
Application Year: 90
Issue Date: 11/16/1990
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Loblaw Properties Limited
Part of the West 1/2 of Lot 4, Con. 7 Caledon ON

Database:
CA

Certificate #: 5438-5L8L8A
Application Year: 2003
Issue Date: 4/3/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:

Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Loblaw Properties Limited
Part of West Half Lot 4, Concession 7 Caledon ON

Database:
CA

Certificate #: 9828-5RANSC
Application Year: 2003
Issue Date: 9/12/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Bolton South Industrial Lands
Lot 3, Conc. 6, George Bolton Parkway South Caledon ON

Database:
CA

Certificate #: 1184-4WTPFT
Application Year: 01
Issue Date: 10/31/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Town of Caledon
Client Address: 6311 Old Church Road, Box 1000
Client City: Caledon
Client Postal Code: L0N 1E0
Project Description: This application is for the construction of storm water management ponds A & B to serve Bolton South industrial lands immediately south of George Bolton Parkway.
Contaminants:
Emission Control:

Site: D. DENOFRIO
COMMERCIAL RD. EXT. CALEDON TOWN ON

Database:
CA

Certificate #: 7-1531-86-
Application Year: 86
Issue Date: 1/19/1987
Approval Type: Municipal water
Status: Approved in 1987
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Maratek Environmental Inc.
Caledon ON

Database:
CONV

File No: 103574
Crown Brief No:
Court Location:
Publication City:
Location:
Region:
Ministry District:

Publication Title:
Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:
Description:

A Caledon company was fined \$5,000 for being a carrier in possession of waste without a manifest. 'Polluters should be aware that the ministry's Investigations and Enforcement Branch will vigorously pursue charges when our environmental laws are broken,' Environment Minister Jim Bradley. Maratek Environmental Inc. operates a waste processing facility in the Town of Caledon. The company operates under ministry approval to collect wastes for bulking and shipping to disposal sites. A ministry inspection revealed that the company was picking up and transporting waste without a prepared manifest from the generator. Maratek Environmental Inc. was fined \$5,000 plus a victim fine surcharge of \$1,250 and was given one year to pay the fine.

Background:
URL:

Additional Details

Publication Date:
Count:
Act: OWRA
Regulation:
Section:
Act/Regulation/Section: OWRA
Date of Offence:
Date of Conviction:
Date Charged: January 7, 2014
Charge Disposition: fine, victim fine surcharge
Fine: \$25,000
Synopsis:

Additional Details

Publication Date:
Count:
Act:
Regulation:
Section:
Act/Regulation/Section:
Date of Offence:
Date of Conviction:
Date Charged: February 27, 2013
Charge Disposition: fine, victim fine surcharge
Fine: \$5,000
Synopsis:

Site: **Regional Municipality of Peel**
Part of Lot 3, Concession 7 (formerly Twsp of Albion) Caledon ON

Database:
EBR

EBR Registry No: IA7E0405
Ministry Ref No: A680247
Notice Type: Instrument Exception
Notice Stage: 800470361
Notice Date: April 20, 1998
Proposal Date:
Year:
Instrument Type: (EPA s. 27) - Approval for a waste disposal site.
Off Instrument Name:
Posted By:
Company Name: Regional Municipality of Peel
Site Address:
Location Other:
Proponent Name:
Proponent Address:
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Part of Lot 3, Concession 7 (formerly Twsp of Albion) Caledon

Site: Loblaw Properties Limited
Part of West Half Lot 4, Concession 7 Caledon ON M4T 2S5**Database:**
ECA

Approval No:	9828-5RANSC	MOE District:	
Approval Date:	2003-09-12	City:	
Status:	Approved	Longitude:	
Record Type:	ECA	Latitude:	
Link Source:	IDS	Geometry X:	
SWP Area Name:		Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS		
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS		
Address:	Part of West Half Lot 4, Concession 7		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/3191-5KXRHP-14.pdf		

Site:
con 6 ON**Database:**
WWIS

Well ID:	4908770	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:		Date Received:	6/13/2001
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	
Water Type:		Contractor:	4011
Casing Material:		Form Version:	1
Audit No:	229073	Owner:	
Tag:		Street Name:	
Construction Method:		County:	PEEL
Elevation (m):		Municipality:	CALEDON TOWN (CALEDON TWP)
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	06
Overburden/Bedrock:		Concession Name:	HS E
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	10323304	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	
Code OB Desc:	No formation data	North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	4/24/2001	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171373
Layer: 1
Plug From: 0
Plug To: 4
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171374
Layer: 2
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171375
Layer: 3
Plug From: 5
Plug To: 9
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871874
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
[WWIS](#)

Well ID: 4908769
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229052
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323303
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 1/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Annular Space/Abandonment
Sealing Record

Plug ID: 933171372
Layer: 3
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171371
Layer: 2
Plug From: 1
Plug To: 4
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171370
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871873
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908771
Construction Date:
Primary Water Use:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001

Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229055
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323305
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Annular Space/Abandonment
Sealing Record

Plug ID: 933171376
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171377
Layer: 2
Plug From: 1
Plug To: 4
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171378
Layer: 3
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871875
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
[WWIS](#)

Well ID: 4908772
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229042
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323306
DP2BR:
Spatial Status:
Code OB:
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/26/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Annular Space/Abandonment
Sealing Record

Plug ID: 933171379
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171380
Layer: 2
Plug From: 1
Plug To: 3
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171381
Layer: 3
Plug From: 3
Plug To: 4
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871876
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908776
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229049
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323310
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171393
Layer: 3
Plug From: 1
Plug To: 1
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171392
Layer: 2
Plug From: 1
Plug To: 1
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171391
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871880
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
[WWIS](#)

Well ID: 4908778
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status:
Water Type:
Casing Material:
Audit No: 229046
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06

Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323312
DP2BR:
Spatial Status:
Code OB:
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171398
Layer: 2
Plug From: 1
Plug To: 4
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171399
Layer: 3
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171397
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871882
Casing No: 1
Comment:

Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908779
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229059
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323313
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171400
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171401
Layer: 2
Plug From: 1
Plug To: 6
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171402

Layer: 3
Plug From: 6
Plug To: 7
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871883
Casing No: 1
Comment:
Alt Name:

Site: con 6 ON **Database:** WWIS

Well ID:	4908780	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:		Date Received:	6/13/2001
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	
Water Type:		Contractor:	4011
Casing Material:		Form Version:	1
Audit No:	229041	Owner:	
Tag:		Street Name:	
Construction Method:		County:	PEEL
Elevation (m):		Municipality:	CALEDON TOWN (CALEDON TWP)
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	06
Overburden/Bedrock:		Concession Name:	HS E
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	10323314	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	—	East83:	
Code OB Desc:	No formation data	North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	4/24/2001	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 933171405

Layer: 3
Plug From: 3
Plug To: 4
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171403
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171404
Layer: 2
Plug From: 1
Plug To: 3
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871884
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908768
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229070
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323302
Elevation:

DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Annular Space/Abandonment
Sealing Record

Plug ID: 933171369
Layer: 3
Plug From: 4
Plug To: 11
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171367
Layer: 1
Plug From: 0
Plug To: 3
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171368
Layer: 2
Plug From: 3
Plug To: 4
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871872
Casing No: 1
Comment:
Alt Name:

Site:
lot 4 ON

Database:
WWIS

Well ID: 4909093
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply

Data Entry Status:
Data Src: 1
Date Received: 1/15/2003
Selected Flag: Yes
Abandonment Rec:

Water Type:
Casing Material:
Audit No: 245651
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Contractor: 7143
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON EAST)
Site Info:
Lot: 004
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10540528
DP2BR: 45
Spatial Status:
Code OB: h
Code OB Desc: Mixed in a Layer
Open Hole:
Cluster Kind:
Date Completed: 11/26/2002
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 932915409
Layer: 7
Color: 7
General Color: RED
Mat1: 17
Most Common Material: SHALE
Mat2: 74
Other Materials: LAYERED
Mat3: 85
Other Materials: SOFT
Formation Top Depth: 60
Formation End Depth: 80
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932915408
Layer: 6
Color: 7
General Color: RED
Mat1: 17
Most Common Material: SHALE
Mat2: 85
Other Materials: SOFT
Mat3:
Other Materials:
Formation Top Depth: 50
Formation End Depth: 60
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932915406
Layer: 4
Color: 2
General Color: GREY
Mat1: 10
Most Common Material: COARSE SAND
Mat2: 11
Other Materials: GRAVEL
Mat3: 74
Other Materials: LAYERED
Formation Top Depth: 30
Formation End Depth: 45
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932915404
Layer: 2
Color: 6
General Color: BROWN
Mat1: 09
Most Common Material: MEDIUM SAND
Mat2: 05
Other Materials: CLAY
Mat3: 03
Other Materials: MUCK
Formation Top Depth: 1
Formation End Depth: 20
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932915407
Layer: 5
Color: 2
General Color: GREY
Mat1: 10
Most Common Material: COARSE SAND
Mat2: 17
Other Materials: SHALE
Mat3: 11
Other Materials: GRAVEL
Formation Top Depth: 45
Formation End Depth: 50
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932915405
Layer: 3
Color: 6
General Color: BROWN
Mat1: 10
Most Common Material: COARSE SAND
Mat2: 06
Other Materials: SILT
Mat3: 05
Other Materials: CLAY
Formation Top Depth: 20

Formation End Depth: 30
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 932915403
Layer: 1
Color: 6
General Color: BROWN
Mat1: 02
Most Common Material: TOPSOIL
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 1
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933238694
Layer: 1
Plug From: 0
Plug To: 14
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 11089098
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930533296
Layer: 1
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 14
Casing Diameter: 8
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930533297
Layer: 2
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 60
Casing Diameter: 6

Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930533298
Layer: 3
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 80
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 994909093
Pump Set At:
Static Level: 5
Final Level After Pumping: 30
Recommended Pump Depth: 78
Pumping Rate: 1
Flowing Rate:
Recommended Pump Rate: 1
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 3
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 935046283
Test Type: Draw Down
Test Duration: 60
Test Level: 30
Test Level UOM: ft

Water Details

Water ID: 934034301
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 30
Water Found Depth UOM: ft

Water Details

Water ID: 934034302
Layer: 2
Kind Code: 5
Kind: Not stated
Water Found Depth: 80
Water Found Depth UOM: ft

Site:
lot 4 ON

Database:
[WWIS](#)

Well ID: 6714583
Construction Date:

Data Entry Status:
Data Src: 1

Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 257956
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Date Received: 9/23/2003
Selected Flag: Yes
Abandonment Rec:
Contractor: 2663
Form Version: 1
Owner:
Street Name:
County: WELLINGTON
Municipality: PEEL TOWNSHIP
Site Info:
Lot: 004
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10548134
DP2BR:
Spatial Status:
Code OB: o
Code OB Desc: Overburden
Open Hole:
Cluster Kind:
Date Completed: 8/20/2003
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock Materials Interval

Formation ID: 932940160
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 95
Formation End Depth: 104
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 932940162
Layer: 4
Color:
General Color:
Mat1: 11
Most Common Material: GRAVEL
Mat2:
Other Materials:
Mat3:
Other Materials:

Formation Top Depth: 180
Formation End Depth: 182
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932940161
Layer: 3
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 104
Formation End Depth: 180
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932940159
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 95
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933244759
Layer: 1
Plug From: 0
Plug To: 20
Plug Depth UOM: ft

Method of Construction & Well

Use

Method Construction ID:
Method Construction Code: 4
Method Construction: Rotary (Air)
Other Method Construction:

Pipe Information

Pipe ID: 11096704
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930779333

Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To:
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 996714583
Pump Set At:
Static Level: 20
Final Level After Pumping: 24
Recommended Pump Depth: 80
Pumping Rate: 30
Flowing Rate:
Recommended Pump Rate: 30
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934350160
Test Type: Draw Down
Test Duration: 15
Test Level: 24
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934614719
Test Type: Draw Down
Test Duration: 30
Test Level: 24
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934875729
Test Type: Draw Down
Test Duration: 45
Test Level: 24
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 935136788
Test Type: Draw Down
Test Duration: 60
Test Level: 24
Test Level UOM: ft

Water Details

Water ID: 934042072
Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 182
Water Found Depth UOM: ft

Site:
con 6 ON

Database:
[WWIS](#)

Well ID: 4908726
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 194175
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 4/6/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 3132
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323261
DP2BR: 139
Spatial Status:
Code OB: h
Code OB Desc: Mixed in a Layer
Open Hole:
Cluster Kind:
Date Completed: 10/6/2000
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 932064697
Layer: 2
Color: 3
General Color: BLUE
Mat1: 05
Most Common Material: CLAY
Mat2: 28
Other Materials: SAND
Mat3: 12
Other Materials: STONES
Formation Top Depth: 31
Formation End Depth: 126
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932064699

Layer: 4
Color: 3
General Color: BLUE
Mat1: 05
Most Common Material: CLAY
Mat2: 18
Other Materials: SANDSTONE
Mat3: 85
Other Materials: SOFT
Formation Top Depth: 139
Formation End Depth: 150
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 932064696
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Other Materials: STONES
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 0
Formation End Depth: 31
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 932064698
Layer: 3
Color: 3
General Color: BLUE
Mat1: 08
Most Common Material: FINE SAND
Mat2: 77
Other Materials: LOOSE
Mat3:
Other Materials:
Formation Top Depth: 126
Formation End Depth: 139
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171309
Layer: 1
Plug From: 0
Plug To: 16
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10871831
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930532977
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To:
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930532978
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To:
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933360735
Layer: 1
Slot: 008
Screen Top Depth: 132
Screen End Depth: 140
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 5

Results of Well Yield Testing

Pump Test ID: 994908726
Pump Set At:
Static Level: 24
Final Level After Pumping:
Recommended Pump Depth: 75
Pumping Rate: 15
Flowing Rate:
Recommended Pump Rate: 10
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 2
Pumping Duration HR: 1
Pumping Duration MIN: 30
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934526226
Test Type:
Test Duration: 30
Test Level: 52

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934779752
Test Type:
Test Duration: 45
Test Level: 65
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 935045715
Test Type:
Test Duration: 60
Test Level: 65
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934260338
Test Type:
Test Duration: 15
Test Level: 48
Test Level UOM: ft

Water Details

Water ID: 933796825
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 135
Water Found Depth UOM: ft

Site: con 6 ON **Database:** [WWIS](#)

Well ID:	4908764	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:		Date Received:	6/13/2001
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	
Water Type:		Contractor:	4011
Casing Material:		Form Version:	1
Audit No:	229053	Owner:	
Tag:		Street Name:	
Construction Method:		County:	PEEL
Elevation (m):		Municipality:	CALEDON TOWN (CALEDON TWP)
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	06
Overburden/Bedrock:		Concession Name:	HS E
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	10323298	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	—	East83:	

Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Annular Space/Abandonment
Sealing Record

Plug ID: 933171355
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171356
Layer: 2
Plug From: 1
Plug To: 2
Plug Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933171357
Layer: 3
Plug From: 2
Plug To: 7
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871868
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908765
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229054

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:

Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323299
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171360
Layer: 3
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171358
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171359
Layer: 2
Plug From: 1
Plug To: 4
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871869
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908775
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229050
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323309
DP2BR:
Spatial Status:
Code OB:
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171390
Layer: 3
Plug From: 6
Plug To: 7
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171388
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171389
Layer: 2
Plug From: 1
Plug To: 6
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871879
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
WWIS

Well ID: 4908774
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229051
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10323308
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 1/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171385
Layer: 1
Plug From: 0
Plug To: 2
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171387
Layer: 3
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171386
Layer: 2
Plug From: 2
Plug To: 4
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871878
Casing No: 1
Comment:
Alt Name:

Site:
con 6 ON

Database:
[WWIS](#)

Well ID: 4908773
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 229047
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:

Data Entry Status:
Data Src: 1
Date Received: 6/13/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 4011
Form Version: 1
Owner:
Street Name:
County: PEEL
Municipality: CALEDON TOWN (CALEDON TWP)
Site Info:
Lot:
Concession: 06
Concession Name: HS E
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10323307
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 4/24/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171384
Layer: 3
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171382
Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933171383
Layer: 2
Plug From: 1
Plug To: 4
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10871877
Casing No: 1
Comment:
Alt Name:

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial

[AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

[AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2019

Abandoned Mine Information System:

Provincial

[AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

[ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

[AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

[AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jan 31, 2020

Borehole:

Provincial

[BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Chemical Register:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Feb 2020

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2019

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Mar 31, 2020

Drill Hole Database:

Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2019

Environmental Activity and Sector Registry:

Provincial

[EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval). Please see our ECA database.

Government Publication Date: Oct 2011-Mar 31, 2020

Environmental Registry:

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Mar 31, 2020

Environmental Compliance Approval:

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Mar 31, 2020

Environmental Effects Monitoring:

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jan 31, 2020

Environmental Issues Inventory System:

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

[EMHE](#)

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial

[EPAR](#)

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2019

List of Expired Fuels Safety Facilities:Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Federal Convictions:Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Nov 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):Federal **FED TANKS**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fisheries & Oceans Fuel Tanks:Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Fuel Storage Tank:Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:Provincial **FSTH**

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:Provincial **GEN**

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jan 31, 2020

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Dec 31, 2019

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets 'or Trends' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 29, 2020

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSRL Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2019

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Mar 31, 2020

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: 1988 - Mar 2020

Pipeline Incidents:

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial

PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Mar 31, 2020

Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial

RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental clean-up orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Mar 2020

Retail Fuel Storage Tanks:

Private

RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jan 31, 2020

Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial

SPL

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Aug 2019

Wastewater Discharger Registration Database:

Provincial

SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

Variances for Abandonment of Underground Storage Tanks:

Provincial

[VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Mar 31, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Feb 28, 2019

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX C

**Correspondence with Regulatory
Agencies**

Amanda Grossi

From: Ruchi Chohan <rchohan@tssa.org> on behalf of Public Information Services <publicinformationsservices@tssa.org>
Sent: April 29, 2016 9:55 AM
To: Brooklyn Espinola
Subject: RE: 16-0053.01 - 12563 Highway 50, Bolton, Ontario

Good Morning Brooklyn,

Thank you for your inquiry.

We have no record in our database of any fuel storage tanks at the subject address (addresses).

For a further search in our archives please submit your request in writing to Public Information Services via e-mail (publicinformationsservices@tssa.org) or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Thank you and have a good day!

Ruchi



Public Information Services

Facilities & Business Services

3300 Bloor Street West

Center Tower, 16th Floor

Toronto, Ontario, M8X-2X4

Tel: 1-877-682-8772 Fax: (416) 734-3568 E-mail: publicinformationsservices@tssa.org

www.tssa.org



From: Brooklyn Espinola [mailto:bvespinola@wattersenvironmental.com]

Sent: Friday, April 29, 2016 9:43 AM

To: Public Information Services <publicinformationsservices@tssa.org>

Subject: 16-0053.01 - 12563 Highway 50, Bolton, Ontario

Hello,

Can you please check your records for information regarding any historical or current ASTs or USTs or inspections conducted at 12563 Highway 50, Bolton, Ontario?

Thank you,

Brooklyn Espinola

Director of First Impressions

Watters Environmental Group Inc.

8800 Dufferin Street, Suite 303
Concord, Ontario
L4K 0C5

Tel: (416) 361-2407 ext. 200
Fax: (416) 361-2410

<http://www.wattersenvironmental.com>

IMPORTANT NOTICE: This message is intended for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by e-mail and delete the message. Thank you.

Please consider the environment before printing

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Ministry of the Environment
 Freedom of Information and Protection of Privacy Office
 40 St. Clair Avenue West, 12th Floor
 Toronto, ON M4V 1M2
 Tel: 416-314-4075
 Fax: 416-314-4285



Use this form to request records that are in the Ministry's files on environmental concerns related to properties.
 Please refer to the guide on the completion and use of this form. Our fax no. is 416- 314-4285.

Requester Data			For Ministry Use Only	
Brooklyn Espinola Watters Environmental Group Inc 8800 Dufferin St., Ste 303 Concord, ON L4K 0C5 E bvespinola@wattersenvironmental.com			FOI Request No.	Date Request Received
Tel: 416-361-2407 Fax: 416-361-2410			Fee Paid <input type="checkbox"/> CHQ <input checked="" type="checkbox"/> VISA/MC/AMEX <input type="checkbox"/> CASH/MONEY ORDER	
Your Project/ Reference No. 16-0053.01	Signature of Requester 	<input type="checkbox"/> CNR <input type="checkbox"/> ER <input type="checkbox"/> NOR <input type="checkbox"/> SWR <input type="checkbox"/> WCR <input type="checkbox"/> IEB <input type="checkbox"/> EAA <input type="checkbox"/> EMR <input type="checkbox"/> SCB <input type="checkbox"/> SDW		
Request Parameters Municipal Address/Lot, Concession, Geographic Township (Municipal address mandatory for cities, towns or regions) 12563 Highway 50, Bolton, ON				
Present Property Owner(s) and Date(s) of Ownership Globetrotter R.V.				
Previous Property Owner(s) and Date(s) of Ownership				
Present/Previous Tenant(s) (if applicable)				
Search Parameters Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.				Specify Year(s) Requested
Environmental concerns (General correspondence, occurrence reports, abatement)				All years
Orders				
Spills				
Investigations/prosecutions ▶ Owner and tenant information must be provided				
Waste Generator number/classes				
Certificates of Approval ▶ Proponent information must be provided and Certificates of Approval number(s) (if known). 1985 and prior records are searched manually. Search fees in excess of \$300.00 may be incurred, depending on the types and years of records to be searched. If supporting documents are also required, mark SD box.				
				SD Specify Year(s) Requested
Air - emissions				1985-present
Renewable Energy				
Water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)				
Sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations				
Waste water - industrial discharge				
Waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites				
Waste systems - haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, PCB destruction				

Ministry of the Environment
and Climate Change

Freedom of Information and
Protection of Privacy Office

12th Floor
40 St. Clair Avenue West
Toronto ON M4V 1M2
Tel: (416) 314-4075
Fax: (416) 314-4285

Ministère de l'Environnement et de
l'Action en matière de changement
climatique

Bureau de l'accès à l'information et
de la protection de la vie privée

12^e étage
40, avenue St. Clair ouest
Toronto ON M4V 1M2
Tél. : (416) 314-4075
Télec.: (416) 314-4285



May 11, 2016

Brooklyn Espinola
Watters Environmental Group Inc.
8800 Dufferin Street, Ste. 303
Concord, ON L4K 0C5

RECEIVED MAY 12 2016

Dear Brooklyn Espinola:

RE: ***Freedom of Information and Protection of Privacy Act Request***
Our File # A-2016-02876, Your Reference 16-0053.01

The Ministry is in receipt of your request made pursuant to the *Freedom of Information and Protection of Privacy Act* and has received your payment in the amount of \$5.00 (non-refundable application fee), along with your \$30.00 deposit.

The search is being conducted on the following: 12563 Highway 50, Bolton. If there is any discrepancy please contact us immediately.

You may expect a reply or additional communication as your request is processed. For your information, the Ministry charges for search, copying and preparation time.

If you have any questions regarding this matter, please contact Everett Burge at (416) 314-6129.

Yours truly,

Jacqueline Gallacher
FOI Manager (A)

**Ministry of the Environment
and Climate Change**

Freedom of Information and
Protection of Privacy Office

12th Floor
40 St. Clair Avenue West
Toronto ON M4V 1M2
Tel: (416) 314-4075
Fax: (416) 314-4285

**Ministère de l'Environnement et de
l'Action en matière de changement
climatique**

Bureau de l'accès à l'information et
de la protection de la vie privée

12^e étage
40, avenue St. Clair ouest
Toronto ON M4V 1M2
Tél.: (416) 314-4075
Télééc.: (416) 314-4285



June 2, 2016

Brooklyn Espinola
Watters Environmental Group Inc.
8800 Dufferin Street, Ste. 303
Concord, ON L4K 0C5

RECEIVED JUN 06 2016

Dear Brooklyn Espinola:

RE: *Freedom of Information and Protection of Privacy Act Request*
Our File #: A-2016-02876, Your Reference #: 16-0053.01

This letter is in response to your request made pursuant to the *Freedom of Information and Protection of Privacy Act* relating to 12563 Highway 50, Bolton.

After a thorough search of the Ministry's Halton Peel District Office, Investigations and Enforcement Branch, Environmental Approvals Branch, Environmental Monitoring and Reporting Branch, Sector Compliance Branch and Safe Drinking Water Branch, records were located in response to your request. It is my decision to provide full access to the attached information.


In accordance with Section 57 of the *Freedom of Information and Protection of Privacy Act*, detailed below are our charges:

• Search Time 1 hour @ \$30/hour	\$30.00
• Copying 3 pages @ \$0.20/page	0.60
• Delivery	3.00
• Total	\$33.60
• Deposit Received	- 30.00
• BALANCE WAIVED (NOT REQUIRED)	\$ 3.60

You may request a review of my decision by contacting the Information and Privacy Commissioner/Ontario, 2 Bloor Street East, Suite 1400, Toronto, ON M4W 1A8 (800-387-0073 or 416-326-3333). Please note that there is a \$25.00 fee and you only have 30 days from receipt of this letter to request a review.

If you have any questions regarding this matter, please contact Sharon Menzies at (416) 327-1429 or Sharon.Menzies@ontario.ca.

Yours truly,


Jacqueline Gallacher
FOI Manager (A)

Attachments



Generator Details

Registration/Notification Number

ON5808793

Legal Company Name

Primary Name: Globetrotter Rv Rentals and Sale Division Name: NA

Company Operating Name

Primary Name: Globetrotter Rv Rentals and Sale Division Name: NA

Mailing Address

Division Building:	NA	Post Box Number:	NA
Address Line 1:	12563 Hwy#50	Address Line 2:	NA
Town/City:	Bolton	Postal Code / Zip Code:	L7E5R9
County: (if inside Ontario)	PEEL (R. M.)	Province/State (If inside Canada/US)	ONTARIO
County: (if outside Ontario)	NA	Province / State (If outside Canada / US)	NA
Country:	Canada		

Site Location

This should be the street address of the site that is being registered. You are required to register each site that generates hazardous waste separately

Division Building:	NA	Post Box Number:	NA
Address Line 1:	12563 Hwy#50		
Address Line 2:	NA		
Town/City:	Bolton	Postal Code / Zip Code:	L7E5R9
County: (if inside Ontario)	PEEL (R. M.)	Province / State (If inside Canada / US)	ONTARIO
County: (if outside Ontario)	NA	Province / State (If outside Canada / US)	NA
Country:	Canada		

Company Official



Ministry of the Environment
[central site](#) | [feedback](#) | [search](#) | [site map](#) | [français](#)

[HOME](#) | [AIR](#) | [WATER](#) | [LAND](#) | [ABOUT US](#) | [NEWS & PUBLICATIONS](#)

[User Management](#) | [Company Mgmt](#) | [Manifests](#) | [Site Data](#) | [HELP](#) | [Logout](#)





Search

Company Name: **Globetrotter Rv Rentals and Sale**
 Company Number: **ON5808793 (Generator)**

Active Waste Classes

Active Waste Class Listing

[Add New Waste Class](#) | [Inactive waste classes](#)

Active Off-site Waste Classes

Waste Class	View Details	Hazardous Waste Number (per waste stream)	Reg. 347 Schedules	Disposal Method	Part 2B required	Part 2B complete	Physical State	Off-Site	Status	UnRegister Waste Class
252 - L	View details	N/A					Liquid	Off-Site	Active	<input type="checkbox"/>
		N/A					Liquid	Off-Site	Active	<input type="checkbox"/>
		N/A					Liquid	Off-Site	Active	<input type="checkbox"/>
		N/A					Liquid	Off-Site	Active	<input type="checkbox"/>
		N/A					Liquid	Off-Site	Active	<input type="checkbox"/>
		N/A					Liquid	Off-Site	Active	<input type="checkbox"/>
		N/A					Liquid	Off-Site	Active	<input type="checkbox"/>
		N/A					Liquid	Off-Site	Active	<input type="checkbox"/>

N/A

N/A

Liquid

Liquid

Off-
SiteOff-
Site

Active

Active

☐☐☐[Unregister Selected Classes](#)[Back](#)

This site maintained by
the Government of Ontario

Technical inquires to [Webmaster](#).
© 2002 [Queen's Printer for Ontario](#)

Amanda Grossi

From: Ruchi Chohan <rchohan@tssa.org> on behalf of Public Information Services <publicinformationservices@tssa.org>
Sent: May 12, 2016 4:32 PM
To: Brooklyn Espinola
Subject: RE: 16-0053.01 - 12585 Highway 50, Bolton, Ontario

Hello Brooklyn,

Thank you for your inquiry.

We have no record in our database of any fuel storage tanks at the subject address (addresses).

For a further search in our archives please submit your request in writing to Public Information Services via e-mail (publicinformationservices@tssa.org) or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Thank you and have a good day!

Ruchi



Public Information Services

Facilities & Business Services

3300 Bloor Street West

Center Tower, 16th Floor

Toronto, Ontario, M8X-2X4

Tel: 1-877-682-8772 Fax: (416) 734-3568 E-mail: publicinformationservices@tssa.org

www.tssa.org



From: Brooklyn Espinola [<mailto:bvespinola@wattersenvironmental.com>]

Sent: Thursday, May 12, 2016 4:17 PM

To: Public Information Services <publicinformationservices@tssa.org>

Subject: FW: 16-0053.01 - 12585 Highway 50, Bolton, Ontario

Hello,

I haven't heard back from you yet.

Thanks,

Brooklyn Espinola

Director of First Impressions

Watters Environmental Group Inc.

Tel: (416) 361-2407 ext. 200
Fax: (416) 361-2410

From: Brooklyn Espinola
Sent: May-09-16 4:56 PM
To: 'Public Information Services' <publicinformationsservices@tssa.org>
Subject: 16-0053.01 - 12585 Highway 50, Bolton, Ontario

Hello,

Can you please check your records for information regarding any historical or current ASTs or USTs or inspections conducted at 12585 Highway 50, Bolton, Ontario?

Thank you,

Brooklyn Espinola
Director of First Impressions

Watters Environmental Group Inc.
8800 Dufferin Street, Suite 303
Concord, Ontario
L4K 0C5

Tel: (416) 361-2407 ext. 200
Fax: (416) 361-2410

<http://www.wattersenvironmental.com>

IMPORTANT NOTICE: This message is intended for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by e-mail and delete the message. Thank you.

Please consider the environment before printing

TSSA Move: During the month of June 2016, TSSA is moving to 345 Carlingview Drive. For more, contact TSSA toll-free at 1-877-682-8772. This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Ministry of the Environment
Freedom of Information and Protection of Privacy Office
40 St. Clair Avenue West, 12th Floor
Toronto, ON M4V 1M2
Tel: 416-314-4075
Fax: 416-314-4285



Use this form to request records that are in the Ministry's files on environmental concerns related to properties.
Please refer to the guide on the completion and use of this form. Our fax no. is 416-314-4285.

Requester Data		For Ministry Use Only	
T Brooklyn Espinola Watters Environmental Group Inc 8800 Dufferin St., Ste 303 Concord, ON L4K 0C5 E bvspinola@wattersenvironmental.com		FOI Request No. Fee Paid <input type="checkbox"/> CHQ <input checked="" type="checkbox"/> VISA/MC/AMEX <input type="checkbox"/> CASH/MONEY ORDER	Date Request Received <input type="checkbox"/> CNR <input type="checkbox"/> ER <input type="checkbox"/> NOR <input type="checkbox"/> SWR <input type="checkbox"/> WCR <input type="checkbox"/> IEB <input type="checkbox"/> EAA <input type="checkbox"/> EMR <input type="checkbox"/> SCB <input type="checkbox"/> SDW
Tel: 416-361-2407 Fax: 416-361-2410	Your Project/ Reference No. 16-0053.01	Signature of Requester 	
Request Parameters			
Municipal Address/Lot, Concession, Geographic Township (Municipal address mandatory for cities, towns or regions) 12585 Highway 50, Bolton, ON			
Present Property Owner(s) and Date(s) of Ownership NAPA Autopro			
Previous Property Owner(s) and Date(s) of Ownership			
Present/Previous Tenant(s) (if applicable)			
Search Parameters		Specify Year(s) Requested	
Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.		All years	
Environmental concerns (General correspondence, occurrence reports, abatement)			
Orders			
Spills			
Investigations/prosecutions ▶ Owner and tenant information must be provided			
Waste Generator number/classes			
Certificates of Approval ▶ Proponent information must be provided and Certificates of Approval number(s) (if known). 1985 and prior records are searched manually. Search fees in excess of \$300.00 may be incurred, depending on the types and years of records to be searched. If supporting documents are also required, mark SD box.			
	SD	Specify Year(s) Requested	
Air - emissions		1985-present	
Renewable Energy			
Water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)			
Sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations			
Waste water - industrial discharge			
Waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites			
Waste systems	- haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, PCB destruction		

Ministry of the Environment
and Climate Change

Freedom of Information and
Protection of Privacy Office

12th Floor
40 St. Clair Avenue West
Toronto ON M4V 1M2
Tel: (416) 314-4075
Fax: (416) 314-4285

Ministère de l'Environnement et de
l'Action en matière de changement
climatique

Bureau de l'accès à l'information et
de la protection de la vie privée

12^e étage
40, avenue St. Clair ouest
Toronto ON M4V 1M2
Tél.: (416) 314-4075
Téléc.: (416) 314-4285



May 11, 2016

Brooklyn Espinola
Watters Environmental Group Inc.
8800 Dufferin Street, Ste. 303
Concord, ON L4K 0C5

RECEIVED MAY 12 2016

Dear Brooklyn Espinola:

RE: ***Freedom of Information and Protection of Privacy Act Request***
Our File # A-2016-02877, Your Reference 16-0053.01

The Ministry is in receipt of your request made pursuant to the *Freedom of Information and Protection of Privacy Act* and has received your payment in the amount of \$5.00 (non-refundable application fee), along with your \$30.00 deposit.

The search is being conducted on the following: 12585 Highway 50, Bolton. If there is any discrepancy please contact us immediately.

You may expect a reply or additional communication as your request is processed. For your information, the Ministry charges for search, copying and preparation time.

If you have any questions regarding this matter, please contact Everett Burge at (416) 314-6129.

Yours truly,

Jacqueline Gallacher
FOI Manager (A)

Ministry of the Environment
and Climate Change

Freedom of Information and
Protection of Privacy Office

12th Floor
40 St. Clair Avenue West
Toronto ON M4V 1M2
Tel: (416) 314-4075
Fax: (416) 314-4285

Ministère de l'Environnement et de
l'Action en matière de changement
climatique

Bureau de l'accès à l'information et
de la protection de la vie privée

12^e étage
40, avenue St. Clair ouest
Toronto ON M4V 1M2
Tél. : (416) 314-4075
Téléc.: (416) 314-4285



June 8, 2016

Brooklyn Espinola
Watters Environmental Group Inc.
8800 Dufferin Street, Ste. 303
Concord, ON L4K 0C5

RECEIVED JUN 14 2016

Dear Brooklyn Espinola:

RE: ***Freedom of Information and Protection of Privacy Act Request***
Our File # A-2016-02877, Your Reference 16-0053.01



This letter is in response to your request made pursuant to the *Freedom of Information and Protection of Privacy Act* relating to 12585 Highway 50, Bolton.

After a thorough search through the files of the Ministry's Halton-Peel District Office, Investigations and Enforcement Branch, Environmental Approvals Branch, Environmental Monitoring and Reporting Branch, Sector Compliance Branch and Safe Drinking Water Branch, no records were located responsive to your request. To provide you with this response and in accordance with Section 57 of the *Freedom of Information and Protection of Privacy Act*, the fee owed is \$30.00 for 1 hour of search time @ \$30.00 per hour. **We have applied the \$30.00 for this request from your initial payment. This file is now closed.**

You may request a review of my decision by contacting the Information and Privacy Commissioner/Ontario, 2 Bloor Street East, Suite 1400, Toronto, ON M4W 1A8 (800-387-0073 or 416-326-3333). Please note that there is a \$25.00 fee and you only have 30 days from receipt of this letter to request a review.

If you have any questions regarding this matter, please contact Meagan Caschera at meagan.caschera@ontario.ca.

Yours truly,


 Jacqueline Gallacher
FOI Manager (A)

Brittany Pereira

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: April 29, 2020 3:23 PM
To: Brittany Pereira
Subject: RE: 20-0049.01 - TSSA Search Request - 2 Industrial Road, Bolton, ON

No Records Found

Thank you for your request for confirmation of public information.

- We confirm that there are **no fuel storage tanks records** in our database at the subject address(es).

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationsservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,



Connie Hill | Public Information Agent

Facilities

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-3383 | Fax: +1-416-231-6183 | E-Mail: publicinformationsservices@tssa.org

www.tssa.org



From: Brittany Pereira <bpereira@wattersenvironmental.com>
Sent: April 29, 2020 12:38 PM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: 20-0049.01 - TSSA Search Request - 2 Industrial Road, Bolton, ON

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello,

Can you please check your records for information regarding any historical or current ASTs or USTs or inspections conducted at 2 Industrial Road, Bolton, Ontario ?

Thank you,

Brittany Pereira

Director of First Impressions

Watters Environmental Group Inc.

9135 Keele Street, Unit A1
Concord, Ontario
L4K 0J4

Tel: (416) 361-2407 ext. 200

Fax: (416) 361-2410

<http://www.wattersenvironmental.com>

IMPORTANT NOTICE: This message is intended for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by e-mail and delete the message. Thank you.



Please consider the environment before printing.

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Ministry of the Environment
 Freedom of Information and Protection of Privacy Office
 40 St. Clair Avenue West, 12th Floor
 Toronto, ON M4V 1M2
 Tel: 416-314-4075
 Fax: 416-314-4285



Use this form to request records that are in the Ministry's files on environmental concerns related to properties.
 Please refer to the guide on the completion and use of this form. Our fax no. is 416-314-4285.

Requester Data			For Ministry Use Only	
Name and Mailing Address of Requester			FOI Request No.	Date Request Received
Anthony Pereira Watters Environmental Group Inc. 135 Keele Street, Unit A1 Concord, ON L4K 0J4 wespinoia@wattersenvironmental.com Tel: 416 361 2407 Fax: 416 361 2410			Fee Paid	
Your Project/Reference No.			<input type="checkbox"/> CHQ <input checked="" type="checkbox"/> VISA/MC/AMEX <input type="checkbox"/> CASH/MONEY ORDER	
Signature of Requester			<input type="checkbox"/> CNR <input type="checkbox"/> ER <input type="checkbox"/> NOR <input type="checkbox"/> SWR <input type="checkbox"/> WCR <input type="checkbox"/> IEB <input type="checkbox"/> EAA <input type="checkbox"/> EMR <input type="checkbox"/> SCB <input type="checkbox"/> SDW	
20-0049.01				

Request Parameters

Municipal Address/Lot, Concession, Geographic Township (Municipal address mandatory for cities, towns or regions)

2 INDUSTRIAL ROAD, BOLTON, ONTARIO

Present Property Owner(s) and Date(s) of Ownership

1972410 ONTARIO LTD

Previous Property Owner(s) and Date(s) of Ownership

Present/Previous Tenant(s) (if applicable)

Search Parameters	Specify Year(s) Requested
Records older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.	
Environmental concerns (General correspondence, occurrence reports, abatement)	All years
Records	
Permits	
Investigations/prosecutions → Owner and tenant information must be provided	
Waste Generator number/classes	
Certificates of Approval → Proponent information must be provided and Certificates of Approval number(s) (if own). 1985 and prior records are searched manually. Search fees in excess of \$300.00 may be incurred, depending on the years and years of records to be searched. If supporting documents are also required, mark SD box.	
	SD Specify Year(s) Requested
→ emissions	1985 - Present
Renewable Energy	
Water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)	
Waste - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations	
Waste water - industrial discharge	
Waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites	
Waste items - haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, PCB destruction	

RECEIVED AUG 10 2020

Ministry of the Environment,
Conservation and Parks

Ministère de l'Environnement, de
la Protection de la nature et des
Parcs

Access and Privacy Office

12th Floor
40 St. Clair Avenue West
Toronto ON M4V 1M2
Tel: (416) 314-4075
Fax: (416) 314-4285

Bureau de l'accès à l'information et
de la protection de la vie privée

12^e étage
40, avenue St. Clair ouest
Toronto ON M4V 1M2
Tél. : (416) 314-4075
Télééc.: (416) 314-4285



August 5, 2020

Brittany Pereira
Watters Environmental Group Inc
9135 Keele Street, Unit A1
Concord, ON L4K 0J4

Dear Brittany Pereira:

RE: ***Freedom of Information and Protection of Privacy Act Request***
Our File # A-2020-02572, Your Reference 20-0049.01

The Ministry is in receipt of your request made pursuant to the *Freedom of Information and Protection of Privacy Act* and has received your payment in the amount of \$5.00 (non-refundable application fee), along with your \$30.00 deposit.

The search is being conducted on the following: 2 Industrial Road, Bolton. If there is any discrepancy please contact us immediately.

You may expect a reply or additional communication as your request is processed. For your information, the Ministry charges for search, copying and preparation time.

Due to the COVID-19 outbreak, requesters may experience some delays with FOI requests at this time.

If you have any questions regarding this matter, please contact Eric Giang at eric.giang@ontario.ca.

Yours truly,

/ Noel Kent
Manager, Access and Privacy

APPENDIX D

Qualifications of Watters Environmental and Key Personnel Involved with this Phase I ESA

QUALIFICATIONS OF WATTERS ENVIRONMENTAL AND KEY PERSONNEL INVOLVED WITH THIS PHASE I ESA

D-1 WATTERS ENVIRONMENTAL

Watters Environmental Group Inc. (Watters Environmental) offers a strategic business-focused approach in assisting our clients to proactively manage environmental issues, and to find practical solutions when environmental issues arise.

We are an employee-owned environmental consulting company that prides itself on uncompromising dedication to service quality and client satisfaction. We understand our client's needs for timeliness of response, and innovative, technically-sound solutions to their problems.

Watters Environmental brings together a team of experts in the related technical disciplines of environmental due diligence, environmental site assessment, environmental management systems, and environmental permitting. In addition, the team offers specialty-consulting services including technical peer review, litigation support, environmental risk assessment, and forensic environmental investigations.

Our team consists of recognized leaders in their disciplines, with real-world industry experience that allows Watters Environmental to provide cost-effective solutions to our clients. Our executive team has built lasting relationships with loyal, repeat clients who have come to rely upon us for our spirit of working closely with them to resolve their issues as if they were our own. Senior staff members are some of the most experience individuals in the industry, most with 15 to 20 years of environmental consulting experience. Our employees are highly motivated and pride themselves in being innovative and client focused.

Major corporations, law firms, lending institutions, investors and municipalities routinely call upon us to assist them with complex real estate transactions, or to help manage complicated environmental issues.

D-2 VAIDEHI JADEJA, B.A.SC., P.ENG. – PROJECT MANAGER

Vaidehi is a Project Manager with Watters Environmental and holds a Bachelor of Science in Environmental Engineering from the University of Waterloo, Ontario. Vaidehi is a licensed Professional Engineer with over 8 years of consulting experience in areas of Phase I and II ESAs and provides technical support on environmental assessments for a variety of properties, including industrial, commercial, retail, and residential properties across Canada.

D-3 ROBERT J. WATTERS, PH.D., P.GEO. – PRESIDENT & CEO

Robert is the President and Chief Executive Officer of Watters Environmental. He maintains an active practice in assisting clients with the management of environmental matters regarding their real estate portfolios. Robert has either managed or directed hundreds of environmental liability and due diligence assessments across Canada, the United States and abroad for public offerings, financing, insolvencies, underwriting, mergers and acquisitions. Robert's experience is diverse, having been involved with environmental assessments of major building supplies manufacturing and retail operations, power plants, pulp and paper mills, hospitals, hotels, resorts, ports, manufacturing facilities, mining operations, apartments, office buildings, funeral homes and others. He also has very particular experience in coordinating environmental due diligence reviews for portfolios of real estate assets.