

May 5, 2026

GSAI File: 792-028

**Zoning Matrix: RZ 2024-0031**

<b>Zoning By-Law Matrix</b>		
<b>Zone Standard</b>	<b>Requirement (Parent RMD)</b>	<b>Proposed (RMD-XX)</b>
PERMITTED USES	<ul style="list-style-type: none"> <li>- Accessory Uses</li> <li>- Adult Day Centre</li> <li>- Amusement Arcade</li> <li>- Animal Hospital</li> <li>- Apartment, Accessory</li> <li>- Art Gallery</li> <li>- Artist Studio and Gallery</li> <li>- Bakery</li> <li>- Bed and Breakfast Establishments</li> <li>- Building, Apartment</li> <li>- Building, Apartment, Senior Citizens</li> <li>- Building, Mixed Use</li> <li>- Business Office</li> <li>- Clinic</li> <li>- Community Centre</li> <li>- Conference Centre</li> <li>- Convenience Store</li> <li>- Crisis Care Facility</li> <li>- Cultural Centre</li> <li>- Day Care, Private Home</li> <li>- Day Nursery</li> <li>- Drive-Through Service</li> <li>- Facility</li> <li>- Dry Cleaning or Laundry Outlet</li> <li>- Dwelling, Back-to-Back Townhouse</li> <li>- Dwelling, Detached</li> <li>- Dwelling, Detached, Rear-Lane</li> <li>- Dwelling, Multiplex</li> <li>- Dwelling, Semi-Detached</li> <li>- Dwelling, Semi-Detached, Rear-Lane</li> <li>- Dwelling, Stacked Townhouse</li> <li>- Dwelling, Townhouse</li> <li>- Dwelling, Townhouse, Rear-Lane</li> <li>- Emergency Service Facility</li> <li>- Environmental Management</li> </ul>	Removal of <ul style="list-style-type: none"> <li>- Accessory Uses</li> <li>- Emergency Service Facility</li> <li>- Government Office</li> <li>- Hospital</li> <li>- Library</li> <li>- Park</li> <li>- School</li> </ul>



# GSAI

Glen Schnarr & Associates Inc.

	<ul style="list-style-type: none"><li>- Farmers Market</li><li>- Financial Institution</li><li>- Fitness Centre</li><li>- Forest Management</li><li>- Funeral Home</li><li>- Furniture Showroom</li><li>- Government Office</li><li>- Grocery Store</li><li>- Home Occupation</li><li>- Hospital</li><li>- Hotel</li><li>- Laboratory, Medical</li><li>- Laundromat</li><li>- Library</li><li>- Live-Work Unit</li><li>- Long-Term Care Facility</li><li>- Medical Centre</li><li>- Merchandise Service Shop</li><li>- Motor Vehicle Gas Bar</li><li>- Motor Vehicle Washing Establishment</li><li>- Museum</li><li>- Non-Market Housing</li><li>- Outdoor Seasonal Garden Centre, Accessory</li><li>- Outdoor Display or Sales Area, Accessory</li><li>- Park</li><li>- Patio, Outdoor</li><li>- Personal Service Shop</li><li>- Pharmacy</li><li>- Place of Assembly</li><li>- Place of Entertainment</li><li>- Place of Worship</li><li>- Printing and Processing Service Shop</li><li>- Private Club</li><li>- Public Transit Depot</li><li>- Recreation, Non-Intensive</li><li>- Restaurant</li><li>- Retail Store</li><li>- Retail Store, Accessory</li><li>- Sales, Service and Repair Shop</li><li>- School</li><li>- Seniors Retirement Facility</li><li>- Shopping Centre</li></ul>	
--	---	--



	<ul style="list-style-type: none"> <li>- Supermarket</li> <li>- Training Facility</li> <li>- Veterinary Hospital</li> <li>- Video Outlet/Rental Store</li> <li>- Wellness Centre</li> </ul>	
REGULATIONS	<p><b>DEFINITIONS</b></p> <p><i>Amenity Space</i> For the purposes of this zone, means an outdoor area used exclusively for the enjoyment of the outdoor environment and may include landscaping areas, patios, porches, privacy areas, balconies, terraces, decks and similar areas.</p> <p><i>Dwelling, Multiplex</i> For the purposes of this zone, means a residential building with up to eight units. In order to qualify as a Multiplex, at least one dwelling unit must be entirely or partially above another. A dwelling unit within a multiplex is not a principal dwelling that can contain an Additional Residential Unit.</p> <p><i>Dwelling, Stacked Townhouse</i> For the purposes of this zone, means a building containing four or more dwelling units in which each dwelling unit is divided both horizontally and vertically from another dwelling unit by a common wall;</p> <p><i>Finished Grade</i> For the purposes of this zone, <i>Finished Grade</i>, with reference to a building, shall be calculated using the average elevation of the finished surface of the ground where it meets the exterior of the front of such building.</p> <p><i>Lane</i></p>	Changes are proposed, see below.



# GSAI

Glen Schnarr & Associates Inc.

	<p>For the purposes of this zone, means a public or private thoroughfare, whether or not improved for use, which has a reduced right of-way width and which affords a means of access for vehicular traffic to abutting lots.</p> <p><b><i>Live-Work Unit</i></b></p> <p>For the purposes of this <i>zone</i>, means a <i>dwelling unit</i> within a <i>building</i> divided vertically, containing not more than 8 units, which the portion of the <i>building</i> at grade level may be used as a business establishment and whereby each “live” and “work” component within the <i>dwelling unit</i> may have independent entrances from the outside. “Live” and “Work” components may share common hallways, stairways and rooms for mechanical systems on the ground floor.</p> <p><b><i>Lot Depth</i></b></p> <p>For the purposes of this <i>zone</i>, means the shortest horizontal distance between the <i>front lot line</i> and the <i>rear lot line</i>.</p> <p><b><i>Lot Frontage</i></b></p> <p>For the purposes of this <i>zone</i>, in the case of a <i>corner lot</i>, the <i>lot frontage</i> shall be calculated as if the <i>front</i> and <i>exterior side lot lines</i> were extended to their point of intersection.</p> <p><b><i>Lot Line, Front</i></b></p> <p>For the purposes of this zone, where a lot contains a Rear-Lane Dwelling the Front Lot Line shall be the lot line opposite to the lot line traversed by a driveway.</p> <p><b><i>Non-Market Housing</i></b></p> <p>For the purposes of this zone, means housing that is owned or subsidized by government, a non-profit society, or a housing cooperative; whereby it is not</p>	
--	---	--



# GSAI

Glen Schnarr & Associates Inc.

	<p>solely market driven.</p> <p><b><i>Porch</i></b> For the purposes of this zone, Porch shall mean a roofed exterior platform attached to a building with or without foundation and/or basement with at least one (1) side open including any guards or railings, as required.</p> <p><b><i>Rear-Lane</i></b> For the purposes of this zone, means a dwelling with a driveway access to a private or public street or Lane adjacent to the rear lot line.</p> <p><b><i>Street</i></b> For the purpose of this zone, a street shall include a private road or lane.</p> <p><b>GENERAL PROVISIONS</b></p> <p><b><i>Access Regulations</i></b> Notwithstanding Section 4.3.1, a rear-lane dwelling and associated accessory structures may be erected on a lot without frontage and access to a public or private street, provided driveway access to the rear lot line is available from a public or private street or Lane.</p> <p>For the purposes of this zone, Sections 4.3.3 (minimum entrance setback) and 4.3.4 (minimum entrance separation) shall not apply.</p> <p><b><i>Additional Residential Units</i></b> Notwithstanding the lands identified on Schedule H of Comprehensive Zoning By-law 2006-50, the provisions of Section 4.4 – Additional Residential Units Overlay Zone shall apply to the lands shown on Schedule “A” of this By-law.</p>	<p><b>Additional residential units</b> are proposed to change to the following: Additional Residential Units For the purposes of this zone:</p> <p>a) Notwithstanding the lands identified on Schedule H of Comprehensive Zoning By-law 2006-50, the provisions of Section 4.4 – Additional</p>
--	--	---



	<p><b><i>Air Conditioners and Heat Pumps</i></b>  Air Conditioners and Heat Pumps are permitted in all yards provided where an Air Conditioner or Heat Pump is located in a Front Yard or Exterior Side Yard, it shall be screened from public view or located on a balcony.</p> <p><b><i>Detached or Dual Garage</i></b>  For the purposes of this zone, a detached or dual garage with driveway access to a lane shall:</p> <ul style="list-style-type: none"> <li>a) Comply with the minimum yard requirements of the lot, except in the case of a dual garage, or portion thereof, no minimum side yard requirement shall apply where a dual garage is divided vertically into 2 separate private garages on a lot line.</li> <li>b) Not be subject to Section 4.2.2</li> <li>c) Not exceed the <i>Building Height</i> of the <i>main building</i> on the <i>lot</i>.</li> </ul> <p><b><i>Dwellings Per Lot</i></b>  Section 4.11 shall only apply to a lot containing a detached dwelling, semi-detached dwelling, and/or a freehold townhouse.</p> <p><b><i>Model Homes and Temporary Sales Structure</i></b>  Notwithstanding Section 4.24 (Model Homes and Temporary Sales Structures), for the purposes of this <i>zone</i>:</p> <ul style="list-style-type: none"> <li>a) a maximum of ten (10) dry or serviced model homes shall be permitted on lands with draft</li> </ul>	<p>Residential Units Overlay Zone shall apply to the lands shown on Schedule “A” of this By-law.</p> <ul style="list-style-type: none"> <li>b) Notwithstanding the maximum number of dwelling units permitted within a Townhouse Block, Additional Residential Units shall not be counted toward the maximum permitted number of dwelling units within such Townhouse Block.</li> </ul>
--	---	---



	<p>plan approval.</p> <p>b) Any number of temporary sales <i>structures</i> may be located on lands which are the subject of a draft approved plan of subdivision subject to Subsections 4.24.5 a), b), and c).</p> <p><b><i>Motor Vehicle Gas Bars and Washing Establishments, and Drive-Through Service Facilities</i></b>  Motor Vehicle Gas Bars, Motor Vehicle Washing Establishments, and Drive-Through Service Facilities shall only be located on a lot abutting Mayfield Road</p> <p><b><i>Non-Market Housing</i></b>  Shall be permitted in all residential zones, provided that such use, building or structure complies with the standards of the Zone in which it is located.</p> <p><b><i>Sight Triangles</i></b>  Notwithstanding Section 4.38.2 (Sight Triangles) no sight triangle shall be required where a curved or triangular area of land abutting a corner lot has been incorporated into the public right-of-way. No minimum yard or setback is required from a lot line abutting such curved or triangular area of land.</p> <p><b><i>Size of Parking Spaces</i></b>  For the purpose of this zone, the minimum size of a parking space shall be 2.75 m in width and 5.5 m in length.</p> <p><b><i>Residential Parking Requirements</i></b>  Notwithstanding Section 5.2.2 (Residential Parking Requirements), no visitor parking spaces are required for a dwelling, back-to-back townhouse,</p>	<p>Size of parking space regulation is proposed to change to the following:</p> <p><b><i>Size of Parking Spaces</i></b>  For the purpose of this zone, the minimum size of a parking space shall be 2.6 m in width and 5.5 m in length</p>
--	--	--



# GSAI

Glen Schnarr & Associates Inc.

	<p>having frontage on a public street.</p> <p><b>Visitor Parking</b> In the case of dwellings tied to a common element condominium or on a lot with four or more dwelling units, visitor parking shall be provided at a rate of 0.25 spaces per unit, unless otherwise specified in this zone.</p> <p><b>Planting Strips</b> A driveway, walkway or retaining wall may extend through a planting strip at any location.</p> <p><b>Use Restriction</b> Where a dwelling has been legally constructed, the dwelling shall not be used for any purpose other than a domicile, a day care, private home, home occupation, and related accessory use as permitted by the Zoning By-law. All other uses are prohibited.</p>	
REGULATIONS	<p><b>ZONING STANDARDS</b></p> <p><b>For a Dwelling, Detached and Dwelling, Detached, Rear-Lane:</b></p> <p><b>Lot Area</b> (minimum) N/A</p> <p><b>Lot Frontage</b> (minimum)</p> <p><i>Dwelling, Detached:</i> 8m</p> <p><i>Dwelling, Detached, Rear-Lane:</i> 7.8m</p> <p><b>Building Area</b> (maximum): N/A</p> <p><b>Backyard Amenity Area</b> (minimum): N/A</p> <p><b>Front Yard</b> (minimum) Front wall of attached <i>private garage</i>:</p>	<p>Changes are proposed, see below.</p> <p>Front yard (minimum) is proposed to be:</p> <p><b>Front Yard</b> (minimum) Front wall of attached <i>private garage</i>: 5.5m</p>



# GSAI

Glen Schnarr & Associates Inc.

	5.75m	
	Front wall of <i>main building</i> : 2.5m	Exterior side yard (minimum) is proposed to be:
	<b>Exterior Side Yard</b> (minimum):	<b>Exterior Side Yard</b> (minimum):
	To a <i>private garage</i> facing an <i>exterior side lot line</i> : 5.75m	To a <i>private garage</i> facing an <i>exterior side lot line</i> : 5.5m
	To a <i>main building</i> : 2.0m	Exterior Side Yard abutting a Lane (minimum) is proposed to be:
	<b>Exterior Side Yard abutting a Lane</b> (minimum):	<b>Exterior Side Yard abutting a Lane</b> (minimum):
	To a <i>private garage</i> facing an <i>exterior side lot line</i> : 5.75m	To a <i>private garage</i> facing an <i>exterior side lot line</i> : 5.5m
	To a <i>main building</i> : 1.2m	
	<b>Rear Yard</b> (minimum):	
	For <i>lots</i> with a <i>lot depth</i> of 22m or greater:	
	6.0m	
	For <i>lots</i> with a <i>lot depth</i> less than 22m:	
	4.7m	
	To the side wall of a <i>private garage</i> : 0.6m	
	For a <i>Dwelling, Detached, Rear-Lane</i> abutting a <i>Lane</i> : N/A	Rear Yard (minimum) For a <i>Dwelling, Detached, Rear-Lane</i> abutting a <i>Lane</i> is proposed to be: For a <i>Dwelling, Detached, Rear-Lane</i> abutting a <i>Lane</i> : 0.0m
	For a <i>Dwelling, Detached, Rear-Lane</i> abutting a <i>Street</i> :	
	To an attached <i>private garage</i> : 5.5m	
	To a <i>main building</i> : 2.5m	
	<b>Interior Side Yard</b> (minimum):	
	One side: 0.6m	



# GSAI

Glen Schnarr & Associates Inc.

	<p>Other side: 1.2m</p> <p>Abutting a non-residential land use: 1.2m</p> <p><b>Building Height</b> (maximum) 14m</p> <p><b>Landscape Area</b> (minimum) 10% of Front Yard</p> <p><b>Driveway Width</b> (minimum) 2.75m</p> <p><b>Parking Requirements for a Rear-Lane Dwelling</b> (minimum):</p> <p>2 parking spaces per dwelling unit</p> <p style="text-align: center;"><b>ZONE STANDARDS</b></p> <p><b>For a Dwelling, Townhouse:</b></p> <p><b>Lot Area</b> (minimum): N/A</p> <p><b>Lot Frontage</b> (minimum): Interior Lot: 4.5m</p> <p style="text-align: right;">End Lot or Corner</p> <p>Lot: 5.5m</p> <p><b>Building Area</b> (maximum): N/A</p> <p><b>Backyard Amenity Area</b> (minimum): N/A</p> <p><b>Front Yard</b> (minimum): Front wall of attached private garage:</p> <p style="text-align: right;">5.75m</p> <p>Front wall of <i>main building</i>:</p> <p style="text-align: right;">2.5m</p>	<p>Landscape Area (minimum) is proposed to be: <b>Landscape Area</b> (minimum) N/A</p> <p>Parking Requirements for a Rear-Lane Dwelling (minimum) is proposed to be: <b>Parking Requirements for a Rear-Lane Dwelling</b> (minimum):</p> <p>1 parking spaces per dwelling unit</p> <p>Front Yard (minimum) Front wall of attached private garage is proposed to be:</p> <p><b>Front Yard</b> (minimum): Front wall of attached private garage: 5.5m</p> <p>Exterior Side Yard (minimum) To a private garage facing an exterior side lot line is proposed to be:</p>
--	--	---



# GS&A

Glen Schnarr & Associates Inc.

	<p><b>Exterior Side Yard (minimum):</b> To a private garage facing an exterior side lot line: 5.75m</p> <p>To a main building: 2.0m</p> <p><b>Exterior Side Yard abutting a Lane (minimum):</b> To a private garage facing an exterior side lot line: 5.5m</p> <p>To a main building: 1.2m</p> <p><b>Rear Yard (minimum):</b> To a main building: 4.7m</p> <p>To the side wall of a private garage: 0.6m</p> <p><b>Interior Side Yard (minimum):</b> To a main building: 1.2m</p> <p>Between attached dwelling units: N/A</p> <p>Abutting a non-residential land use: 1.2m</p> <p><b>Building Height (maximum):</b> 14m</p> <p><b>Landscaping Area (minimum):</b> 10% of Front Yard</p> <p><b>Driveway Width (minimum):</b> 2.75m</p> <p style="text-align: center;"><b>ZONE STANDARDS</b></p>	<p><b>Exterior Side Yard (minimum):</b> To a private garage facing an exterior side lot line: 5.5m</p> <p>Landscaping Area (minimum) is proposed to be: <b>Landscaping Area (minimum):</b> N/A</p> <p>Parking Requirements (minimum) is proposed to be: <b>Parking Requirements (minimum):</b> 1 parking space per dwelling unit</p>
--	--	--



	<b>For a Dwelling, Townhouse, Rear-Lane:</b>	
	<b>Lot Area (minimum):</b>	N/A
	<b>Lot Frontage (minimum):</b>	
	Interior Lot:	4.0m
	End Lot or Corner Lot:	5.5m
	<b>Building Area (maximum):</b>	N/A
	<b>Backyard Amenity Area (minimum):</b>	N/A
	<b>Front Yard (minimum):</b>	2m
	<b>Exterior Side Yard (minimum):</b>	2m
	<b>Exterior Side Yard abutting a Lane (minimum):</b>	1.2m
	<b>Rear Yard (minimum):</b>	
	For a Dwelling, Townhouse, Rear-Lane abutting a Lane:	0.0m
	For a Dwelling, Townhouse, Rear-Lane abutting a Street:	
	To an attached private garage:	5.5m
	To a main building:	2.5m
	<b>Interior Side Yard (minimum):</b>	
	To a main building:	1.2m
	Between attached dwelling units:	N/A
	Between attached private garages:	N/A
	Abutting a non-residential land use:	1.2m
	<b>Building Height (maximum):</b>	14m



# GSAI

Glen Schnarr & Associates Inc.

	<p><b>Landscaping Area</b> (minimum): 10% of Front Yard</p> <p><b>Driveway Width</b> (minimum): 2.75m</p> <p><b>Parking Requirements</b> (minimum): 1 parking space per dwelling unit</p> <p><b>Amenity Space</b> (minimum): 3.5m<sup>2</sup> per dwelling unit</p> <p style="text-align: center;"><b>ZONE STANDARDS</b></p> <p><b>For a Dwelling, Back-to-Back Townhouse:</b></p> <p><b>Lot Area</b> (minimum): N/A</p> <p><b>Lot Frontage</b> (minimum): Interior Lot: 5.5m End Lot or Corner Lot: 6.7m</p> <p><b>Building Area</b> (maximum): N/A</p> <p><b>Backyard Amenity Area</b> (minimum): N/A</p> <p><b>Front Yard</b> (minimum): Front wall of attached private garage: 5.75m</p> <p>Front wall of main building: 2.5m</p> <p><b>Exterior Side Yard</b> (minimum): 2.0m</p> <p><b>Exterior Side Yard abutting a Lane</b> (minimum): To a private garage facing an exterior side lot line: 5.75m</p> <p>To a main building: 1.2m</p>	<p>Landscaping Area (minimum) is proposed to be: <b>Landscaping Area</b> (minimum): N/A</p> <p>Front Yard (minimum) Front wall of attached private garage is proposed to be: <b>Front Yard</b> (minimum): Front wall of attached private garage: 5.5m</p> <p>Exterior Side Yard abutting a Lane (minimum) To a private garage facing an exterior side lot line is proposed to be: <b>Exterior Side Yard abutting a Lane</b> (minimum): To a private garage facing an exterior side lot line: 5.5m</p>
--	--	---



	<p><b>Rear Yard</b> (minimum): N/A</p> <p><b>Interior Side Yard</b> (minimum): To a main building: 1.2m</p> <p>Between attached dwelling units: N/A Abutting a non-residential land use: 1.2m</p> <p><b>Building Height</b> (maximum): 14m</p> <p><b>Landscaping Area</b> (minimum): 10% of Front Yard</p> <p><b>Driveway Width</b> (minimum): 2.75m</p> <p><b>Parking Requirements</b> (minimum): 1 parking space per dwelling unit</p> <p><b>Contiguous Dwelling Units</b> (maximum): 16</p> <p><b>Dimensions of a Contiguous Structure</b> (maximum): 8 dwelling units wide by 2 dwelling units deep</p> <p><b>Amenity Space</b> (minimum): 3.5m<sup>2</sup> per dwelling unit</p> <p style="text-align: center;"><b>ZONE STANDARDS</b></p> <p><b>For a Dwelling, Stacked Townhouse, and Dwelling, Multiplex:</b></p> <p><b>Lot Area</b> (minimum): N/A</p> <p><b>Lot Frontage</b> (minimum): N/A</p> <p><b>Building Area</b> (maximum): N/A</p> <p><b>Backyard Amenity Area</b> (minimum):</p>	<p>Landscaping Area (minimum) is proposed to be: <b>Landscaping Area</b> (minimum): N/A</p>
--	--	---



	N/A	
<b>Front Yard (minimum):</b>	2.5m	
<b>Exterior Side Yard (minimum):</b>	2.4m	
<b>Rear Yard (minimum):</b> 2.4m but 0.5m is permitted to a Lane		
<b>Interior Side Yard (minimum):</b>	0.9m	
<b>Building Height (maximum):</b>	20m	
<b>Landscaping Area (minimum):</b> 10% of the lot		Landscaping Area (minimum) is proposed to be: <b>Landscaping Area (minimum):</b> N/A
<b>Driveway Width (minimum):</b>	2.75m	
<b>Parking Requirements (minimum):</b> Residents: 1 parking space per dwelling unit  Visitors: 0.15 parking space per dwelling, stacked townhouse unit		
<b>Amenity Space (minimum):</b> 2m <sup>2</sup> per dwelling unit		
<b>ZONE STANDARDS</b>		
<b>For a Building, Apartment; Building, Apartment, Senior Citizen, and Building, Mixed Use:</b>		
<b>Lot Area (minimum):</b>	N/A	
<b>Lot Frontage (minimum):</b>	N/A	
<b>Building Area (maximum):</b>	N/A	
<b>Front Yard (minimum):</b>	N/A	
<b>Exterior Side Yard (minimum):</b>	N/A	



# GSAI

Glen Schnarr & Associates Inc.

	<p><b>Rear Yard (minimum):</b> 3m</p> <p><b>Interior Side Yard (minimum):</b> 3m</p> <p><b>Building Height (maximum):</b> N/A</p> <p><b>Landscaping Area (minimum):</b> 10% of the lot</p> <p><b>Parking Requirements (minimum):</b>  Residents:  1 parking space per dwelling unit</p> <p>Visitors:  0.15 parking space per dwelling unit</p> <p><b>Amenity Space (minimum):</b>  2m<sup>2</sup> per dwelling unit</p> <p><b>For a Building, Mixed Use</b>, the number of parking spaces required shall be calculated in accordance with the above requirements for residential uses as well as the standards set out in Table 5.2 for non-residential uses multiplied by the percent of the peak period for each time period as follows:</p> <p><b>Percentage of Peak Period (Weekday):</b></p> <p><u>Morning</u>  Business Office, Clinic, and Financial Institution: 90  Retail Store and Service Shop: 80  Restaurant: 20  Hotel: 70  Residential – Resident: 90  Residential – Visitor: 20</p> <p><u>Noon</u>  Business Office, Clinic, and Financial Institution: 90  Retail Store and Service Shop: 90</p>	<p>Landscaping Area (minimum) is proposed to be: <b>Landscaping Area (minimum):</b> N/A</p>
--	--	---



# GS&A

Glen Schnarr & Associates Inc.

Restaurant:	100
Hotel:	70
Residential – Resident:	65
Residential – Visitor:	20
<u>Afternoon</u>	
Business Office, Clinic, and Financial Institution:	
Retail Store and Service Shop:	95
Restaurant:	90
Hotel:	30
Residential – Resident:	70
Residential – Visitor:	90
<u>Evening</u>	
Business Office, Clinic, and Financial Institution:	
Retail Store and Service Shop:	10
Restaurant:	90
Hotel:	100
Residential – Resident:	100
Residential – Visitor:	100
<b>Percentage of Peak Period (Weekend):</b>	
<u>Morning</u>	
Business Office, Clinic, and Financial Institution:	
Retail Store and Service Shop:	10
Restaurant:	80
Hotel:	20
Residential – Resident:	70
Residential – Visitor:	90
<u>Noon</u>	
Business Office, Clinic, and Financial Institution:	
Retail Store and Service Shop:	10
Restaurant:	100
Hotel:	100
Residential – Resident:	70
Residential – Visitor:	65
<u>Afternoon</u>	
Business Office, Clinic, and Financial	



Institution:	10
Retail Store and Service Shop:	100
Restaurant:	50
Hotel:	70
Residential – Resident:	90
Residential – Visitor:	60
<u>Evening</u>	
Business Office, Clinic, and Financial	
Institution:	10
Retail Store and Service Shop:	70
Restaurant:	100
Hotel:	100
Residential – Resident:	100
Residential – Visitor:	100
<p>Each time period shall be totaled for weekday and weekend periods. The highest figure obtained from all time periods shall become the required parking for a Building, Mixed Use.</p>	
<b>ZONE STANDARDS</b>	
<b>For a Seniors Retirement Facility, and Long-Term Care Facility</b>	
<b>Lot Area (minimum):</b>	N/A
<b>Lot Frontage (minimum):</b>	N/A
<b>Building Area (maximum):</b>	N/A
<b>Front Yard (minimum):</b>	N/A
<b>Exterior Side Yard (minimum):</b>	N/A
<b>Rear Yard (minimum):</b>	3m
<b>Interior Side Yard (minimum):</b>	3m
<b>Building Height (maximum):</b>	N/A
<b>Landscaping Area (minimum):</b>	10% of



	<p>the lot</p> <p><b>Parking Requirements (minimum):</b></p> <p>For a Seniors Retirement Facility: Residents: 0.5 parking space per dwelling unit</p> <p>Visitors: 0.15 parking space per dwelling unit</p> <p><b>Amenity Space (minimum):</b> 2m<sup>2</sup> per dwelling unit</p> <p style="text-align: center;"><b>ZONE STANDARDS</b></p> <p>For a Live-Work Unit: A Live-Work Unit shall be limited to the following non-residential uses in addition to a dwelling unit:</p> <ul style="list-style-type: none"> <li>a) Art Gallery</li> <li>b) Artist Studio and Gallery</li> <li>c) Business Office</li> <li>d) Clinic</li> <li>e) Day Care, Private Home</li> <li>f) Day Nursery</li> <li>g) Dry Cleaning or Laundry Outlet</li> <li>h) Personal Service Shop</li> <li>i) Restaurant</li> <li>j) Retail Store</li> </ul> <p><b>Lot Area (minimum):</b> N/A</p> <p><b>Lot Frontage (minimum):</b></p> <p>Interior Lot: 6.0m</p> <p>End Lot or Corner Lot: 7.2m</p> <p><b>Building Area (maximum):</b> N/A</p> <p><b>Backyard Amenity Area (minimum):</b> N/A</p>	
--	--	--



	<p><b>Front Yard (minimum):</b> 2m</p> <p><b>Exterior Side Yard (minimum):</b> 2m</p> <p><b>Exterior Side Yard abutting a Lane (minimum):</b> 1.2m</p> <p><b>Rear Yard (minimum):</b></p> <p>Abutting a Lane: N/A</p> <p>Abutting a Street:</p> <p>To an attached private garage: 5.5m</p> <p>To a main building: 2.5m</p> <p><b>Interior Side Yard (minimum):</b></p> <p>To a main building: 1.2m</p> <p>Between attached Live-Work units: N/A</p> <p>Abutting another land use: 1.2m</p> <p><b>Building Height (maximum):</b> 14m</p> <p><b>Landscaping Area (minimum):</b> N/A</p> <p><b>Parking Requirements (minimum):</b></p> <p style="padding-left: 40px;">1 parking space per dwelling unit; and 1 parking space per non-residential unit</p> <p><b>Amenity Space (minimum):</b> 3.5m<sup>2</sup> per dwelling unit</p> <p><b>Non-Residential Floor Area, Gross Leasable (minimum):</b> 50m<sup>2</sup> per Live-Work Unit</p> <p style="text-align: center;"><b>ZONE STANDARDS</b></p> <p><b>For a Shopping Centre or Non-Residential Use not otherwise regulated in this zone:</b></p>	
--	---	--



# GSAI

Glen Schnarr & Associates Inc.

	<p><b>Setback to a Street Line</b> (minimum): 3m</p> <p><b>Setback to another Lot Line</b> (minimum): 6m</p> <p><b>Building Height</b> (maximum): 18m</p> <p><b>Planting Strip</b> (minimum): 3m along a street line or a lot line adjacent to another zone.</p> <p><b>Entrance Width</b> (maximum): N/A</p> <p><b>Parking Requirements for a Shopping Centre</b> (minimum):</p> <p>1 parking space per 23m<sup>2</sup> of net floor area or portion thereof</p> <p>No part of a lighting fixture shall be closer than 2.5m to a lot line.</p> <p>A loading space shall not be closer than 6m to a street line or 12m to a residential land use.</p> <p>Where a lot is used exclusively for a Community Centre, Emergency Service Facility, Hospital, Library, Place of Worship, or School, the provisions of Section 9 (Institutional Zone) shall apply.</p> <p>Where a lot is used for Environmental Management, Forest Management, and Recreation, Non-Intensive uses, the provisions of Section 11 (Environmental Policy Area Zones) shall apply.</p> <p>Where a lot is used for a Park purpose, the provisions of Section 12 (Open Space Zone) shall apply.</p>	
--	--	--



# GSAI

Glen Schnarr & Associates Inc.

<b>PERMITTED ENCROACHMENTS</b>	
<p><b>Into a required Yard, Front:</b> A covered or uncovered porch or balcony, terrace, canopy or portico, including stairs or steps (maximum):</p> <p>2m provided a setback of 0.5m is maintained to the lot line, front.</p> <p>A bay, bow or box window with or without foundation or cold cellar (maximum): 1.0m</p> <p><b>For Dwelling, Detached and Dwelling, Detached, Rear-Lane:</b></p> <p>A carport or garbage enclosure, private (maximum):</p> <p>2m, provided a setback of 0.5m is maintained to the lot line, front.</p> <p><b>Into a required Yard, Exterior Side:</b></p> <p>A covered or uncovered porch or balcony, terrace, canopy or portico, including stairs or steps (maximum):</p> <p>2m provided a setback of 0.5m is maintained to the lot line, exterior side.</p> <p>A bay, bow or box window with or without foundation or cold cellar (maximum): 1m</p> <p>Exterior below grade stairs (maximum): 1m</p> <p>A fireplace, chimney or vent (maximum): 0.6m</p> <p>Any type of encroachment where the yard, exterior side abuts a lane</p>	<p><b>Into a required Yard, Front:</b></p> <p>A bay, bow or box window with or without foundation or cold cellar (maximum):</p> <p>2m provided a setback of 0.5m is maintained to the lot line, front.</p>



# GSAI

Glen Schnarr & Associates Inc.

	<p>(maximum): 0.5m</p> <p><b>Into a required Yard, Rear:</b></p> <p><b>In the case of a Dwelling, Detached, Dwelling, Semi-Detached, and Dwelling, Townhouse:</b></p> <p>A one-storey component of a main building on a lot with a lot depth less than 24m (maximum):</p> <p style="padding-left: 40px;">3.5m up to a maximum width of 60% of the lot</p> <p>A covered or uncovered porch or balcony, canopy or portico, including stairs or steps (maximum): 1m</p> <p>A bay, bow or box window with or without foundation or cold cellar (maximum): 1m</p> <p>An open-roofed porch, uncovered terrace, deck off the main floor, or exterior below grade stairs:</p> <p style="padding-left: 40px;">To within 1.2m of a lot line, rear.</p> <p>Stairs or steps associated with an open-roofed porch, uncovered terrace or deck:</p> <p style="padding-left: 40px;">To within 0.6m of a lot line, rear.</p> <p>A fireplace, chimney or vent (maximum): 1.2m</p> <p><b>In the case of a Dwelling, Rear-Lane where the lot line, rear abuts a street that is not a lane:</b></p> <p>A covered or uncovered porch or balcony, canopy or portico, including stairs or steps (maximum):</p>	<p><b>In the case of a Dwelling, Detached, Dwelling, Semi-Detached, and Dwelling, Townhouse:</b></p> <p>A one-storey component of a main building:</p> <p style="padding-left: 40px;">3.5m up to a maximum width of 60% of the lot</p> <p>A covered or uncovered porch or balcony, canopy or portico, including stairs or steps (maximum): 2.5m</p>
--	--	---



	<p>2m provided a setback of 0.5m is maintained to the lot line, front.</p> <p>A bay, bow or box window with or without foundation or cold cellar (maximum): 1m</p> <p><b>Into a Yard, Interior Side:</b></p> <p>A covered or uncovered porch or balcony, canopy or portico, including stairs or steps (maximum):</p> <p>0.6m provided a setback of 0.6m is maintained to the lot line, interior side.</p> <p>A fireplace, chimney or vent (maximum): 0.6m</p> <p><b>In the case of a Dwelling, Rear-Lane:</b></p> <p>A bay, bow or box window with or without foundation or cold cellar (maximum): 0.5m</p> <p><b>Into all Yards:</b></p> <p>Sills, cornices, parapets, or other similar ornamental architectural features (maximum):</p> <p>0.6m extending from a main building wall or permitted encroachment provided that a minimum setback of 0.5m is maintained to a lot line;</p> <p>Eaves (maximum): 0.6m from a main building wall or permitted encroachment provided that a minimum setback of 0.2m is maintained to an interiorside lot line.</p> <p><b>Within a Private Garage:</b></p>	<p><b>In the case of a Dwelling, Rear-Lane:</b></p> <p>A bay, bow or box window with or without foundation or cold cellar (maximum): 0.6m</p> <p><b>Within a Private Garage:</b></p>
--	---	--

	<p>Steps, Stairs, Landings, Ramp, or barrier-free access feature (maximum):</p> <p>0.25m into a required parking space.</p>	<p>Steps, Stairs, Landings, Ramp, or barrier-free access feature (maximum):</p> <p>0.5m into a required parking space.</p>
--	---	--

*Prepared by GSAI*