

- KEY PLAN
- LEGEND
- STREETLIGHT POLE: 6.7m (22.0')
SQUARE CONCRETE POLE BY STRESS-CRETE
CAT.#P220-AAPS-G-S11 S/F 130
C/W BPC-1 FINISHED IN POLISHED ECLIPSE
LUMINAIRE: GE EVOLVE SERIES
EALS-03-0-C2-SM-7-30-N-A-D1-BLK
50W 120V L.E.D. C/W PHOTO CONTROL. NOTE: LUMINAIRE FACTORY FINISHED POWDER COAT BLACK.
PHOTOMETRIC FILE: EALP03_C2AN730.IES
 - DECORATIVE POLE: 5.4m (18.0')
BELMONE CONCRETE BASE-MOUNT, PRE-STRESSED
STREETLIGHTING POLE, FINISHED POLISHED BLACK ECLIPSE.
KBH18-E11-FBP-140 30/30-A LUMINAIRE: K139 WELLINGTON 50W LED C/W PHOTOCONTROL, BLACK, PER PHOTOMETRIC FILE 0100SP4AR4XD4030XXJ.IES
CAT: K139R-P4AR-V-40-SSL-120-K16 PEBC-3K-BK-3.

LIGHT TRESPASS ANALYSIS INCLUDES A 1.8m PRIVACY FENCE AROUND THE SHARED PERIMETER OF THE DEVELOPMENT AND DOES NOT MODEL MUNICIPAL STREETLIGHTS


LIGHT VALUES IN LUX

APPROVED FOR CONSTRUCTION
THIS APPROVAL CONSTITUTES A GENERAL REVIEW AND DOES NOT CERTIFY DIMENSIONAL ACCURACY.

THIS APPROVAL IS SUBJECT TO THE FURTHER CERTIFICATION OF THE "AS CONSTRUCTED" WORKS BY A REGISTERED PROFESSIONAL ENGINEER OF THE PROVINCE OF ONTARIO.

DATE: _____ APPROVED BY: _____

NO.	REVISION	DATE	BY
R2	REVISED PER LATEST SITE PLAN	2020.06.25	T.J.G.
R1	REVISED PER LATEST SITE PLAN	2019.04.30	T.J.G.



RTG SYSTEMS INC.
ELECTRICAL CONSULTING ENGINEERS
3518 Mainway Dr., Suite 201 Office: (905) 335-4470
Burlington ON L7M 1A8 Toronto: (905) 827-7867
E-MAIL: general@rtgsystems.com

TOWN OF CALEDON
PLURIBUS CORP.
0 ATCHISON DR., CALEDON
R18-03, SPA 18-06
LIGHT TRESPASS ANALYSIS

DWG BY: T.J.G.	DATE: 2018.02.14	CK'D BY:	DATE: 2020.06.25
SCALE: 1:250 EXCEPT SYMBOLS		DRAWING NO. SHEET 1 OF 1	

TRESPASS-1